## TRAFFIC SIGNAL LEGEND

ITEM		REMOVAL	EXISTING	PROPOSED	ITEM		REMOVAL	EXISTING	PROPOSED	ITEM	REMOVAL	EXISTING	PROPOSED
						ICLE LICHT DETECTOR	REMOVAL R	<u>EXISTING</u>	<u>FROFOSED</u>	ELECTRIC CABLE IN CONDUIT, TRACER,	TILINIO V AL	_ (1	— <u>(1)</u> —
CONTROLLER CABINET  RAILROAD CONTROL CABINET		R		<b>X</b>	CONFIRMATION E	ICLE LIGHT DETECTOR	R <sub>0</sub> -()	<i>∞</i>	<b>-</b>	NO. 14 1/C, UNLESS NOTED OTHERWISE			
COMMUNICATIONS CABINET		R CC	ECC	CC	CONTINUATION I	SEACON				COAXIAL CABLE		— <u>c</u>	
MASTER CONTROLLER			EMC	MC	HANDHOLE		R N						
MASTER MASTER CONTROLLER			EMMC	MMC	HEAVY DUTY HA	NDHOLE	R	H	H	VENDOR CABLE FOR CAMERA			
UNINTERRUPTIBLE POWER SUPPLY		UPS	EUPS	UPS	DOUBLE HANDHO	_E	R N			COPPER INTERCONNECT CABLE, NO. 18 3 PAIR TWISTED, SHIELDED		<u>—6</u> —	
SERVICE INSTALLATION, (P) POLE OR (G) GROUND MOUNT		R	- <u></u> -	- <b>■</b> P	JUNCTION BOX		R		•	FIBER OPTIC CABLE		—(12F)—	
TELEPHONE CONNECTION (P) POLE OR (G) GROUND MOUNT		R	P	P	GALVANIZED STE	DR PUSHED (P)				NO. 62.5/125, MM12F FIBER OPTIC CABLE		—(24F)—	—(24F)—
STEEL MAST ARM ASSEMBLY AND	POLE R	? O———	0	•	AND CABLE	N WIRE, TETHER WIRE,	_R			NO. 62.5/125, MM12F SM12F		<u> </u>	
ALUMINUM MAST ARM ASSEMBLY A	AND POLE R	3	0		COMMON TRENCH				СТ	FIBER OPTIC CABLE NO. 62.5/125, (NUMBER OF FIBERS & TYPE TO BE		<del>-</del>	——
STEEL COMBINATION MAST ARM	R	, , ,	0 <del>-</del> ¤	• <del></del>	COILABLE NONM	ETALLIC CONDUIT (EMPTY)			CNC	NOTED ON PLANS)		,	
ASSEMBLY AND POLE WITH LUMINA	AIKE R	₹_	C	•	SYSTEM ITEM			S	S	GROUND ROD AT (C) CONTROLLER,  (H) HANDHOLE, (P) POST, (M) MAST ARM,		C	c <sub>II</sub> -
STEEL COMBINATION MAST ARM ASSEMBLY AND POLE WITH PTZ CA	AMERA	PIZM	PTZ	PIZ	INTERSECTION I	TEM		I	ΙP	OR (S) SERVICE	DOE		
SIGNAL POST		R <sub>O</sub>	0	•	REMOVE ITEM RELOCATE ITEM		R			CONTROLLER CABINET AND FOUNDATION TO BE REMOVED	RCF		
TEMPORARY WOOD POLE (CLASS 5 BETTER) 45 FOOT (13.7m) MINIMUM		<sup>R</sup> ⊗	$\otimes$	•	ABANDON ITEM		A			STEEL MAST ARM POLE AND	ORMF		
GUY WIRE		R	>	>-	12" (300mm) TR	AFFIC SIGNAL SECTION		R	R	FOUNDATION TO BE REMOVED	8115		
SIGNAL HEAD		R →	$\dashv \triangleright$	-	12" (300mm) RF	D WITH 8" (200mm)		(R)		ALUMINUM MAST ARM POLE AND FOUNDATION TO BE REMOVED	RMF		
SIGNAL HEAD CONSTRUCTION STAG (NUMBERS INDICATE THE CONSTRUC				- <b>&gt;</b> 2		EEN TRAFFIC SIGNAL FACE				STEEL COMBINATION MAST ARM ASSEMBLY AND POLE WITH LUMINAIRE AND	RMF O <del>-</del> ¤———		
SIGNAL HEAD WITH BACKPLATE		$+$ $\triangleright$ R	+	+				R	R	FOUNDATION TO BE REMOVED			
SIGNAL HEAD OPTICALLY PROGRAM	MMED		—[>″p″	<b>-</b> ►"P"	SIGNAL FACE				G	SIGNAL POST AND FOUNDATION TO BE REMOVED	RMF		
FLASHER INSTALLATION (S DENOTES SOLAR POWER)		R O-'⊅''F''	O-D″F″	<b>●→</b> "F"				<b>*</b> Y	<b>◆</b> Y <b>◆</b> G	INTERSECTION & SAMPLING (SYSTEM) DETECTOR			IS
PEDESTRIAN SIGNAL HEAD		R -□	-0	-				R	R	SAMPLING (SYSTEM) DETECTOR			S
PEDESTRIAN PUSHBUTTON DETECTO	TTON DETECTOR ©		•	SIGNAL FACE W:	H BACKPLATE. ROGRAMMED HEAD			Y G <b>4</b> Y <b>4</b> G	EXISTING INTERSECTION LOOP DETECTOR PROPOSED INTERSECTION AND SAMPLING (SYSTEM) DETEC	T OR	''  -		
ACCESSIBLE PEDESTRIAN PUSHBUTTON DETECTOR		R APS	@APS	APS					(P)	EXISTING PREFORMED INTERSECTION LOOP DETECTOR	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	99	
ILLUMINATED SIGN "NO LEFT TURN"		R		•	12" (300mm) PF	DESTRIAN SIGNAL HEAD		(6W)	′′P′′	PROPOSED INTERSECTION AND SAMPLING (SYSTEM) DETECTION AND SAMPLING	CTOR		
ILLUMINATED SIGN		R				WALK/DON'T WALK SYMBOL		W		(SYSTEM) DETECTOR		PIS	PIS
"NO RIGHT TURN"				<b>®</b>		12" (300mm) PEDESTRIAN SIGNAL HEAD INTERNATIONAL SYMBOL, OUTLINED		(T)		PREFORMED SAMPLING (SYSTEM) DETECTOR		[PS]	PS
DETECTOR LOOP, TYPE I			]			DESTRIAN SIGNAL HEAD			•				
PREFORMED DETECTOR LOOP				Р	INTERNATIONAL				*	RAILROAD SYMBOLS			
MICROWAVE VEHICLE SENSOR		R M	M	M		NAL HEAD, INTERNATIONAL COUNTDOWN TIMER		( <b>6</b> ) C	<b>₽</b> C <b>★</b> D			EXISTING	PROPOSED
VIDEO DETECTION CAMERA		R V	(V)	$\bigcirc$	RADIO INTERCONNECT		-    <sup>R</sup>	##+0		RAILROAD CONTROL CABINET		R B	₽◀
VIDEO DETECTION ZONE							R ERR	ERR	RR	RAILROAD CANTILEVER MAST ARM	2	XOX X	XOX X X
PAN, TILT, ZOOM CAMERA	R ZOOM CAMERA PTZ1 PTZ1		DENOTES NUMBE	RADIO REPEATER  DENOTES NUMBER OF CONDUCTORS, ELECTRIC				FLASHING SIGNAL		$\times\!$	<b>X</b> -X		
WIRELESS DETECTOR SENSOR		R(W) (W)		CABLE NO. 14, UNLESS NOTED OTHERWISE, ALL DETECTOR LOOP CABLE TO BE SHIELDED			(5)		CROSSING GATE		<del>X0X</del> >	X-X-	
WIRELESS ACCESS POINT		R			GROUND CABLE NO. 6 SOLID CO			1	(1)	CROSSBUCK		*	*
c:\pw_work\PWIDOT\BAUERDL\dØ108315\ts05.dgn	R NAME = bauerdl	DESIGNED - DAG/BCK REVISED - DRAWN - BCK REVISED -			STATE OF ILLINOIS							A.P. SECTION COUNTY TOTAL SH FE. SECTION COUNTY SHEETS N 30 103R-4 COOK 877 3	
	SCALE = 50.0000 '/ IN.			REVISED REVISED	<u>-</u>	DEPARTMENT OF TRANSPORTATION			SCALE: NO			TS-05 D DIST. NO. 1   ILLINOIS FE	CONTRACT NO. 60M61