

**SIGNING SCHEDULE**

STATION	OFFSET (NOTE 4)	TYPE (NOTE 3)	SIZE (FT x FT)	SIGN PANEL T1 (SQ FT)	RELOC SIN PAN ASSY TA (EACH)	METAL POST TY B (NOTE 1) (FOOT)	SOLAR- POWER FB AS CMP (NOTE 4) (EACH)
11+75	RT	W11-2	2.5 x 2.5	6.25		14	
11+75	RT	W16-9p	2 x 1	2.0			
13+30	LT	STREET NAME			1		
13+35	21.2 RT	R10-25	0.75 x 1	NOTE 2			1
13+35	21.2 RT	W11-2*	2.5 x 2.5	NOTE 2			
13+35	21.2 RT	W16-7p*	2 x 1	NOTE 2			
13+35	21.2 RT	R1-6	1 x 3	NOTE 2			
13+45	21.8 LT	R10-25	0.75 x 1	NOTE 2			1
13+45	21.8 LT	W11-2*	2.5 x 2.5	NOTE 2			
13+45	21.8 LT	W16-7p*	2 x 1	NOTE 2			
13+45	21.8 LT	R1-6	1 x 3	NOTE 2			
14+70	LT	W11-2	2.5 x 2.5	6.25		14	
14+70	LT	W16-9p	2 x 1	2.0			
16+10	RT	R1-1	2.5 x 2.5	6.25		14	
25+25	RT	W11-2	2.5 x 2.5	6.25		14	
25+25	RT	W16-9p	2 x 1	2.0			
27+90	22.0 RT	R10-25	0.75 x 1	NOTE 2			1
27+90	22.0 RT	W11-2*	2.5 x 2.5	NOTE 2			
27+90	22.0 RT	W16-7p*	2 x 1	NOTE 2			
27+90	22.0 RT	R1-6	1 x 3	NOTE 2			
27+97	21.4 LT	R10-25	0.75 x 1	NOTE 2			1
27+97	21.4 LT	W11-2*	2.5 x 2.5	NOTE 2			
27+97	21.4 LT	W16-7p*	2 x 1	NOTE 2			
27+97	21.4 LT	R1-6	1 x 3	NOTE 2			
29+25	LT	W11-2	2.5 x 2.5	6.25		14	
29+25	LT	W16-9p	2 x 1	2.0			
39+12	RT	R1-1			1		
39+90	LT	R1-1			1		
44+16	LT	S1-1			1		
44+50	RT	R8-3a			1		
45+00	RT	R8-3a			1		
45+36	LT	R8-3a			1		
45+63	RT	S1-1			1		
46+00	23.8 LT	R10-25	0.75 x 1	NOTE 2			1
46+00	23.8 LT	W11-2*	2.5 x 2.5	NOTE 2			
46+00	23.8 LT	W16-7p*	2 x 1	NOTE 2			
46+00	23.8 LT	R1-6	1 x 3	NOTE 2			
46+17	25.5 LT	R10-25	0.75 x 1	NOTE 2			1
46+17	25.5 LT	W11-2*	2.5 x 2.5	NOTE 2			
46+17	25.5 LT	W16-7p*	2 x 1	NOTE 2			
46+17	25.5 LT	R1-6	1 x 3	NOTE 2			
<b>TOTAL</b>				<b>39.3</b>	<b>8</b>	<b>70</b>	<b>6</b>

**SIGNING NOTES:**

- SEE CONSTR DETAILS FOR ADDITIONAL GUIDANCE ON SIGN PLACEMENT.
- COST OF SIGN PANEL INCLUDED WITH SOLAR POWER RRFB SIGN ASSEMBLY
- \* INDICATES TWO EACH SIGN PANELS REQUIRED
- SOLAR POWERED FLASHING BEACON ASSEMBLY SHALL BE A MAX. OF 6 FEET FROM BACK OF CUTTER

**EROSION CONTROL SCHEDULE**

STATION	STATION	OFFSET	EROSION CONTR BLANKET (NOTE 1) (SQ YD)	TEMP DITCH CHECKS (FOOT)	PERIMETER EROS BAR (FOOT)	INLET & PIPE PROTECT (EACH)	STONE RIPRAP CL A3 (SQ YD)	FILTER FABRIC (SQ YD)
16+15	17+20	RT			100			
17+45	18+00	RT			55			
19+25		RT				2	5	5
22+30		RT				1		
22+45	25+35	RT	350					
23+50	24+05	RT		7	50	2	5	5
24+15	25+30	RT			115			
<b>TOTAL</b>			<b>350</b>	<b>7</b>	<b>320</b>	<b>5</b>	<b>10</b>	<b>10</b>

**EROSION CONTROL NOTES:**

- PLACE BETWEEN BACK OF SIDEWALK AND CONSTRUCTION LIMITS FOR ENTIRE LENGTH LISTED.

**PAVEMENT MARKING SCHEDULE**

STATION	OFFSET	STATION	OFFSET	THPL PVT MK LINE 12 (NOTE 1) (FOOT)	THPL PVT MK LINE 24 (NOTE 1) (FOOT)	PAVT MARKING REMOVAL (SQ FT)
13+40	LT	13+40	RT	56		
15+90	RT	16+10	RT	91	20	
27+90	LT	27+90	RT	56		
39+30	RT	39+85	RT	153	60	184
<b>TOTAL</b>				<b>356</b>	<b>80</b>	<b>184</b>

**PAVEMENT MARKING NOTES:**

- SEE HIGHWAY STANDARD 780001 FOR PAVEMENT MARKING DETAILS.

**SEEDING SCHEDULE**

STATION	STATION	OFFSET	SEEDING CL 1A SPL (ACRE)	NITROGEN FERT NUTR (NOTE 1) (POUND)	PHOSPHORUS FERT NUTR (NOTE 1) (POUND)	POTASSIUM FERT NUTR (NOTE 1) (POUND)	MULCH METHOD 2 (NOTE 1) (ACRE)	TEMP EROS CONTR SEED (NOTE 2) (POUND)
10+00	16+00	RT	0.03	3	3	3	0.03	6
16+00	27+00	RT	0.10	9	9	9	0.10	20
27+00	39+50	RT	0.03	3	3	3	0.03	6
39+50	46+50	LT	0.01	1	1	1	0.01	2
44+35	46+25	RT	0.01	1	1	1	0.01	2
<b>KING ARTHUR</b>								
100+00	103+50	RT	0.02	2	2	2	0.02	4
<b>TOTAL</b>			<b>0.20</b>	<b>18</b>	<b>18</b>	<b>18</b>	<b>0.20</b>	<b>40</b>

**SEEDING NOTES:**

- FERTILIZER AND MULCH QUANTITIES ARE SHOWN FOR INFORMATION ONLY. THE COST FOR FERTILIZER NUTRIENTS AND MULCH SHALL BE INCLUDED IN THE CONTRACT UNIT PRICE FOR SEEDING, CLASS 1A (SPECIAL).
- THE QUANTITY FOR TEMPORARY EROSION CONTROL SEEDING ASSUMES ONE APPLICATION AT A RATE OF 100 POUNDS/ACRE PER APPLICATION. THE CONTRACTOR SHALL APPLY AS NECESSARY AND AS DIRECTED BY THE ENGINEER IN THE FIELD.