April 10, 2019

SUBJECT: PARK ROADS (World Shooting Complex (IDNR))

Section SPARTA 2019 Randolph County Contract No. 46915

Item No. 131, April 26, 2019 Letting

Addendum A

NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

- 1. Revised the Table of Contents to the Special Provisions
- 2. Revised page 24 the Special Provisions

Prime contractors must utilize the enclosed material when preparing their bid and must include any changes to the Schedule of Prices in their bid.

Very truly yours,

Jack A. Elston, P.E.

Bureau Chief

Bureau of Design and Environment

By: Ted B. Walschleger, P. E.

Tedesalaherhye A.E.

Engineer of Project Management

CWR/cr

TABLE OF CONTENTS

LOCATION OF PROJECT	1
DESCRIPTION	1
TRAFFIC CONTROL PLAN	1
COMPLETION DATE WITH WORKING DAYS	3
CONSTRUCTION COORDINATION WITH SITE OPERATIONS	3
PAVEMENT MARKING	4
EARTH EXCAVATION	4
PARKING LOT SEAL COAT	4
COMPENSABLE DELAY COSTS (BDE)	6
CONSTRUCTION AIR QUALITY – DIESEL RETROFIT (BDE)	9
DISADVANTAGED BUSINESS ENTERPRISE PARTICIPATION (BDE)	11
DISPOSAL FEES (BDE)	20
EQUIPMENT PARKING AND STORAGE (BDE)	21
HOT-MIX ASPHALT - DENSITY TESTING OF LONGITUDINAL JOINTS (BDE)	22
HOT-MIX ASPHALT – OSCILLATORY ROLLER (BDE)	23
HOT-MIX ASPHALT – TACK COAT (BDE)	24
BITUMINOUS SURFACE TREATMENT (CLASS A-2, A-3)	24
HOT-MIX ASPHALT SURFACE TREATMENT (CLASS A-I, A-2, A-3)	24
LIGHTS ON BARRICADES (BDE)	25
PAYMENTS TO SUBCONTRACTORS (BDE)	
PROGRESS PAYMENTS (BDE)	26
RECLAIMED ASPHALT PAVEMENT AND RECLAIMED ASPHALT SHINGLES (BDE)	27
REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES (BDE)	35
SUBCONTRACTOR AND DBE PAYMENT REPORTING (BDE)	46
SUBCONTRACTOR MOBILIZATION PAYMENTS (BDE)	47
TRAFFIC CONTROL DEVICES - CONES (BDE)	47
WARM MIX ASPHALT (BDE)	48
WEEKLY DBE TRUCKING REPORTS (BDE)	49

PARK ROADS (World Shooting Complex (IDNR))
Section SPARTA 2019
Randolph County
Contract No. 46915

Add the following to Article 1101.01 of the Standard Specifications:

- "(h) Oscillatory Roller. The oscillatory roller shall be self-propelled and provide a smooth operation when starting, stopping, or reversing directions. The oscillatory roller shall be able to operate in a mode that will provide tangential impact force with or without vertical impact force by using at least one drum. The oscillatory roller shall be equipped with water tanks and sprinkling devices, or other approved methods, which shall be used to wet the drums to prevent material pickup. The drum(s) amplitude and frequency of the tangential and vertical impact force shall be approximately the same in each direction and meet the following requirements:
 - (1) The minimum diameter of the drum(s) shall be 42 in. (1070 mm);
 - (2) The minimum length of the drum(s) shall be 57 in. (1480 mm);
 - (3) The minimum unit static force on the drum(s) shall be 125 lb/in. (22 N/m); and
 - (4) The minimum force on the oscillatory drum shall be 18,000 lb (80 kN)."

HOT-MIX ASPHALT – TACK COAT (BDE)

Effective: November 1, 2016

Revise Article 1032.06(a) of the Standard Specifications to read:

"(a) Anionic Emulsified Asphalt. Anionic emulsified asphalts shall be according to AASHTO M 140. SS-1h emulsions used as a tack coat shall have the cement mixing test waived."

BITUMINOUS SURFACE TREATMENT (CLASS A-2, A-3)

Bituminous Materials (Cover and Seal Coats) shall be either a CRSP or an HFP polymer modified emulsified asphalt meeting the requirements of Article 1032.06(f)(2) of the Standard Specifications.

HOT-MIX ASPHALT SURFACE TREATMENT (CLASS A-I, A-2, A-3)

Effective: March 28, 1975 Revised: November 1, 2006

Under Materials Article 1004.03(c), add:

CA-16 or CM-16 may be used for Cover and Seal Coat Aggregate.