



SCHEDULE OF QUANTITIES - DMS LOCATION 1

UNDERGROUND CONDUIT, PVC, 2" DIA.	FOOT	42.0
UNDERGROUND CONDUIT, PVC, 3" DIA.	FOOT	10.0
ELECTRIC SERVICE INSTALLATION	EACH	1.0
ELECTRIC CABLE IN CONDUIT, 600V, (XLP-TYPE USE) 1/C NO. 6	FOOT	328.0
POLE MOUNTED EQUIPMENT CABINET, TYPE B	EACH	1.0
TRUSS MOUNTED LED DYNAMIC MESSAGE SIGN	EACH	1.0
CELLULAR MODEM	EACH	1.0
CLOSED-CIRCUIT TELEVISION DOME CAMERA, IP BASED	EACH	1.0
COMMUNICATIONS VAULT	EACH	1.0
STEEL PLATE BEAM GUARDRAIL, TYPE A, 6 FOOT POSTS	FOOT	740.0
TRAFFIC BARRIER TERMINAL, TYPE 2	EACH	3.0
TRAFFIC BARRIER TERMINAL, TYPE 1 (SPECIAL) TANGENT	EACH	3.0
GUARDRAIL MARKERS, TYPE A	EACH	9.0
TERMINAL MARKER - DIRECT APPLIED	EACH	3.0

LOCATION 1
I-80 WB M.P. 96.05 STA. 785 + 00

NOTES:

THE CONTRACTOR SHALL SUBMIT COMPLETE ELECTRICAL DESIGN DETAILS AND CALCULATIONS SEALED BY AN ILLINOIS LICENSED ELECTRICAL ENGINEER TO THE RESIDENT ENGINEER FOR REVIEW AND APPROVAL PRIOR TO THE ORDERING OF ANY MATERIALS.