



# Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

April 16, 2012

SUBJECT: Garden Plain Avenue  
Project BHM-5099(105)  
Section 08-00069-00-BR (Loves Park)  
Winnebago County  
Contract No. 85547  
Item 175  
April 27, 2012 Letting  
Addendum (A)

## NOTICE TO PROSPECTIVE BIDDERS:

Due to clarify information necessary to revise the following:

- 1. Sheet 2, 5 and 6 of the plans.**
- 2. Page 1 and 4 of the Schedule of Prices.**
- 3. Index to Special Provisions.**
- 4. Page 4 of the Special Provisions.**

Prime contractors must utilize the enclosed material when preparing their bid and must include any Schedule of Prices changes in their bidding proposal.

Bidders using computer-generated bids are cautioned to reflect any and all Schedule of Prices changes, if involved, into their computer programs.

Very truly yours,

John Baranzelli, P.E.  
Acting Engineer of Design and Environment

A handwritten signature in cursive script, reading "Ted B. Walschleger P.E.", with the letters "P.E." written in a smaller font at the end of the signature.

By: Ted B. Walschleger, P.E.  
Engineer of Project Management

STATE JOB # - C-92-101-11  
 PPS NBR - 2-10411-0000

COUNTY NAME	CODE	DIST	SECTION NUMBER	PROJECT NUMBER	ROUTE
WINNEBAGO	201	02	08-00069-00-BR (LOVES PARK)	BHM-5099/105/000	GARDEN PLAIN AVENUE

ITEM NUMBER	PAY ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY	UNIT PRICE		TOTAL PRICE	
				DOLLARS	CENTS	DOLLARS	CTS
X5030305	CONC WEARING SURF 5	SQ YD	301.000 X	=		=	
X7010216	TRAF CONT & PROT SPL	L SUM	1.000 X	=		=	
Z0013798	CONSTRUCTION LAYOUT	L SUM	1.000 X	=		=	
Z0073002	TEMP SOIL RETEN SYSTM	SQ FT	504.000 X	=		=	
Z0077700	WOOD FENCE REM & RE-E	FOOT	56.000 X	=		=	
20100110	TREE REMOV 6-15	UNIT	40.000 X	=		=	
20200100	EARTH EXCAVATION	CU YD	103.000 X	=		=	
20400100	BORROW EXCAVATION	CU YD	72.000 X	=		=	
20700220	POROUS GRAN EMBANK	CU YD	46.100 X	=		=	
20900110	POROUS GRAN BACKFILL *	CU YD	47.000 X	=		=	
21101615	TOPSOIL F & P 4	SQ YD	485.000 X	=		=	
25000110	SEEDING CL 1A	ACRE	0.100 X	=		=	
25000400	NITROGEN FERT NUTR	POUND	9.000 X	=		=	
25000500	PHOSPHORUS FERT NUTR	POUND	9.000 X	=		=	
25000600	POTASSIUM FERT NUTR	POUND	9.000 X	=		=	

\* Revised 4-16-12

ITEM NUMBER	PAY ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY	UNIT PRICE		TOTAL PRICE	
				DOLLARS	CENTS	DOLLARS	CTS
550A0070	STORM SEW CL A 1 15 *	FOOT	24.000 X	=			
550A0090	STORM SEW CL A 1 18	FOOT	18.000 X	=			
55100700	STORM SEWER REM 15 *	FOOT	30.000 X	=			
55100900	STORM SEWER REM 18	FOOT	18.000 X	=			
60218400	MAN TA 4 DIA T1F CL	EACH	2.000 X	=			
60604400	COMB CC&G TB6.18	FOOT	356.000 X	=			
67100100	MOBILIZATION	L SUM	1.000 X	=			

TOTAL \$

- NOTE:
1. EACH PAY ITEM SHOULD HAVE A UNIT PRICE AND A TOTAL PRICE.
  2. THE UNIT PRICE SHALL GOVERN IF NO TOTAL PRICE IS SHOWN OR IF THERE IS A DISCREPANCY BETWEEN THE PRODUCT OF THE UNIT PRICE MULTIPLIED BY THE QUANTITY.
  3. IF A UNIT PRICE IS OMITTED, THE TOTAL PRICE WILL BE DIVIDED BY THE QUANTITY IN ORDER TO ESTABLISH A UNIT PRICE.
  4. A BID MAY BE DECLARED UNACCEPTABLE IF NEITHER A UNIT PRICE NOR A TOTAL PRICE IS SHOWN.

\* Revised 4-16-12

### INDEX TO SPECIAL PROVISIONS

LOCATION OF PROJECT.....	1
DESCRIPTION OF PROJECT.....	1
TRAFFIC CONTROL AND PROTECTION, SPECIAL.....	1
PCC SIDEWALK, 4 INCH.....	3
COMBINATION CONC. CURB & GUTTER, TYPE B-6.18 .....	4
WOOD FENCE TO BE REMOVED AND RE-ERECTED.....	4
SEEDING.....	4
EXISTING BRIDGE PLANS.....	4
ACOE SEC. 404 NATIONWIDE PERMIT NUMBER 14.....	5 - 41

**COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6.18**

This work shall conform to Section 606 of the Standard Specifications and shall be constructed in accordance with the details as shown on the Plans. One inch (1") Ceramer expansion joint material or an Engineer approved equal, shall be installed at 100 foot interval, at all radii, and 5 feet either side of inlets when not at radii. Each expansion joint shall be finished with an Engineer approved caulking material that fills the void between the Ceramer expansion joint material and the face of the curb. Aggregate required under the curb shall be as shown on the Plans and shall be included with the cost of this item.

Method of Measurement. Measurement for this work will be per foot.

Basis of payment. This work will be paid for at the contract unit price per foot for COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6.18 which price shall include all labor, equipment and materials, including expansion joints and aggregate under the curb & gutter, necessary to complete the proposed work.

**WOOD FENCE TO BE REMOVED AND RE-ERECTED**

This work shall include the removal and replacement of the existing split rail fence starting at approximately Station 8+90 RT or as directed by the Engineer. The Contractor shall take all necessary precautions to remove the existing fence without damage and store in a proper manner until such time that the fence will be re-erected. The Contractor shall be responsible to replace all damage without additional compensation.

The Contractor shall layout and re-erect the fence 2 feet behind the proposed back of walk or as directed by the Engineer. Fence posts shall be set according to Article 634.05.

This work will be paid for at the contract unit price per foot for WOOD FENCE TO BE REMOVED AND RE-ERECTED which price shall include all labor, equipment, and material necessary to complete the proposed work.

**SEEDING**

Modify Section 250.07 of the Standard Specifications for Road and Bridge Construction to include the Contractor guarantee a 75 percent uniform growth over the entire seeded area(s) after one growing season, with no exception to the timing of seeding. After one growing season, areas not sustaining 75 percent uniform growth shall be interseeded or reseeded, as determined by the Engineer, at no additional cost to the contract.

**EXISTING BRIDGE PLANS**

An electronic copy of the existing bridge plan sheets is available upon request. Please contact McClure Engineering Associates, Inc at 815-398-2332 and provide an e-mail address with contact information. Contractor is advised that the two (2) available sheets from the plan set is of poor resolution and no guarantee of actual field conditions is expressed as these documents are being provided to the Contractor for informational purposes only.