






## **CONTRACT NO. 72680**

## GENERAL NOTES

- 1. FIELD TILE SHALL BE REPLACED IN ACCORDANCE WITH SECTION 611 OF
  THE STANDARD SPECIFICATIONS. THE COST PER CONTRACT UNIT PRICE
  OF ITEMS INCLUDED IN THIS CONTRACT SHALL BE PAID FOR AS STATED
  IN SECTION 611 OF THE STANDARD SPECIFICATIONS. IF THE CONTRACT
  UNIT PRICE IS NOT INCLUDED IN THIS CONTRACT, PAYMENT FOR THIS
  WORK WILL BE IN ACCORDANCE WITH ARTICLE 109.04 OF THE STANDARD
  SPECIFICATIONS.
- 2. THE DIAMETER OF THE PROPOSED STORM SEWER SHALL BE EQUAL TO OR GREATER THAN THE EXISTING FIELD TILE.
- 3. ALL EXISTING FIELD TILE SHALL BE REPLACED WITH STORM SEWER OF
  THE TYPE REQUIRED FOR BY THE DEPTH OF COVER. THE LINEAL
  MEASUREMENT WILL BE ALONG THE CENTRODIAL AXIS AND
  INCLUDE ALL BENDS, ELBOWS, OR PIPE TEE'S WHICH ARE REQUIRED.
- 4. THE REINFORCED CONCRETE LID SHALL BE MISCELLANEOUS CONCRETE OR
  PRECAST REINFORCED CONCRETE AND THE COST WILL BE INCLUDED IN THE
  CONTRACT UNIT PRICE FOR THE PROPOSED STORM SEWER.
- 5. THE CONCRETE SLAB AND CONCRETE HEADWALL SHALL BE PAID AT THE
  CONCTRACT UNIT PRICE PER CUBIC YARD FOR MISCELLANEOUS CONCRETE.
  THE COST OF FURNISHING AND PLACING THE WELDED WIRE FABRIC,
  GALVANIZED HARDWARE CLOTH, MACHINE BOLTS, WASHERS AND NUTS
  SHALL BE INCLUDED IN THE CONTRACT UNIT PRICE FOR MISCELLANEOUS
  CONCRETE.
- 6. EXISTING FIELD TILE SHALL BE LOCATED BOTH HORIZONTALLY AND VERTICALLY BY THE USE OF AN EXPLORATION TRENCH. THIS TRENCH SHALL NOT BE LESS THAN 52 INCHES IN DEPTH, MEASURED FROM THE EXISTING GROUND ELEVATION. THE WIDTH OF THE TRENCH SHALL BE SUFFICIENT TO ALLOW PROPER INVESTIGATION OF THE ENTIRE TRENCH.
- 7. THE EXISTING TILE DRAINAGE SYSTEM SHALL BE MAINTAINED IN A FUNCTIONAL CONDITION BY IMMEDIATE CONSTRUCTION OF THE NEW STORM SEWER SYSTEM OR BY REPAIRING THE CUT TILE WITH THE SAME DIAMETER UNTIL SUCH TIME AS THE NEW SYSTEM IS COMPLETED.







REVISIONS
NAME
DATE

FAP ROUTE 315
SPECIAL DETAILS
FIELD TILE REPLACEMENT

DRAWN BY JCG
DATE 1/31/06 CHECKED BY JRB

DETAIL "A"

VARIABLE

WELDED WIRE FABRIC

PROPOSED STORM SEWER PIPE