

LAFAYETTE AVE. - TYPICAL SECTION


SCALE: N.T.S. LOOKING NORTH

STA. 10+80 TO STA. 12+25
 STA. 14+25 TO STA. 16+75
 STA. 17+25 TO STA. 22+00

* COMBINATION CURB AND GUTTER SIDEWALK, 4" SPECIAL

STA. 10+19.17 TO 10+43.92, RT.
 STA. 11+63.73 TO STA. 14+84.22
 STA. 17+17.47 TO STA. 17+83.81

** UNLESS OTHERWISE NOTED ON CROSS SECTIONS




LAFAYETTE AVE. - TYPICAL SECTION

SCALE: N.T.S. LOOKING NORTH

STA. 28+00 TO STA. 34+86.05

** UNLESS OTHERWISE NOTED ON CROSS SECTIONS




LAFAYETTE AVE. - TYPICAL SECTION

SCALE: N.T.S. LOOKING NORTH

STA. 10+19.54 TO STA. 10+80
 STA. 12+25 TO STA. 14+25
 STA. 16+75 TO STA. 17+25
 STA. 22+00 TO STA. 22+58

** UNLESS OTHERWISE NOTED ON CROSS SECTIONS



LAFAYETTE AVE. - TYPICAL SECTION

SCALE: N.T.S. LOOKING NORTH

STA. 22+58 TO STA. 28+00

** UNLESS OTHERWISE NOTED ON CROSS SECTIONS

STRUCTURAL DESIGN TRAFFIC:	Year 2016
PV = 2505	SU = 38 MU = 6
ROAD/STREET CLASSIFICATION:	CLASS II
PERCENT OF STRUCTURAL DESIGN TRAFFIC IN DESIGN LANE:	
P = 98.25%	S = 1.5% M = 0.25%
TRAFFIC FACTOR:	ACTUAL TF = 0.06 AC TYPE = AC10
	MINIMUM TF = --
PG GRADE:	BINDER = 58-22 SURFACE = 58-22
SUBGRADE SUPPORT RATING:	SSR = 3.0