**INDEX** 

## **STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION**

### ILLINOIS CONTRACT NO. 66N21 FORD, GRUNDY, IROQUOIS, KANKAKEE & LIVINGSTON

### D-93-032-23




- COVER SHEET GENERAL NOTES AND HIGHWAY STANDARDS
- SUMMARY OF QUANTITIES


# **PROPOSED HIGHWAY PLANS**


**VARIOUS ROUTES SECTION D3 LIGHTING REPAIR 2023-2 PROJECT AREA TWO ON CALL LIGHTING REPAIR** 

**VARIOUS COUNTIES** 


C-93-051-23







**PRINTED BY THE AUTHORITY** OF THE STATE OF ILLINOIS



**FULL SIZE PLANS HAVE BEEN PREPARED USING STANDARD ENGINEERING SCALES, REDUCED SIZED PLANS WILL NOT CONFORM TO STANDARD SCALES. IN MAKING MEASUREMENTS** ON REDUCED PLANS, THE ABOVE SCALES MAY BE USED.

J.U.L.I.E. JOINT UTILITY LOCATION INFORMATION FOR EXCAVATION 1-800-892-0123

DISTRICT 3 NO. (815)-434-6131 PROJECT ENGINEER: BRAD DUNCAN, P.E. **UNIT CHIEF: MOHAMED YOUSIF** 

**CONTRACT NO. 66N21** 

 $\circ$ 

 $\circ$ 

### **GENERAL NOTES**

REMOVAL OF DAMAGED MATERIALS SHALL INCLUDE DISMANTLING, LOADING, HAULING, AND DISPOSAL.

THE LOCATIONS OF THE REPAIR AREAS SHALL BE DETERMINED BY THE ENGINEER.

THE WORK SITE SHALL BE LEFT IN A SAFE AND ORDERLY CONDITION.

NO MATERIAL SHOULD BE LEFT ON OR NEAR THE ROADWAY.

ALL EXCAVATED MATERIAL, WHICH INCLUDES DIGGING OR GRADING OF ANY SOIL OR FILL MATERIAL, WITH THE EXCEPTION OF AGGREGATE FILLS, INCORPORATED WITHIN, THE IDOT RIGHT OF WAY DUE TO ENVIRONMENTAL DOCUMENTATION REQUIREMENTS.

ALL AREAS DISTURBED BY THE CONTRACTOR SHALL BE RESTORED WITH SEED OR SOD TO THE SATISFACTION OF THE ENGINEER. SEEDING OR SODDING SHALL NOT BE PERMITTED AT ANY TIME WHEN THE GROUND IS FROZEN, WET, OR IN AN UNTILLABLE CONDITION.

ANY WORK ORDER MAY BE CANCELLED AT THE ENGINEERS DISCRETION.

NO OVERNIGHT LANE CLOSURES WILL BE ALLOWED.

ANY REFERENCE TO A STANDARD IN THESE PLANS SHALL BE INTERPRETED TO MEAN THE EDITION AS INDICATED BY THE SUBNUMBER SHOWN IN THE LIST OF STANDARDS OR THE COPY INCLUDED IN THE PLANS.

THE CONTRACTOR IS ADVISED THAT THERE MAY BE PRESENCE OF DEPARTMENT OWNED UNDERGROUND ELECTRICAL CABLE WITHIN THE LIMITS OF THE PROPOSED IMPROVEMENT, THE CONTRACTOR SHALL REQUEST THE ILLINOIS DEPARTMENT OF TRANSPORTATION IN OTTAWA (815-434-8505) TO LOCATE THE UNDERGROUND FACILITIES, PROVIDING A MINIMUM OF 72 HOURS NOTICE. THE DEPARTMENT IS NOT A MEMBER OF THE JOINT UTILITY LOCATING INFORMATION FOR EXCAVATORS (JULIE) SYSTEM.

ALL DAMAGE TO DEPARTMENT OWNED UNDERGROUND FACILITIES,
CAUSED BY THE CONTRACTOR SHALL BE REPAIRED TO THE
SATISFACTION OF THE ENGINEER AND AT NO EXPENSE TO THE DEPARTMENT.
THIS SHALL INCLUDE ALL TEMPORARY REPAIRS REQUIRED TO KEEP THE
FACILITY OPERATIONAL WHILE MATERIAL IS BEING OBTAINED TO MAKE
PERMANENT REPAIRS. SPLICING OF ELECTRIC CABLE WILL NOT BE
ALLOWED. ELECTRIC CABLE SHALL BE REPLACED FROM POLE TO POLE
OR CONTROLLER.

LOT DATE = 1/31/2023

THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROTECTING UTILITY PROPERTY FROM CONSTRUCTION OPERATIONS AS OUTLINED IN ARTICLE 107.39 OF THE STANDARD SPECIFICATIONS. THE J.U.L.I.E. NUMBER IS 1-800-892-0123. A MINIMUM OF 48 HOURS ADVANCE NOTICE IS REQUIRED.

### **LIST OF ILLINOIS DOT HIGHWAY STANDARDS**

000001-08	STANDARD SYMBOLS, ABBREVIATIONS AND PATTERNS
001006	DECIMAL OF AN INCH AND OF A FOOT
701001-02	OFF-ROAD OPERATIONS 2L, 2W, MORE THAN 15' AWAY
701001-02	OFF-ROAD OPERATIONS 2L, 2W, 15' TO 24" FROM PAVEMENT EDGE
701101-05	OFF-ROAD OPERATIONS, MULTILANE, 15' TO 24" FROM PAVEMENT EDGE
701101-03	OFF-ROAD OPERATIONS, MULTILANE, MORE THAN 15' AWAY
701201-05	LANE CLOSURE, 2L, 2W, DAY ONLY, FOR SPEEDS ≥ 45 MPH
701201-05	LANE CLOSURE, 2L, 2W, NIGHT ONLY, FOR SPEEDS ≥ 45 MPH
701301-04	LANE CLOSURE, 2L, 2W, MIGHT ONET, FOR STEEDS 2 45 MIFTI
701301-04	LANE CLOSURE, 2L, 2W, SHOW TIME OPERATIONS  LANE CLOSURE, 2L, 2W, SLOW MOVING OPERATIONS DAY ONLY,
701300-04	FOR SPEEDS ≥ 45 MPH
701211 02	
701311-03	LANE CLOSURE, 2L, 2W, MOVING OPERATIONS - DAY ONLY
701400-11	APPROACH TO LANE CLOSURE, FREEWAY/EXPRESSWAY
701401-13	LANE CLOSURE, FREEWAY/EXPRESSWAY
701406-13	LANE CLOSURE, FREEWAY/EXPRESSWAY, DAY OPERATIONS ONLY
701411-09	LANE CLOSURE, MULTILANE, AT ENTRANCE OR EXIT RAMP
701401 00	FOR SPEEDS ≥ 45 MPH
701421-08	LANE CLOSURE, MULTILANE, DAY OPERATIONS ONLY,
	FOR SPEEDS ≥ 45 MPH TO 55 MPH
701422-10	LANE CLOSURE, MULTILANE, FOR SPEEDS ≥ 45 MPH TO 55 MPH
701426-09	LANE CLOSURE, MULTILANE INTERMITTENT OR MOVING OPERATION,
	FOR SPEEDS ≥ 45 MPH
701427-05	LANE CLOSURE, MULTILANE INTERMITTENT OR MOVING OPERATION,
	FOR SPEEDS ≤ 40 MPH
701428-01	TRAFFIC CONTROL, SETUP AND REMOVAL, FREEWAY/EXPRESSWAY
701431-13	LANE CLOSURE, MULTILANE, UNDIVIDED WITH CROSSOVER,
	FOR SPEEDS ≥ 45 MPH TO 55 MPH
701446-11	TWO LANE CLOSURE, FREEWAY/EXPRESSWAY
701451-05	RAMP CLOSURE FREEWAY/EXPRESSWAY
701456-05	PARTIAL EXIT RAMP CLOSURE FREEWAY/EXPRESSWAY
701501-06	URBAN LANE CLOSURE, 2L, 2W, UNDIVIDED
701502-09	URBAN LANE CLOSURE 2L, 2W, WITH BIDIRECTIONAL LEFT TURN LANE
701601-09	URBAN LANE CLOSURE, MULTILANE, 1W OR 2W WITH NONTRAVERSABLE MEDIAN
701602-10	URBAN LANE CLOSURE, MULTILANE, 2W WITH BIDIRECTIONAL LEFT TURN LANE
701606-10	URBAN LANE CLOSURE, MULTILANE, 2W WITH MOUNTABLE MEDIAN
701606-10	URBAN LANE CLOSURE, MULTILANE, 2W WITH MOUNTABLE MEDIAN URBAN LANE CLOSURE, MULTILANE INTERSECTION
	SIDEWALK, CORNER OR CROSSWALK CLOSURE
701801-06	
701901-08	TRAFFIC CONTROL DEVICES
821101-02	LUMINAIRE WIRING IN POLE
838001-01	BREAKAWAY DEVICES

UNINTERRUPTABLE POWER SUPPLY (UPS)

TRAFFIC SIGNAL MOUNTING DETAILS

TRAFFIC SIGNAL GROUNDING & BONDING

862001-01

873001-02

880006-01

### **COMMITMENTS**

NONE

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
DISTRICT THREE
AS BUILT INFORMATION

SUPERVISING CONSTRUCTION FIELD ENGINEER

RESIDENT ENGINEER / TECHNICIAN

START & END DATES OF CONSTRUCTION:

INSPECTORS:

 USER NAME
 = Jon,Woodyer
 DESIGNED
 REVISED

 DRAWN
 REVISED

 PLOT SCALE
 = 100,000 '/ in.
 CHECKED
 REVISED

REVISED

DATE

GENERAL NOTES AND HIGHWAY STANDARDS
IDOT DISTRICT 3 ELECTRICAL MAINTENANCE CONTRACT

SHEET 1 OF 1 SHEETS STA. TO STA.

F.A. RTE. SECTION COUNTY TOTAL SHEETS NO.

ARRIOUS D3 LIGHTING REPAIR 2023-2 VARIOUS\* 5 2

CONTRACT NO. 66N21

| ILLINOIS | FED. AID PROJECT

			[	CONSTRUCTION CODE  STATE FUNDS 100%				
				ROADWAY				
CODE NO.	ITEM	UNIT	TOTAL QUANTITY	FORD	GRUNDY	0021 IROQUOIS	KANKAKEE	LIVINGSON
110.	TTEM	ONTT	QUANTITI	TOND	GRONDT	TROQUOTS	RAINAREL	ETVINGSON
82110007	LUMINAIRE, LED, ROADWAY, OUTPUT DESIGNATION G	EACH	120	10	40	30	30	10
82110008	LUMINAIRE, LED, ROADWAY, OUTPUT DESIGNATION H	EACH	83	7	30	20	20	6
82110014	LUMINAIRE, LED, HIGHMAST, OUTPUT DESIGNATION G	EACH	54		7	7	30	10
82110015	LUMINAIRE, LED, HIGHMAST, OUTPUT DESIGNATION H	EACH	36		5	5	20	6
83800205	BREAKAWAY DEVICE, TRANSFORMER BASE, 15 INCH BOLT CIRCLE	EACH	10	2	2	2	2	2
83800650	BREAKAWAY DEVICE, COUPLING WITH STAINLESS STEEL SCREEN	EACH	25	5	5	5	5	5
85000200	MAINTENANCE OF EXISTING TRAFFIC SIGNAL INSTALLATION	EACH	12		8		4	
85000500	MAINTENANCE OF EXISTING FLASHING BEACON INSTALLATION	EACH	54	6	4	10	22	12
87502480	TRAFFIC SIGNAL POST, GALVANIZED STEEL 14 FT.	EACH	2		1		1	
87502500	TRAFFIC SIGNAL POST, GALVANIZED STEEL 16 FT.	EACH	2		1		1	
88040070	SIGNAL HEAD, POLYCARBONATE, LED, 1-FACE, 3-SECTION, BRACKET MOUNTED	EACH	2		1		1	
			_					
88040090	SIGNAL HEAD, POLYCARBONATE, LED, 1-FACE, 3-SECTION, MAST ARM MOUNTED	EACH	2		1		1	
88040150	SIGNAL HEAD, POLYCARBONATE, LED, 1-FACE, 5-SECTION, BRACKET MOUNTED	EACH	2		1		1	
88040160	SIGNAL HEAD, POLYCARBONATE, LED, 1-FACE, 5-SECTION, MAST ARM MOUNTED	EACH	2		1		1	

USER NAME = Jon.Woodyer	DESIGNED	REVISED
	DRAWN	REVISED
PLOT SCALE = 100.000 ' / in.	CHECKED	REVISED
PLOT DATE = 3/16/2023	DATE	REVISED

				CONSTRUCTION CODE STATE FUNDS				
			1	100% ROADWAY				
CODE			TOTAL	0021				
NO.	ITEM	UNIT	QUANTITY	FORD	GRUNDY	IROQUOIS	KANKAKEE	LIVINGSON
88200510	TRAFFIC SIGNAL BACKPLATE, RETROREFLECTIVE	EACH	2		1		1	
89502610	SIGNAL VISOR, TUNNEL TYPE, 12 INCH	EACH	2		1		1	
X0326498	GFCI 20 AMP DUPLEX RECEPTACLE	EACH	3		2		1	
X0327216	CLOSED CIRCUIT TELEVISION CAMERA	EACH	1		1			
X8000001	MAINTAIN EXISTING HIGHWAY LIGHTING	EACH	266	7	102	67	62	28
X8350003	MAINTENANCE OF EXISTING HIGH MAST LIGHT TOWERS	EACH	89		44	4	20	21
X0330003	WAINTENANCE OF EXISTING RIGH WAST LIGHT TOWERS	EACH	89		44	4	20	21
X8620310	REMOVE AND REPLACE BATTERIES FOR UNINTERUPTABLE POWER SUPPLY, EXTENDED	EACH	2		2			
XP000001	JOURNEYMAN ELECTRICIAN	HOUR	2000	125	625	500	375	375
XP000002	APPRENTICE ELECTRICIAN	HOUR	524	37	62	175	125	125
XP000003	JOURNEYMAN ELECTRICIAN (WEEKLY OVERTIME RATE)	HOUR	161	12	62	37	25	25
74 00000	SOUTH THE TELES IN SOUTH (INCLEDED TO SELECTION ET SOUTH	Hook	101	12	02	37	23	23
XP000004	JOURNEYMAN ELECTRICIAN (SATURDAY OVERTIME RATE)	HOUR	161	12	62	37	25	25
XP000005	JOURNEYMAN ELECTRICIAN (SUNDAY AND HOLIDAY OVERTIME RATE)	HOUR	85	7	32	22	12	12
XP000006	APPRENTICE ELECTRICIAN (WEEKLY OVERTIME RATE)	HOUR	161	12	62	37	25	25
XP000007	APPRENTICE ELECTRICIAN (SATURDAY OVERTIME RATE)	HOUR	161	12	62	37	25	25
					<u> </u>		<u> </u>	

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

SUMMARY OF QUANTITIES

IDOT DISTRICT 3 ELECTRICAL MAINTENANCE CONTRACT

SHEET 2 OF 3 SHEETS STA. \_\_\_\_ TO STA. \_\_\_\_

				CONSTRUCTION CODE  STATE FUNDS 100%				
CODE			TOTAL	ROADWAY 0021				
NO.	ITEM	UNIT	QUANTITY	FORD	GRUNDY	IROQUOIS	KANKAKEE	LIVINGSON
XP000008	APRRENTICE ELECTRICIAN (SUNDAY AND HOLIDAY OVERTIME RATE)	HOUR	111	12	37	25	12	25
XP000009	PICK-UP TRUCK	HOUR	1375	75	450	350	250	250
XP000010	BUCKET TRUCK (LENGTH LESS THAN 35 FEET)	HOUR	274	25	75	62	37	75
XP000011	BUCKET TRUCK (LENGTH 35 TO 65 FEET)	HOUR	500	50	150	125	75	100
XP000015	DIGGER DERRICK	HOUR	20	4	4	4	4	4
XP000103	KTQ 5A FUSE	EACH	75	15	15	15	15	15
74 000100	INIQUAL COL	LACIT	/5	15	15	13	13	13
XP000106	BUCHANAN FUSEHOLDER KIT	EACH	30	6	6	6	6	6
XP000188	HANDHOLE, COVER ONLY (NEENAH R-6660-JP)	EACH	2		1		1	
					-		-	
XP000200	LOAD SWITCH, NEMA	EACH	12		8		4	
Z0025615	FURNISH AND INSTALL METAL SCREEN	EACH	50	10	10	10	10	10
Z0033068	TRAFFIC SIGNAL BATTERY BACKUP SYSTEM	EACH	2		1		1	

USER NAME = Jon.Woodyer	DESIGNED	REVISED
	DRAWN	REVISED
PLOT SCALE = 100.000 ' / in.	CHECKED	REVISED
PLOT DATE = 3/16/2023	DATE	REVISED -

IDOT DI	_			NTITIES Intenance	CONTRACT
SCALE:	SHEET 3	OF 3	SHEETS	STA	TO STA