

1'-2" FI 7 EI 0 **♣** Drill and tap scupper for 4 \(\frac{1}{2} \)" \(\phi \) stainless steel hexagon head bolts with lock washers $B \blacktriangleleft 1$ Drill and tap $\frac{1}{2}$ "-13x $\frac{3}{4}$ " DP. for 2" \$ Anchor Studs PLAN 4 locations 1'-51/8" 1'-414" 1'-4" 32.


STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION




VANE GRATE DETAIL



BOLT HOLE DETAIL



SECTION B-B



DOWNSPOUT

Not

All cast iron parts shall be gray iron conforming to the requirements of AASHTO M 105, Class 35B.

Bolts, anchor studs, washers and nuts shall conform to the requirements of ASTM A 307 and shall be galvanized according to AASHTO M 232.

Downspouts located on the exterior side of a painted steel fascia beam shall be painted with the finish coat specified for the exterior side of the fascia beam.


As an alternate, bolts, anchor studs, washers and nuts may be stainless steel according to Article 1006.29(d) of the Standard Specifications.

Structural steel weldments of equal sections and of the same configuration may be substituted for the cast iron scupper frame. Fillet or full penetration welds shall be used for the weldments. Details shall be submitted to the Engineer for approval. Structural steel weldments shall not be substituted for the cast iron scupper grate. Structural steel frames and downspouts shall be galvanized according to AASHTO MIII.

The Contractor shall take appropriate measures to assure that Protective Coat is not applied to the scupper.

Cost of the Grate, Frame, Downspout, Anchor Studs, Bolts, Washers and Nuts including complete installation of the scupper shall be paid for at the contract unit price each for Drainage Scupper, DS-11.

Alternate fiberglass downspout conforming to ASTM D 2996 with a short-time rupture strength hoop tensile stress of 30,000 psi min, may be used in lieu of the cast iron or steel equivalent.



ANCHOR STUD DETAIL

Note.

Cut longitudinal reinforcement to clear drainage scuppers.

BILL OF MATERIAL

ITEM	UNIT	QUANTITY
Drainage Scuppers, DS-11	Each	2

<u>DRAINAGE SCUPPER, DS-11</u> <u>STRUCTURE NO. 099-0348</u>



McDonough Associates Inc. Engineers / Architects

130 East Randolph Street Chicago, Illinois 60601 (312) 946-8600

SHEET NO.				
SC-15				
SHEETS				
SC- 37				

		077100707	<u> </u>	00.0	
		<u> </u>			
	F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEE NO.
	55	(99-1&2) R-6	WILL	756	541
5			CONTRACT	NO. 60)F12

FED. ROAD DIST. NO. | ILLINOIS | FED. AID PROJECT

CHECKED *BB DS-11* 11-1-09

AMV

DESIGNED AMV

CHECKED

DRAWN

71/2"

SECTION A-A
See sheet SC-12 for scupper

location relative to parapet.