


EROSION CONTROL NOTES

1. THE CONTRACTOR SHALL BE REQUIRED TO INSTALL AND MAINTAIN EROSION CONTROL MEASURES IMMEDIATELY AFTER STRIPPING OF EXISTING VEGETATION.
2. RUNOFF LEAVING THE JOBSITE MUST PASS THROUGH AN EROSION CONTROL SYSTEM FOLLOWING STANDARD 280001.
3. SILT FENCE SHALL BE USED AS A PERIMETER EROSION BARRIER TO FILTER RUNOFF LEAVING THE PROJECT LIMITS.
4. SILT FENCE SHALL BE PLACED AROUND THE PERIMETER OF THE EARTH STOCKPILES, WHICH WILL BE PAID FOR AS PERIMETER EROSION BARRIER.
5. PROPOSED DRAINAGE STRUCTURE RECEIVING RUNOFF SHALL BE PROTECTED WITH INLET AND PIPE PROTECTION IMMEDIATELY AFTER CONSTRUCTION.
6. INLET FILTERS SHALL BE USED TO PROTECT EXISTING INLETS AFTER THE SOIL IS EXPOSED AROUND INLET.
7. PERMANENT LANDSCAPING ITEMS SHALL BE IMPLEMENTED IN CONJUNCTION WITH CONSTRUCTION STAGING.
8. EROSION CONTROL MEASURES SHALL BE INSPECTED WITHIN 24 HOURS OF ANY STORM EXCEEDING 1/2" OF PRECIPITATION.
9. ALL PERENNIAL PLANT BEDS SHALL HAVE ALL THE SOD REMOVED AND DISPOSED FROM THE BED PRIOR TO TILLING THE EARTH AS DESCRIBED IN ARTICLE 254.07(b) OF THE STANDARD SPECIFICATIONS.

10. UNLESS OTHERWISE NOTED, ALL PERENNIALS SHALL BE PLANTED ONE FOOT ON CENTER AND MULCHED AS DESCRIBED IN ARTICLE 254.08 OF THE STANDARD SPECIFICATIONS.
11. VILLAGE WATER AND SEWER MAINS MAY BE LOCATED IN THE LANDSCAPE AREA.
THE CONTRACTOR WILL NOT BE ALLOWED TO PROCEED WITH ANY PLANTING WORK UNTIL ALL UTILITY OWNERS FIELD LOCATE THEIR FACILITIES WHICH MAY INTERFERE WITH CONSTRUCTION OPERATIONS.
THE ACTUAL LOCATION OF PROPOSED LANDSCAPING WILL BE ADJUSTED IN THE FIELD TO AVOID UTILITIES.
12. UNDERBRUSH OR DEBRIS AT PLANTING LOCATIONS SHALL BE REMOVED AND DISPOSED OF ACCORDING TO SECTION 201 OF THE STANDARD SPECIFICATIONS. THIS WORK WILL NOT BE PAID FOR SEPARATELY, BUT THE COSTS SHALL BE CONSIDERED AS INCLUDED IN THE CONTRACT UNIT PRICES FOR THE CONSTRUCTION ITEMS INVOLVED, AND NO ADDITIONAL COMPENSATION WILL BE ALLOWED.
13. THE CONTRACTOR SHALL TAKE ALL NECESSARY PRECAUTIONS FOR THE PROTECTION OF EXISTING PLANT MATERIAL FOR WHICH THE CONTRACT DOES NOT PROVIDE REMOVAL. THE PROTECTION OF EXISTING PLANT MATERIAL AND THE REPAIR OR REPLACEMENT OF EXISTING PLANT MATERIAL DAMAGED BY THE CONTRACTOR SHALL BE DONE IN ACCORDANCE WITH THE REQUIREMENTS OF SECTION 201 OF THE STANDARD SPECIFICATIONS.

14. FERTILIZER NUTRIENTS SHALL BE APPLIED AT THE RATE SPECIFIED IN SECTIONS 250 & 252 OF THE STANDARD SPECIFICATIONS. THIS SHALL BE INCLUDED WITHIN THE COST OF THE SEEDING OR SODDING.

15. PLANTINGS SHOULD BE 10' MIN. FROM RIPRAP AND 5' MIN. BEHIND GUARDRAIL.




LEGEND

- SODDING, SALT TOLERANT
- SEEDING, CLASS 4 & EROSION CONTROL BLANKET
- PERIMETER EROSION BARRIER
- INLET & PIPE PROTECTION
- INLET FILTERS

EROSION CONTROL BILL OF MATERIALS

CODE NO.	PAY ITEM	UNIT	TOTAL
21101615	TOPSOIL FURNISH & PLACE, 4"	SQ YD	1364
25000310	SEEDING, CLASS 4	ACRE	1
25000700	AGRICULTURAL GROUND LIMESTONE	TON	0.5
25200200	SUPPLEMENTAL WATERING	UNIT	45
25100630	EROSION CONTROL BLANKET	SQ YD	465
25200110	SODDING, SALT TOLERANT	SQ YD	1187
28000250	TEMPORARY EROSION CONTROL SEEDING	POUND	75
28000400	PERIMETER EROSION BARRIER	FOOT	553
28000500	INLET AND PIPE PROTECTION	EACH	4
28000510	INLET FILTERS	EACH	15



FILE NAME =	DESIGNED - SEW	REVISED -
#FILE#	DRAWN - SEW	REVISED -
USER NAME = #USER#	CHECKED - FML	REVISED -
PLOT DATE = #DATE#	DATE - 01/2010	REVISED -



**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

**EROSION AND SEDIMENT CONTROL / LANDSCAPE PLAN
LAKE STREET OVER ADDISON CREEK**

SCALE: 1" = 50' SHEET NO. 1 OF 1 SHEETS STA. 96+40 TO STA. 106+68

F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
3537	3264-T	COOK	110	23
FED. ROAD DIST. NO.		ILLINOIS FED. AID PROJECT		
		CONTRACT NO. 60H44		