

STORM SEWERS, CLASS A, TYPE 1 12"	FOOT
IL 3	
28.4' RT. STA. 286+31.86 TO 28.4' LT. STA. 286+31.86	55
29.0' RT. STA. 287+50.00 TO 29.0' LT. STA. 287+50.00	56
29.0' RT. STA. 289+00.00 TO 32.6' LT. STA. 289+00.00	60
29.0' RT. STA. 290+20.00 TO 37.9' LT. STA. 290+20.00	65
TOTAL =	236

STORM SEWER REMOVAL, 12"	FOOT
IL 3	
22.1' RT. STA. 288+98.12 TO 141.2' RT. STA. 289+02.06	124
32.9' LT. STA. 288+98.66 TO 144.8' LT. STA. 288+98.62	113
TOTAL =	237

PIPE DRAINS, CORRUGATED STEEL OR ALUMINUM ALLOY 12"	FOOT
IL 3	
28' LT. STA. 275+98.14 TO 29' LT. STA. 275+98.14	2
29' LT. STA. 275+98.14 TO 136.3' LT. STA. 275+98.14	128
136.3' LT. STA. 275+98.14 TO 144.8' LT. STA. 275+98.14	8
28' RT. STA. 275+98.14 TO 29.3' RT. STA. 275+98.14	2
29.3' RT. STA. 275+98.14 TO 117.9' RT. STA. 275+98.14	106
117.9' RT. STA. 275+98.14 TO 126.4' RT. STA. 275+98.14	8
27.6' LT. STA. 286+31.86 TO 35.8' LT. STA. 286+31.86	8
35.8' LT. STA. 286+31.86 TO 122.1' LT. STA. 286+31.86	104
122.1' LT. STA. 286+31.86 TO 130.6' LT. STA. 286+31.86	8
28.4' LT. STA. 287+50.00 TO 36.3' LT. STA. 287+50.00	8
36.3' LT. STA. 287+50.00 TO 112.5' LT. STA. 287+50.00	92
112.5' LT. STA. 287+50.00 TO 120.7' LT. STA. 287+50.00	8
32' LT. STA. 289+00.00 TO 44.7' LT. STA. 289+00.00	13
44.7' LT. STA. 289+00.00 TO 134.7' LT. STA. 289+00.00	107
134.7' LT. STA. 289+00.00 TO 143.1' LT. STA. 289+00.00	8
37.3' LT. STA. 290+20.00 TO 49.5' LT. STA. 290+20.00	13
49.5' LT. STA. 290+20.00 TO 126.5' LT. STA. 290+20.00	92
126.5' LT. STA. 290+20.00 TO 135' LT. STA. 290+20.00	8
TOTAL =	723

CATCH BASINS, TYPE C, WITH SPECIAL FRAME AND LID	EACH
20.25' LT. STA. 278+13.00	1
20.25' LT. STA. 280+51.00	1
TOTAL =	2

CATCH BASINS, TYPE D 3' DIAMETER, SPECIAL FRAME AND GRATE	EACH
20.25' RT. STA. 278+13.00	1
20.25' RT. STA. 280+51.00	1
TOTAL =	2

INLETS, TYPE A, TYPE 11V FRAME AND GRATE	EACH
IL 3	
29.00' RT. STA. 287+50.00	1
29.00' RT. STA. 289+00.00	1
29.00' RT. STA. 290+20.00	1
TOTAL =	3

INLETS, TYPE B, TYPE 11V FRAME AND GRATE	EACH
IL 3	
29.00' LT. STA. 287+50.00	1
32.63' LT. STA. 289+00.00	1
37.88' LT. STA. 290+20.00	1
TOTAL =	3

REMOVING INLETS	EACH
IL 3	
32.94' LT. STA. 288+98.66	1
27.12' RT. STA. 288+98.12	1
TOTAL =	2

COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6.12	FOOT
IL 3	
LT. STA. 286+39.50 TO LT. STA. 290+32.43	393
RT. STA. 286+39.50 TO RT. STA. 290+89.21	450
TOTAL =	843

CONCRETE MEDIAN, TYPE SB (SPECIAL)	SQ FT
IL 3	
STA. 286+39.50 TO STA. 292+01.38	2249
TOTAL =	2249

FLAP GATE 12"	EACH
35.50' RT. STA. 279+17.50	1
52.50' RT. STA. 279+94.25	1
TOTAL =	2

TYPE B INLET BOX, STANDARD 609001	EACH
IL 3	
28.42' LT. STA. 275+98.14	1
28.42' RT. STA. 275+98.14	1
28.42' LT. STA. 286+31.86	1
28.42' RT. STA. 286+31.86	1
TOTAL =	4

CONCRETE THRUST BLOCKS	EACH
IL 3	
29.8' LT. STA. 275+98.14	1
136.5' LT. STA. 275+98.14	1
30.0' RT. STA. 275+98.14	1
118.3' RT. STA. 275+98.14	1
36' LT. STA. 286+31.86	1
122.5' LT. STA. 286+31.86	1
36.5' LT. STA. 287+50.00	1
112.9' LT. STA. 287+50.00	1
44.8' LT. STA. 289+00.00	1
134.8' LT. STA. 289+00.00	1
49.7' LT. STA. 290+20.00	1
126.4' LT. STA. 290+20.00	1
TOTAL =	12

STEEL PLATE BEAM GUARD RAIL, TYPE A, 6 FOOT POSTS	FOOT
IL 3	
SB STA. 273+49.25 TO STA. 275+61.75	212.5
NB STA. 286+68.25 TO STA. 288+43.12	175
TOTAL =	387.5

TRAFFIC BARRIER TERMINAL, TYPE 6	EACH
IL 3	
SB STA. 275+61.75 TO STA. 276+05.30	1
NB STA. 275+61.75 TO STA. 276+05.30	1
SB STA. 286+24.50 TO STA. 286+68.25	1
NB STA. 286+24.50 TO STA. 286+68.25	1
TOTAL =	4

TRAFFIC BARRIER TERMINAL, TYPE 1 (SPECIAL) TANGENT	EACH
IL 3	
NB STA. 272+99.25 TO STA. 273+49.25	1
SB STA. 275+11.75 TO STA. 275+61.75	1
NB STA. 286+68.25 TO STA. 287+18.25	1
SB STA. 288+43.12 TO STA. 288+93.12	1
TOTAL =	4

GUARDRAIL REMOVAL	FOOT
RT. STA. 274+79 TO STA. 276+56	177
LT. STA. 276+17 TO STA. 276+55	38
RT. STA. 285+58 TO STA. 285+97	39
LT. STA. 285+58 TO STA. 288+34	276
TOTAL =	530

SHOULDER RUMBLE STRIP	FOOT
IL 3	
LT. STA. 272+00.00 TO STA. 275+90.50	391
RT. STA. 272+00.00 TO STA. 275+90.50	391
TOTAL =	782

SIGN PANEL - TYPE 1	AREA
IL 3	
"PRAIRIE DU PONT CANAL" Sign	10
TOTAL =	10

WOOD SIGN SUPPORT	LENGTH
IL 3	
"PRAIRIE DU PONT CANAL"	29
TOTAL =	29

THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT
24' LT. STA. 272+00.00 TO STA. 272+25.00	25
13' LT. STA. 272+00.00 TO STA. 272+25.00	10
2' LT. STA. 272+00.00 TO STA. 272+25.00	50
2' RT. STA. 272+00.00 TO STA. 272+25.00	50
13' RT. STA. 272+00.00 TO STA. 272+25.00	10
24' RT. STA. 272+00.00 TO STA. 272+25.00	25
36.4' LT. STA. 290+32.43 TO 40' LT. STA. 292+01.38	169
24.4' LT. STA. 290+32.43 TO 28' LT. STA. 292+01.38	40
12.4' LT. STA. 290+32.43 TO 16' LT. STA. 292+01.38	169
8.4' LT. STA. 290+32.43 TO 12' LT. STA. 292+01.38	169
2' RT. STA. 290+32.43 TO 0' RT. STA. 292+01.38	44
13' RT. STA. 290+32.43 TO 12' RT. STA. 292+01.38	40
24' RT. STA. 290+32.43 TO 33.71' RT. STA. 292+01.38	169
TOTAL =	970

POLYUREA PAVEMENT MARKING - LINE 4"	FOOT
24' LT. STA. 272+25.00 TO 36.4' LT. STA. 290+32.43	1808
13' LT. STA. 272+25.00 TO 24.4' LT. STA. 290+32.43	450
2' LT. STA. 272+25.00 TO 2' LT. STA. 275+90.50	731
2' LT. STA. 275+90.50 TO 12.4' LT. STA. 290+32.43	1442
2' RT. STA. 272+25.00 TO 2' RT. STA. 275+90.50	731
2' RT. STA. 275+90.50 TO 8.4' LT. STA. 290+32.43	1442
13' RT. STA. 272+25.00 TO STA. 290+32.43	450
24' RT. STA. 272+25.00 TO 33.7' RT. STA. 290+32.43	1808
2' RT. STA. 286+39.50 TO 0' RT. STA. 290+32.43	100
TOTAL =	8962

RAISED REFLECTIVE PAVEMENT MARKERS	EACH
13' LT. STA. 272+35 TO STA. 275+55	5
13' RT. STA. 272+35 TO STA. 275+55	5
13' LT. STA. 286+75 TO 24.4' LT. STA. 291+95	14
13' RT. STA. 286+75 TO STA. 291+95	14
TOTAL =	38

RAISED REFLECTIVE PAVEMENT MARKERS (BRIDGE)	EACH
13' LT. STA. 276+35 TO STA. 285+95	13
13' RT. STA. 276+35 TO STA. 285+95	13
TOTAL =	26

PRISMATIC CURB REFLECTORS	EACH
LT MEDIAN CURB STA. 275+95.00 TO STA. 291+95.00	41
RT MEDIAN CURB STA. 275+95.00 TO STA. 291+95.00	41
TOTAL =	82

GUARDRAIL MARKERS, TYPE A	EACH
IL 3	
NB STA. 272+99.25 TO STA. 276+05.30	5
SB STA. 275+11.75 TO STA. 276+05.30	4
NB STA. 286+24.50 TO STA. 287+18.25	4
SB STA. 286+24.50 TO STA. 288+93.12	4
TOTAL =	17

TERMINAL MARKER- DIRECT APPLIED	EACH
IL 3	
NB STA. 272+99.25 TO STA. 273+55.50	1
SB STA. 275+11.75 TO STA. 275+61.75	1
NB STA. 286+68.25 TO STA. 287+18.25	1
SB STA. 288+36.96 TO STA. 288+93.12	1
TOTAL =	4

CONDUIT IN TRENCH, 1" DIA., PVC	FOOT
IL 3	
31.7' RT. STA. 287+76	8
31.7' RT. STA. 287+76	8
TOTAL =	16

HANDHOLE TO BE ADJUSTED	EACH
IL 3	
31.7' RT. STA. 287+81.38	1
TOTAL =	1

DETECTOR LOOP, TYPE I	FOOT
IL 3	
7.6' RT. STA. 287+76	42
18.5' RT. STA. 287+76	30
TOTAL =	72

DETOUR SIGNING	EACH
1 LUMP SUM	

CONCRETE ANCHORS	EACH
IL 3	
41.6' LT. STA. 275+98.14	1
53.6' LT. STA. 275+98.14	1
65.6' LT. STA. 275+98.14	1
77.6' LT. STA. 275+98.14	1
89.6' LT. STA. 275+98.14	1
101.6' LT. STA. 275+98.14	1
113.6' LT. STA. 275+98.14	1
125.6' LT. STA. 275+98.14	1
41.9' RT. STA. 275+98.14	1
53.9' RT. STA. 275+98.14	1
65.9' RT. STA. 275+98.14	1
77.9' RT. STA. 275+98.14	1
89.9' RT. STA. 275+98.14	1
101.9' RT. STA. 275+98.14	1
113.9' RT. STA. 275+98.14	1
47.4' LT. STA. 286+31.86	1
59.4' LT. STA. 286+31.86	1
71.4' LT. STA. 286+31.86	1
83.4' LT. STA. 286+31.86	1
95.4' LT. STA. 286+31.86	1
107.4' LT. STA. 286+31.86	1
119.4' LT. STA. 286+31.86	1
48.6' LT. STA. 287+50.00	1
60.6' LT. STA. 287+50.00	1
72.6' LT. STA. 287+50.00	1
84.6' LT. STA. 287+50.00	1
96.6' LT. STA. 287+50.00	1
108.6' LT. STA. 287+50.00	1
57.0' LT. STA. 289+00.00	1
69.0' LT. STA. 289+00.00	1
81.0' LT. STA. 289+00.00	1
93.0' LT. STA. 289+00.00	1
105.0' LT. STA. 289+00.00	1
117.0' LT. STA. 289+00.00	1
129.0' LT. STA. 289+00.00	1
61.8' LT. STA. 290+20.00	1
73.8' LT. STA. 290+20.00	1
85.8' LT. STA. 290+20.00	1
97.8' LT. STA. 290+20.00	1
109.8' LT. STA. 290+20.00	1
121.8' LT. STA. 290+20.00	1
TOTAL =	41

