#### If you plan to submit a bid directly to the Department of Transportation

#### **PREQUALIFICATION**

Any contractor who desires to become pre-qualified to bid on work advertised by IDOT must submit the properly completed pre-qualification forms to the Bureau of Construction no later that 4:30 p.m. prevailing time twenty-one days prior to the letting of interest. This pre-qualification requirement applies to first time contractors, contractors renewing expired ratings, contractors maintaining continuous pre-qualification or contractors requesting revised ratings. To be eligible to bid, existing pre-qualification ratings must be effective through the date of letting.

#### **REQUESTS FOR AUTHORIZATION TO BID**

Contractors wanting to bid on items included in a particular letting must submit the properly completed "Request for Authorization to Bid/or Not For Bid Status" (BDE 124) and the ORIGINAL "Affidavit of Availability" (BC 57) to the proper office no later than 4:30 p.m. prevailing time, three (3) days prior to the letting date. This does not apply to Small Business Set-Asides.

#### WHO CAN BID?

Bids will be accepted from only those companies that request and receive written **Authorization to Bid** from IDOT's Central Bureau of Construction. This does not apply to Small Business Set-Asides.

WHAT CONSTITUTES WRITTEN AUTHORIZATION TO BID?: When a prospective prime bidder submits a "Request for Authorization to Bid/or Not For Bid Status" (BDE 124) he/she must indicate at that time which items are being requested For Bidding purposes. Only those items requested For Bidding will be analyzed. After the request has been analyzed, the bidder will be issued an Authorization to Bid or Not for Bid Report, approved by the Central Bureau of Construction that indicates which items have been approved For Bidding. If Authorization to Bid cannot be approved, the Authorization to Bid or Not for Bid Report will indicate the reason for denial.

**ABOUT AUTHORIZATION TO BID:** Firms that have not received an authorization form within a reasonable time of complete and correct original document submittal should contact the department as to status. This is critical in the week before the letting. These documents must be received three days before the letting date. Firms unsure as to authorization status should call the Prequalification Section of the Bureau of Construction at the number listed at the end of these instructions.

**ADDENDA AND REVISIONS:** It is the contractor's responsibility to determine which, if any, addenda or revisions pertain to any project they may be bidding. Failure to incorporate all relevant addenda or revisions may cause the bid to be declared unacceptable.

Each addendum will be placed with the contract number. Addenda and revisions will also be placed on the Addendum/Revision Checklist and each subscription service subscriber will be notified by e-mail of each addendum and revision issued.

The Internet is the Department's primary way of doing business. The subscription server e-mails are an added courtesy the Department provides. It is suggested that bidders check IDOT's website at <a href="http://www.dot.il.gov/desenv/delett.html">http://www.dot.il.gov/desenv/delett.html</a> before submitting final bid information.

#### IDOT IS NOT RESPONSIBLE FOR ANY E-MAIL FAILURES.

Addenda Questions may be directed to the Plans and Contracts Office at (217)782-7806 or D&Econtracts@dot.il.gov

Technical Questions about downloading these files may be directed to Tim Garman (217)524-1642 or Timothy.Garman@illinois.gov.

WHAT MUST BE INCLUDED WHEN BIDS ARE SUBMITTED?: Bidders need not return the entire proposal when bids are submitted. That portion of the proposal that must be returned includes the following:

- 1. All documents from the Proposal Cover Sheet through the Proposal Bid Bond
- 2. Other special documentation and/or information that may be required by the contract special provisions

All proposal documents, including Proposal Guaranty Checks or Proposal Bid Bonds, should be stapled together to prevent loss when bids are processed by IDOT personnel.

**ABOUT SUBMITTING BIDS**: It is recommended that bidders deliver bids in person to insure they arrive at the proper location prior to the time specified for the receipt of bids. Any bid received at the place of letting after the time specified will not be accepted.

#### WHO SHOULD BE CALLED IF ASSISTANCE IS NEEDED?

Questions RegardingCallPrequalification and/or Authorization to Bid217/782-3413Preparation and submittal of bids217/782-7806Electronic plans and proposals217/782-7806

#### ADDENDUMS AND REVISIONS TO THE PROPOSAL FORMS

Bidders should verify that they have received and incorporated any addendum and/or revision prior to submitting their bid. Failure by the bidder to include an addendum or revision could result in a bid being rejected as irregular.

128

**NEED NOT RETURN THE ENTIRE PROPOSA**I

**BIDDERS** 

See instructions inside front cover)

Proposal Submitted By	
Name	
Address	
City	

## Letting April 29, 2011

### NOTICE TO PROSPECTIVE BIDDERS

This proposal can be used for bidding purposes by only those companies that request and receive written AUTHORIZATION TO BID from IDOT's Central Bureau of Construction. This does not apply to Small Business Set-Asides.

(SEE INSTRUCTIONS ON THE INSIDE OF COVER)

# Notice to Bidders, Specifications, Proposal, Contract and Contract Bond



Springfield, Illinois 62764

Contract No. 76E02 ST CLAIR County Section 82-(1,2)T-18 Route FAI 70 District 8 Construction Funds

PLEASE MARK THE APPROPRIATE BOX BELOW:	
☐ A <u>Bid</u> <u>Bond</u> is included.	
A Cashier's Check or a Certified Check is included.	
	_

Prepared by

S

Checked by

#### **INSTRUCTIONS**

ABOUT IDOT PROPOSALS: All proposals issued by IDOT are potential bidding proposals. Each proposal contains all Certifications and Affidavits, a Proposal Signature Sheet and a Proposal Bid Bond. In addition, this proposal contains new statutory requirements applicable to the use of subcontractors and, in particular, includes the State Required Ethical Standards Governing Subcontractors to be signed and incorporated into all subcontracts.

WHO CAN BID?: Bids will be accepted from only those companies that request and receive written Authorization to Bid from IDOT's Central Bureau of Construction. To request authorization, a potential bidder must complete and submit Part B of the Request for Authorization to Bid/or Not For Bid Status form (BDE 124) and submit an original Affidavit of Availability (BC 57). This does not apply to Small Business Set-Asides.

WHAT CONSTITUTES WRITTEN AUTHORIZATION TO BID?: When a prospective prime bidder submits a "Authorization to Bid or Not for Bid" form, he/she must indicate at that time which items are being requested For Bidding purposes. Only those items requested For Bidding will be analyzed. After the request has been analyzed, the bidder will be issued a Authorization to Bid or Not for Bid Report, approved by the Central Bureau of Construction, that indicates which items have been approved For Bidding. If Authorization to Bid cannot be approved, the Authorization to Bid or Not for Bid Report will indicate the reason for denial. If a contractor has requested to bid but has not received a Authorization to Bid or Not for Bid Report, they should contact the Central Bureau of Construction in advance of the letting date.

WHAT MUST BE INCLUDED WHEN BIDS ARE SUBMITTED?: Bidders need not return the entire proposal when bids are submitted. That portion of the proposal that must be returned includes the following:

- 1. All documents from the Proposal Cover Sheet through the Proposal Bid Bond
- 2. Other special documentation and/or information that may be required by the contract special provisions

All proposal documents, including Proposal Guaranty Checks or Proposal Bid Bonds, should be stapled together to prevent loss when bids are processed by IDOT personnel.

ABOUT SUBMITTING BIDS: It is recommended that bidders deliver bids in person to insure they arrive at the proper location prior to the time specified for the receipt of bids. Any bid received at the place of letting after the time specified will not be accepted.

Call

#### WHO SHOULD BE CALLED IF ASSISTANCE IS NEEDED?

**Questions Regarding** 

Pregualification and/or Authorization to Bid 217/782-3413 217/782-7806 Preparation and submittal of bids



**District 8 Construction Funds** 

**PROPOSAL** 

TO THE DEPARTMENT OF TRANSPO	DRTATION	
1. Proposal of		
. ,	atory)advertised for bids in the Invitation for Bids as:	— _ a
Contract No. 76E02 ST CLAIR County Section 82-(1,2)T-18 Route FAI 70		

This project consists of replacing a submersible pump and submersible mixer at the Bowman Pump Station in East St. Louis, IL.

2. The undersigned bidder will furnish all labor, material and equipment to complete the above described project in a good and workmanlike manner as provided in the contract documents provided by the Department of Transportation. This proposal will become part of the contract and the terms and conditions contained in the contract documents shall govern performance and payments.

- 3. **ASSURANCE OF EXAMINATION AND INSPECTION/WAIVER.** The undersigned further declares that he/she has carefully examined the proposal, plans, specifications, addenda, form of contract and contract bond, and special provisions, and that he/she has inspected in detail the site of the proposed work, and that he/she has familiarized themselves with all of the local conditions affecting the contract and the detailed requirements of construction, and understands that in making this proposal he/she waives all right to plead any misunderstanding regarding the same.
- 4. **EXECUTION OF CONTRACT AND CONTRACT BOND.** The undersigned further agrees to execute a contract for this work and present the same to the department within fifteen (15) days after the contract has been mailed to him/her. The undersigned further agrees that he/she and his/her surety will execute and present within fifteen (15) days after the contract has been mailed to him/her contract bond satisfactory to and in the form prescribed by the Department of Transportation, in the penal sum of the full amount of the contract, guaranteeing the faithful performance of the work in accordance with the terms of the contract.
- 5. **PROPOSAL GUARANTY.** Accompanying this proposal is either a bid bond on the department form, executed by a corporate surety company satisfactory to the department, or a proposal guaranty check consisting of a bank cashier's check or a properly certified check for not less than 5 per cent of the amount bid or for the amount specified in the following schedule:

<u>A</u>	mount o	of Bid	Proposal <u>Guaranty</u>	<u>An</u>	nount c	of Bid	Proposal <u>Guaranty</u>
Up to		\$5,000	\$150	\$2,000,000	to	\$3,000,000	\$100,000
\$5,000	to	\$10,000	\$300	\$3,000,000	to	\$5,000,000	\$150,000
\$10,000	to	\$50,000	\$1,000	\$5,000,000	to	\$7,500,000	\$250,000
\$50,000	to	\$100,000	\$3,000	\$7,500,000	to	\$10,000,000	\$400,000
\$100,000	to	\$150,000	\$5,000	\$10,000,000	to	\$15,000,000	\$500,000
\$150,000	to	\$250,000	\$7,500	\$15,000,000	to	\$20,000,000	\$600,000
\$250,000	to	\$500,000	\$12,500	\$20,000,000	to	\$25,000,000	\$700,000
\$500,000	to	\$1,000,000	\$25,000	\$25,000,000	to	\$30,000,000	\$800,000
\$1,000,000	to	\$1,500,000	\$50,000	\$30,000,000	to	\$35,000,000	\$900,000
\$1,500,000	to	\$2,000,000	\$75,000	over		\$35,000,000	\$1,000,000

Bank cashier's checks or properly certified checks accompanying proposals shall be made payable to the Treasurer, State of Illinois, when the state is awarding authority; the county treasurer, when a county is the awarding authority; or the city, village, or town treasurer, when a city, village, or town is the awarding authority.

If a combination bid is submitted, the proposal guaranties which accompany the individual proposals making up the combination will be considered as also covering the combination bid.

The amount of the proposal guaranty check is \_\_\_\_\_\_\_\$( ). If this proposal is accepted and the undersigned shall fail to execute a contract bond as required herein, it is hereby agreed that the amount of the proposal guaranty shall become the property of the State of Illinois, and shall be considered as payment of damages due to delay and other causes suffered by the State because of the failure to execute said contract and contract bond; otherwise, the bid bond shall become void or the proposal guaranty check shall be returned to the undersigned.

#### Attach Cashier's Check or Certified Check Here

In the event that one proposal guaranty check is intended to cover two or more proposals, the amount must be equal to the sum of the proposal guaranties which would be required for each individual proposal. If the guaranty check is placed in another proposal, state below where it may be found.

The proposal guaranty check will be found in the proposal for:	Item
--	------

Section No.

County

Mark the proposal cover sheet as to the type of proposal guaranty submitted.

-3-

		RETURN WITH BID	
6.	combination, he/sh combination bid sp proportion to the bi	IDS. The undersigned further agrees that if awarded the contrance will perform the work in accordance with the requirements pecified in the schedule below, and that the combination bid distributed for the same. If an error is found to exist in the grown a combination, the combination bid shall be corrected as proving the same of the same.	of each individual proposal comprising the shall be prorated against each section in ess sum bid for one or more of the individual
	compris	combination bid is submitted, the schedule below must be ing the combination.  ate bids are submitted for one or more of the sections compation bid must be submitted for each alternate.	
		Schedule of Combination Bids	
Со	mbination No.	Sections Included in Combination	Combination Bid Dollars Cents
			Joina Come
			+
7.	schedule of prices all extensions and schedule are appro- is an error in the ex- contract will be mar- contract. The sche	RICES. The undersigned bidder submits herewith, in accordance for the items of work for which bids are sought. The unit prices summations have been made. The bidder understands that the eximate and are provided for the purpose of obtaining a gross substension of the unit prices, the unit prices shall govern. Payment de only for actual quantities of work performed and accepted or eduled quantities of work to be done and materials to be furnished elsewhere in the contract.	bid are in U.S. dollars and cents, and quantities appearing in the bid im for the comparison of bids. If there it to the contractor awarded the materials furnished according to the
8.	provides that a pe	DO BUSINESS IN ILLINOIS. Section 20-43 of the Illinois Prerson (other than an individual acting as a sole proprietor) mate of Illinois prior to submitting the bid.	rocurement Code (30 ILCS 500/20-43) rust be a legal entity authorized to do
9.	The services of a	subcontractor will or may be used.	
		Yes □ No □	
		ocontractors with subcontracts with an annual value of more than dress, and the dollar allocation for each subcontractor.	n \$25,000, the contract shall include

10. **EXECUTION OF CONTRACT**: The Department of Transportation will, in accordance with the rules governing Department procurements, execute the contract and shall be the sole entity having the authority to accept performance and make payments under the contract. Execution of the contract by the Chief Procurement Officer or the State Purchasing Officer is for approval of the procurement process and execution of the contract by the Department. Neither the Chief Procurement Officer nor the State Purchasing Officer shall be responsible for administration of the contract or determinations respecting performance or payment there under except as otherwise permitted in the Illinois Procurement Code.

-4

# ILLINOIS DEPARTMENT OF TRANSPORTATION SCHEDULE OF PRICES CONTRACT NUMBER - 76E02

State Job # - C-98-085-10 PPS NBR - 8-82930-2111

County Name - ST CLAIR- -

Code - 163 - - District - 8 - -

Section Number - 82-(1,2)T-18

Project Number	Route
	FAI 70

Item Number	Pay Item Description	Unit of Measure	Quantity	x	Unit Price	=	Total Price
X0327020		EACH	1.000				
X0327111	MAGNUM BREAKER	EACH	1.000				
X0462500	SUBMERSIBLE PUMP	EACH	1.000				
67100100	MOBILIZATION	L SUM	1.000				

CONTRACT NUMBER	76E02	
THIS IS THE TOTAL BID		\$

#### NOTES:

- 1. Each PAY ITEM should have a UNIT PRICE and a TOTAL PRICE.
- 2. The UNIT PRICE shall govern if no TOTAL PRICE is shown or if there is a discrepancy between the product of the UNIT PRICE multiplied by the QUANTITY.
- 3. If a UNIT PRICE is omitted, the TOTAL PRICE will be divided by the QUANTITY in order to establish a UNIT PRICE.
- 4. A bid may be declared UNACCEPTABLE if neither a unit price nor a total price is shown.

# STATE REQUIRED ETHICAL STANDARDS GOVERNING CONTRACT PROCUREMENT: ASSURANCES, CERTIFICATIONS AND DISCLOSURES

#### I. GENERAL

- **A.** Article 50 of the Illinois Procurement Code establishes the duty of all State chief procurement officers, State purchasing officers, and their designees to maximize the value of the expenditure of public moneys in procuring goods, services, and contracts for the State of Illinois and to act in a manner that maintains the integrity and public trust of State government. In discharging this duty, they are charged by law to use all available information, reasonable efforts, and reasonable actions to protect, safeguard, and maintain the procurement process of the State of Illinois.
- **B.** In order to comply with the provisions of Article 50 and to carry out the duty established therein, all bidders are to adhere to ethical standards established for the procurement process, and to make such assurances, disclosures and certifications required by law. Except as otherwise required in subsection III, paragraphs J-M, by execution of the Proposal Signature Sheet, the bidder indicates that each of the mandated assurances have been read and understood, that each certification is made and understood, and that each disclosure requirement has been understood and completed.
- **C.** In addition to all other remedies provided by law, failure to comply with any assurance, failure to make any disclosure or the making of a false certification shall be grounds for the chief procurement officer to void the contract, or subcontract, and may result in the suspension or debarment of the bidder or subcontractor.

#### **II. ASSURANCES**

The assurances hereinafter made by the bidder are each a material representation of fact upon which reliance is placed should the Department enter into the contract with the bidder.

#### A. Conflicts of Interest

1. The Illinois Procurement Code provides in pertinent part:

Section 50-13. Conflicts of Interest.

- (a) Prohibition. It is unlawful for any person holding an elective office in this State, holding a seat in the General Assembly, or appointed to or employed in any of the offices or agencies of state government and who receives compensation for such employment in excess of 60% of the salary of the Governor of the State of Illinois, or who is an officer or employee of the Capital Development Board or the Illinois Toll Highway Authority, or who is the spouse or minor child of any such person to have or acquire any contract, or any direct pecuniary interest in any contract therein, whether for stationery, printing, paper, or any services, materials, or supplies, that will be wholly or partially satisfied by the payment of funds appropriated by the General Assembly of the State of Illinois or in any contract of the Capital Development Board or the Illinois Toll Highway authority.
- (b) Interests. It is unlawful for any firm, partnership, association or corporation, in which any person listed in subsection (a) is entitled to receive (i) more than 7 1/2% of the total distributable income or (ii) an amount in excess of the salary of the Governor, to have or acquire any such contract or direct pecuniary interest therein.
- (c) Combined interests. It is unlawful for any firm, partnership, association, or corporation, in which any person listed in subsection (a) together with his or her spouse or minor children is entitled to receive (i) more than 15%, in the aggregate, of the total distributable income or (ii) an amount in excess of 2 times the salary of the Governor, to have or acquire any such contract or direct pecuniary interest therein.
- (d) Securities. Nothing in this Section invalidates the provisions of any bond or other security previously offered or to be offered for sale or sold by or for the State of Illinois.
- (e) Prior interests. This Section does not affect the validity of any contract made between the State and an officer or employee of the State or member of the General Assembly, his or her spouse, minor child or any combination of those persons if that contract was in existence before his or her election or employment as an officer, member, or employee. The contract is voidable, however, if it cannot be completed within 365 days after the officer, member, or employee takes office or is employed.

The current salary of the Governor is \$177,412.00. Sixty percent of the salary is \$106,447.20.

2. The bidder assures the Department that the award and execution of the contract would not cause a violation of Section 50-13, or that an effective exemption has been issued by the Board of Ethics to any individual subject to the Section 50-13 prohibitions pursuant to the provisions of Section 50-20 of the Code and Executive Order Number 3 (1998). Information concerning the exemption process is available from the Department upon request.

#### B. Negotiations

1. The Illinois Procurement Code provides in pertinent part:

Section 50-15. Negotiations.

- (a) It is unlawful for any person employed in or on a continual contractual relationship with any of the offices or agencies of State government to participate in contract negotiations on behalf of that office or agency with any firm, partnership, association, or corporation with whom that person has a contract for future employment or is negotiating concerning possible future employment.
- 2. The bidder assures the Department that the award and execution of the contract would not cause a violation of Section 50-15, and that the bidder has no knowledge of any facts relevant to the kinds of acts prohibited therein.

#### C. Inducements

1. The Illinois Procurement Code provides:

Section 50-25. Inducement. Any person who offers or pays any money or other valuable thing to any person to induce him or her not to bid for a State contract or as recompense for not having bid on a State contract is guilty of a Class 4 felony. Any person who accepts any money or other valuable thing for not bidding for a State contract or who withholds a bid in consideration of the promise for the payment of money or other valuable thing is guilty of a Class 4 felony.

2. The bidder assures the Department that the award and execution of the contract would not cause a violation of Section 50-25, and that the bidder has no knowledge of any facts relevant to the kinds of acts prohibited therein.

#### D. Revolving Door Prohibition

1. The Illinois Procurement Code provides:

Section 50-30. Revolving door prohibition. Chief procurement officers, State purchasing officers, procurement compliance monitors, their designees whose principal duties are directly related to State procurement, and executive officers confirmed by the Senate are expressly prohibited for a period of 2 years after terminating an affected position from engaging in any procurement activity relating to the State agency most recently employing them in an affected position for a period of at least 6 months. The prohibition includes, but is not limited to: lobbying the procurement process; specifying; bidding; proposing bid, proposal, or contract documents; on their own behalf or on behalf of any firm, partnership, association, or corporation. This Section applies only to persons who terminate an affected position on or after January 15, 1999.

2. The bidder assures the Department that the award and execution of the contract would not cause a violation of Section 50-30, and that the bidder has no knowledge of any facts relevant to the kinds of acts prohibited therein.

#### E. Reporting Anticompetitive Practices

1. The Illinois Procurement Code provides:

Section 50-40. Reporting anticompetitive practices. When, for any reason, any vendor, bidder, contractor, chief procurement officer, State purchasing officer, designee, elected official, or State employee suspects collusion or other anticompetitive practice among any bidders, offerors, contractors, proposers, or employees of the State, a notice of the relevant facts shall be transmitted to the Attorney General and the chief procurement officer.

2. The bidder assures the Department that it has not failed to report any relevant facts concerning the practices addressed in Section 50-40 which may involve the contract for which the bid is submitted.

#### F. Confidentiality

1. The Illinois Procurement Code provides:

Section 50-45. Confidentiality. Any chief procurement officer, State purchasing officer, designee, or executive officer who willfully uses or allows the use of specifications, competitive bid documents, proprietary competitive information, proposals, contracts, or selection information to compromise the fairness or integrity of the procurement, bidding, or contract process shall be subject to immediate dismissal, regardless of the Personnel code, any contract, or any collective bargaining agreement, and may in addition be subject to criminal prosecution.

2. The bidder assures the Department that it has no knowledge of any fact relevant to the practices addressed in Section 50-45 which may involve the contract for which the bid is submitted.

#### G. Insider Information

1. The Illinois Procurement Act provides:

Section 50-50. Insider information. It is unlawful for any current or former elected or appointed State official or State employee to knowingly use confidential information available only by virtue of that office or employment for actual or anticipated gain for themselves or another person.

2. The bidder assures the Department that it has no knowledge of any facts relevant to the practices addressed in Section 50-50 which may involve the contract for which the bid is submitted.

#### **III. CERTIFICATIONS**

The certifications hereinafter made by the bidder are each a material representation of fact upon which reliance is placed should the Department enter into the contract with the bidder. Section 50-2 of the Illinois Procurement Code provides that every person that has entered into a multi-year contract and every subcontractor with a multi-year subcontract shall certify, by July 1 of each fiscal year covered by the contract after the initial fiscal year, to the responsible chief procurement officer whether it continues to satisfy the requirements of Article 50 pertaining to the eligibility for a contract award. If a contractor or subcontractor is not able to truthfully certify that it continues to meet all requirements, it shall provide with its certification a detailed explanation of the circumstances leading to the change in certification status. A contractor or subcontractor that makes a false statement material to any given certification required under Article 50 is, in addition to any other penalties or consequences prescribed by law, subject to liability under the Whistleblower Reward and Protection Act for submission of a false claim.

#### A. Bribery

1. The Illinois Procurement Code provides:

Section 50-5. Bribery.

- (a) Prohibition. No person or business shall be awarded a contract or subcontract under this Code who:
  - (1) has been convicted under the laws of Illinois or any other state of bribery or attempting to bribe an officer or employee of the State of Illinois or any other state in that officer's or employee's official capacity; or
  - (2) has made an admission of guilt of that conduct that is a matter of record but has not been prosecuted for that conduct.
- (b) Businesses. No business shall be barred from contracting with any unit of State or local government, or subcontracting under such a contract, as a result of a conviction under this Section of any employee or agent of the business if the employee or agent is no longer employed by the business and:
  - (1) the business has been finally adjudicated not guilty; or
  - (2) the business demonstrates to the governmental entity with which it seeks to contract, or which is signatory to the contract which the subcontract relates, and that entity finds that the commission of the offense was not authorized, requested, commanded, or performed by a director, officer, or high managerial agent on behalf of the business as provided in paragraph (2) of subsection (a) of Section 5-4 of the Criminal Code of 1961.
- (c) Conduct on behalf of business. For purposes of this Section, when an official, agent, or employee of a business committed the bribery or attempted bribery on behalf of the business and in accordance with the direction or authorization of a responsible official of the business, the business shall be chargeable with the conduct.
- (d) Certification. Every bid submitted to and contract executed by the State, and every subcontract subject to Section 20-120 of the Procurement Code shall contain a certification by the contractor or the subcontractor, respectively, that the contractor or subcontractor is not barred from being awarded a contract or subcontract under this Section and acknowledges that the chief procurement officer may declare the related contract void if any certifications required by this Section are false. A contractor who makes a false statement, material to the certification, commits a Class 3 felony.
- 2. The contractor or subcontractor certifies that it is not barred from being awarded a contract under Section 50.5.

#### B. Felons

1. The Illinois Procurement Code provides:

Section 50-10. Felons. Unless otherwise provided, no person or business convicted of a felony shall do business with the State of Illinois or any State agency, or enter into a subcontract, from the date of conviction until 5 years after the date of completion of the sentence for that felony, unless no person held responsible by a prosecutorial office for the facts upon which the conviction was based continues to have any involvement with the business.

2. Certification. Every bid submitted to and contract executed by the State and every subcontract subject to Section 20-120 of the Procurement Code shall contain a certification by the bidder or contractor or subcontractor, respectively, that the bidder, contractor, or subcontractor is not barred from being awarded a contract or subcontract under this Section and acknowledges that the chief procurement officer may declare the related contract void if any of the certifications required by this Section are false.

#### C. <u>Debt Delinquency</u>

1. The Illinois Procurement Code provides:

Section 50-11 and 50-12. Debt Delinquency.

The contractor or bidder or subcontractor, respectively, certifies that it, or any affiliate, is not barred from being awarded a contract or subcontract under the Procurement Code. Section 50-11 prohibits a person from entering into a contract with a State agency, or entering into a subcontract, if it knows or should know that it, or any affiliate, is delinquent in the payment of any debt to the State as defined by the Debt Collection Board. Section 50-12 prohibits a person from entering into a contract with a State agency, or entering into a subcontract, if it, or any affiliate, has failed to collect and remit Illinois Use Tax on all sales of tangible personal property into the State of Illinois in accordance with the provisions of the Illinois Use Tax Act. The bidder or contractor or subcontractor, respectively, further acknowledges that the chief procurement officer may declare the related contract void if this certification is false or if the bidder, contractor, or subcontractor, or any affiliate, is determined to be delinquent in the payment of any debt to the State during the term of the contract.

#### D. Prohibited Bidders, Contractors and Subcontractors

1. The Illinois Procurement Code provides:

Section 50-10.5 and 50-60(c). Prohibited bidders, contractors and subcontractors.

The bidder or contractor or subcontractor, respectively, certifies in accordance with 30 ILCS 500/50-10.5 that no officer, director, partner or other managerial agent of the contracting business has been convicted of a felony under the Sarbanes-Oxley Act of 2002 or a Class 3 or Class 2 felony under the Illinois Securities Law of 1953 or if in violation of Subsection (c) for a period of five years from the date of conviction. Every bid submitted to and contract executed by the State and every subcontract subject to Section 20-120 of the Procurement Code shall contain a certification by the bidder, contractor, or subcontractor, respectively, that the bidder, contractor, or subcontractor is not barred from being awarded a contract or subcontract under this Section and acknowledges that the chief procurement officer shall declare the related contract void if any of the certifications completed pursuant to this Section are false.

#### E. Section 42 of the Environmental Protection Act

The bidder or contractor or subcontractor, respectively, certifies in accordance with 30 ILCS 500/50-12 that the bidder, contractor, or subcontractor, is not barred from being awarded a contract or entering into a subcontract under this Section which prohibits the bidding on or entering into contracts with the State of Illinois or a State agency, or entering into any subcontract, that is subject to the Procurement Code by a person or business found by a court or the Pollution Control Board to have committed a willful or knowing violation of Section 42 of the Environmental Protection Act for a period of five years from the date of the order. The bidder or contractor or subcontractor, respectively, acknowledges that the chief procurement officer may declare the contract void if this certification is false.

#### F. Educational Loan

- 1. Section 3 of the Educational Loan Default Act provides:
- § 3. No State agency shall contract with an individual for goods or services if that individual is in default, as defined in Section 2 of this Act, on an educational loan. Any contract used by any State agency shall include a statement certifying that the individual is not in default on an educational loan as provided in this Section.
- 2. The bidder, if an individual as opposed to a corporation, partnership or other form of business organization, certifies that the bidder is not in default on an educational loan as provided in Section 3 of the Act.

#### G. Bid-Rigging/Bid Rotating

1. Section 33E-11 of the Criminal Code of 1961 provides:

§ 33E-11. (a) Every bid submitted to and public contract executed pursuant to such bid by the State or a unit of local government shall contain a certification by the prime contractor that the prime contractor is not barred from contracting with any unit of State or local government as a result of a violation of either Section 33E-3 or 33E-4 of this Article. The State and units of local government shall provide the appropriate forms for such certification.

(b) A contractor who makes a false statement, material to the certification, commits a Class 3 felony.

A violation of Section 33E-3 would be represented by a conviction of the crime of bid-rigging which, in addition to Class 3 felony sentencing, provides that any person convicted of this offense or any similar offense of any state or the United States which contains the same elements as this offense shall be barred for 5 years from the date of conviction from contracting with any unit of State or local government. No corporation shall be barred from contracting with any unit of State or local government as a result of a conviction under this Section of any employee or agent of such corporation if the employee so convicted is no longer employed by the corporation and: (1) it has been finally adjudicated not guilty or (2) if it demonstrates to the governmental entity with which it seeks to contract and that entity finds that the commission of the offense was neither authorized, requested, commanded, nor performed by a director, officer or a high managerial agent in behalf of the corporation.

A violation of Section 33E-4 would be represented by a conviction of the crime of bid-rotating which, in addition to Class 2 felony sentencing, provides that any person convicted of this offense or any similar offense of any state or the United States which contains the same elements as this offense shall be permanently barred from contracting with any unit of State or local government. No corporation shall be barred from contracting with any unit of State or local government as a result of a conviction under this Section of any employee or agent of such corporation if the employee so convicted is no longer employed by the corporation and: (1) it has been finally adjudicated not guilty or (2) if it demonstrates to the governmental entity with which it seeks to contract and that entity finds that the commission of the offense was neither authorized, requested, commanded, nor performed by a director, officer or a high managerial agent in behalf of the corporation.

2. The bidder certifies that it is not barred from contracting with the Department by reason of a violation of either Section 33E-3 or Section 33F-4

#### H. International Anti-Boycott

- 1. Section 5 of the International Anti-Boycott Certification Act provides:
- § 5. State contracts. Every contract entered into by the State of Illinois for the manufacture, furnishing, or purchasing of supplies, material, or equipment or for the furnishing of work, labor, or services, in an amount exceeding the threshold for small purchases according to the purchasing laws of this State or \$10,000.00, whichever is less, shall contain certification, as a material condition of the contract, by which the contractor agrees that neither the contractor nor any substantially-owned affiliated company is participating or shall participate in an international boycott in violation of the provisions of the U.S. Export Administration Act of 1979 or the regulations of the U.S. Department of Commerce promulgated under that Act.
- 2. The bidder makes the certification set forth in Section 5 of the Act.

#### I. Drug Free Workplace

- 1. The Illinois "Drug Free Workplace Act" applies to this contract and it is necessary to comply with the provisions of the "Act" if the contractor is a corporation, partnership, or other entity (including a sole proprietorship) which has 25 or more employees.
- 2. The bidder certifies that if awarded a contract in excess of \$5,000 it will provide a drug free workplace by:
- (a) Publishing a statement notifying employees that the unlawful manufacture, distribution, dispensation, possession or use of a controlled substance, including cannabis, is prohibited in the contractor's workplace; specifying the actions that will be taken against employees for violations of such prohibition; and notifying the employee that, as a condition of employment on such contract, the employee shall abide by the terms of the statement, and notify the employer of any criminal drug statute conviction for a violation occurring in the workplace no later than five (5) days after such conviction.
- (b) Establishing a drug free awareness program to inform employees about the dangers of drug abuse in the workplace; the contractor's policy of maintaining a drug free workplace; any available drug counseling, rehabilitation, and employee assistance programs; and the penalties that may be imposed upon employees for drug violations.
- (c) Providing a copy of the statement required by subparagraph (1) to each employee engaged in the performance of the contract and to post the statement in a prominent place in the workplace.
- (d) Notifying the Department within ten (10) days after receiving notice from an employee or otherwise receiving actual notice of the conviction of an employee for a violation of any criminal drug statute occurring in the workplace.
- (e) Imposing or requiring, within 30 days after receiving notice from an employee of a conviction or actual notice of such a conviction, an appropriate personnel action, up to and including termination, or the satisfactory participation in a drug abuse assistance or rehabilitation program approved by a federal, state or local health, law enforcement or other appropriate agency.
- (f) Assisting employees in selecting a course of action in the event drug counseling, treatment, and rehabilitation is required and indicating that a trained referral team is in place.
- (g) Making a good faith effort to continue to maintain a drug free workplace through implementation of the actions and efforts stated in this certification.

#### J. <u>Disclosure of Business Operations in Iran</u>

Section 50-36 of the Illinois Procurement Code, 30ILCS 500/50-36 provides that each bid, offer, or proposal submitted for a State contract shall include a disclosure of whether or not the Company acting as the bidder, offeror, or proposing entity, or any of its corporate parents or subsidiaries, within the 24 months before submission of the bid, offer, or proposal had business operations that involved contracts with or provision of supplies or services to the Government of Iran, companies in which the Government of Iran has any direct or indirect equity share, consortiums or projects commissioned by the Government of Iran, or companies involved in consortiums or projects commissioned by the Government of Iran and either of the following conditions apply:

- (1) More than 10% of the Company's revenues produced in or assets located in Iran involve oil-related activities or mineral-extraction activities; less than 75% of the Company's revenues produced in or assets located in Iran involve contracts with or provision of oil-related or mineral-extraction products or services to the Government of Iran or a project or consortium created exclusively by that government; and the Company has failed to take substantial action.
- (2) The Company has, on or after August 5, 1996, made an investment of \$20 million or more, or any combination of investments of at least \$10 million each that in the aggregate equals or exceeds \$20 million in any 12-month period, which directly or significantly contributes to the enhancement of Iran's ability to develop petroleum resources of Iran.

The terms "Business operations", "Company", "Mineral-extraction activities", "Oil-related activities", "Petroleum resources", and "Substantial action" are all defined in the Code.

Failure to make the disclosure required by the Code shall cause the bid, offer or proposal to be considered not responsive. The disclosure will be considered when evaluating the bid, offer, or proposal or awarding the contract. The name of each Company disclosed as doing business or having done business in Iran will be provided to the State Comptroller.

Check the appropriate statement:
// Company has no business operations in Iran to disclose.
// Company has business operations in Iran as disclosed the attached document.

#### K. Apprenticeship and Training Certification (Does not apply to federal aid projects)

In accordance with the provisions of Section 30-22 (6) of the Illinois Procurement Code, the bidder certifies that it is a participant, either as an individual or as part of a group program, in the approved apprenticeship and training programs applicable to each type of work or craft that the bidder will perform with its own forces. The bidder further certifies for work that will be performed by subcontract that each of its subcontractors submitted for approval either (a) is, at the time of such bid, participating in an approved, applicable apprenticeship and training program; or (b) will, prior to commencement of performance of work pursuant to this contract, begin participation in an approved apprenticeship and training program applicable to the work of the subcontract. The Department, at any time before or after award, may require the production of a copy of each applicable Certificate of Registration issued by the United States Department of Labor evidencing such participation by the contractor and any or all of its subcontractors. Applicable apprenticeship and training programs are those that have been approved and registered with the United States Department of Labor. The bidder shall list in the space below, the official name of the program sponsor holding the Certificate of Registration for all of the types of work or crafts in which the bidder is a participant and that will be performed with the bidder's forces. Types of work or craft work that will be subcontracted shall be included and listed as subcontract work. The list shall also indicate any type of work or craft job category that does not have an applicable apprenticeship or training program. The bidder is responsible for making a complete report and shall make certain that each type of work or craft job category that will be utilized on the project as reported on the Construction Employee Workforce Projection (Form BC-1256) and returned with the bid is accounted for and listed.


The requirements of this certification and disclosure are a material part of the contract, and the contractor shall require this certification provision to be included in all approved subcontracts. In order to fulfill this requirement, it shall not be necessary that an applicable program sponsor be currently taking or that it will take applications for apprenticeship, training or employment during the performance of the work of this contract.

#### TO BE RETURNED WITH BID

#### L. Political Contributions and Registration with the State Board of Elections

Sections 20-160 and 50-37 of the Illinois Procurement Code regulate political contributions from business entities and any affiliated entities or affiliated persons bidding on or contracting with the state. Generally under Section 50-37, any business entity, and any affiliated entity or affiliated person of the business entity, whose current year contracts with all state agencies exceed an awarded value of \$50,000, are prohibited from making any contributions to any political committees established to promote the candidacy of the officeholder responsible for the awarding of the contracts or any other declared candidate for that office for the duration of the term of office of the incumbent officeholder or a period 2 years after the termination of the contract, whichever is longer. Any business entity and affiliated entities or affiliated persons whose state contracts in the current year do not exceed an awarded value of \$50,000, but whose aggregate pending bids and proposals on state contracts exceed \$50,000, either alone or in combination with contracts not exceeding \$50,000, are prohibited from making any political contributions to any political committee established to promote the candidacy of the officeholder responsible for awarding the pending contract during the period beginning on the date the invitation for bids or request for proposals is issued and ending on the day after the date of award or selection if the entity was not awarded or selected. Section 20-160 requires certification of registration of affected business entities in accordance with procedures found in Section 9-35 of The Election Code.

By submission of a bid, the contractor business entity acknowledges and agrees that it has read and understands Sections 20-160 and 50-37 of the Illinois Procurement Code, and that it makes the following certification:

The undersigned business entity certifies that it has registered as a business with the State Board of Elections and acknowledges a continuing duty to update the registration in accordance with the above referenced statutes. A copy of the certificate of registration shall be submitted with the bid. The bidder is cautioned that the Department will not award a contract without submission of the certificate of registration.

These requirements and compliance with the above referenced statutory sections are a material part of the contract, and any breach thereof shall be cause to void the contract under Section 50-60 of the Illinois Procurement Code. This provision does not apply to Federal-aid contracts.

#### M. Lobbyist Disclosure

Section 50-38 of the Illinois Procurement Code requires that any bidder or offeror on a State contract that hires a person required to register under the Lobbyist Registration Act to assist in obtaining a contract shall:

- (i) Disclose all costs, fees, compensation, reimbursements, and other remunerations paid or to be paid to the lobbyist related to the contract.
- (ii) Not bill or otherwise cause the State of Illinois to pay for any of the lobbyist's costs, fees, compensation, reimbursements, or other remuneration, and
- (iii) Sign a verification certifying that none of the lobbyist's costs, fees, compensation, reimbursements, or other remuneration were billed to the State.

This information, along with all supporting documents, shall be filed with the agency awarding the contract and with the Secretary of State. The chief procurement officer shall post this information, together with the contract award notice, in the online Procurement Bulletin.

Pursuant to Subsection (c) of this Section, no person or entity shall retain a person or entity to attempt to influence the outcome of a procurement decision made under the Procurement Code for compensation contingent in whole or in part upon the decision or procurement. Any person who violates this subsection is guilty of a business offense and shall be fined not more than \$10,000.

Bidder acknowledges that it is required to disclose the hiring of any person required to register pursuant to the Illinois Lobbyist Registration Act (25 ILCS 170) in connection with this contract.

	Bidder has not hired any person required to register pursuant to the Illinois Lobbyist Registration Act in connection with this contract.
Or	
	Bidder has hired the following persons required to register pursuant to the Illinois Lobbyist Registration Act in connection with the contract:
	address of person:ees, compensation, reimbursements and other remuneration paid to said person:

#### IV. DISCLOSURES

A. The disclosures hereinafter made by the bidder are each a material representation of fact upon which reliance is placed should the Department enter into the contract with the bidder. The bidder further certifies that the Department has received the disclosure forms for each bid.

The chief procurement officer may void the bid, contract, or subcontract, respectively, if it is later determined that the bidder or subcontractor rendered a false or erroneous disclosure. A contractor or subcontractor may be suspended or debarred for violations of the Procurement Code. Furthermore, the chief procurement officer may void the contract and the surety providing the performance bond shall be responsible for completion of the contract.

#### B. Financial Interests and Conflicts of Interest

1. Section 50-35 of the Illinois Procurement Code provides that all bids of more than \$25,000 shall be accompanied by disclosure of the financial interests of the bidder. This disclosed information for the successful bidder, will be maintained as public information subject to release by request pursuant to the Freedom of Information Act, filed with the Procurement Policy Board, and shall be incorporated as a material term of the contract. Furthermore, pursuant to Section 5-5, the Procurement Policy Board may review a proposal, bid, or contract and issue a recommendation to void a contract or reject a proposal or bid based on any violation of the Procurement Code or the existence of a conflict of interest as provided in subsections (b) and (d) of Section 50-35.

The financial interests to be disclosed shall include ownership or distributive income share that is in excess of 5%, or an amount greater than 60% of the annual salary of the Governor, of the bidding entity or its parent entity, whichever is less, unless the contractor or bidder is a publicly traded entity subject to Federal 10K reporting, in which case it may submit its 10K disclosure in place of the prescribed disclosure. If a bidder is a privately held entity that is exempt from Federal 10K reporting, but has more than 400 shareholders, it may submit the information that Federal 10K companies are required to report, and list the names of any person or entity holding any ownership share that is in excess of 5%. The disclosure shall include the names, addresses, and dollar or proportionate share of ownership of each person making the disclosure, their instrument of ownership or beneficial relationship, and notice of any potential conflict of interest resulting from the current ownership or beneficial interest of each person making the disclosure having any of the relationships identified in Section 50-35 and on the disclosure form.

The current annual salary of the Governor is \$177,412.00

In addition, all disclosures shall indicate any other current or pending contracts, proposals, leases, or other ongoing procurement relationships the bidding entity has with any other unit of state government and shall clearly identify the unit and the contract, proposal, lease, or other relationship.

2. <u>Disclosure Forms</u>. Disclosure Form A is attached for use concerning the individuals meeting the above ownership or distributive share requirements. Subject individuals should be covered each by one form. In addition, a second form (Disclosure Form B) provides for the disclosure of current or pending procurement relationships with other (non-IDOT) state agencies. **The forms must be included with each bid.** 

#### C. <u>Disclosure Form Instructions</u>

than one question.)

#### Form A Instructions for Financial Information & Potential Conflicts of Interest

If the bidder is a publicly traded entity subject to Federal 10K reporting, the 10K Report may be submitted to meet the requirements of Form A. If a bidder is a privately held entity that is exempt from Federal 10K reporting, but has more than 400 shareholders, it may submit the information that Federal 10K companies are required to report, and list the names of any person or entity holding any ownership share that is in excess of 5%. If a bidder is not subject to Federal 10K reporting, the bidder must determine if any individuals are required by law to complete a financial disclosure form. To do this, the bidder should answer each of the following questions. A "YES" answer indicates Form A must be completed. If the answer to each of the following questions is "NO", then the NOT APPLICABLE STATEMENT on Form A must be signed and dated by a person that is authorized to execute contracts for the bidding company. Note: These questions are for assistance only and are not required to be completed.

1.	Does anyone in your organization have a direct or beneficial ownership share of greater than 5% of the bidding entity or parent entity? YES NO
2.	Does anyone in your organization have a direct or beneficial ownership share of less than 5%, but which has a value greater than 60% of the annual salary of the Governor? YESNO
3.	Does anyone in your organization receive more than 60% of the annual salary of the Governor of the bidding entity's or parent entity's distributive income? YES NO
	(Note: Distributive income is, for these purposes, any type of distribution of profits. An annual salary is not distributive income.)
4.	Does anyone in your organization receive greater than 5% of the bidding entity's or parent entity's total distributive income, but which is less than 60% of the annual salary of the Governor? YES NO

A "YES" answer to any of these questions requires the completion of Form A. The bidder must determine each individual in the bidding entity or the bidding entity's parent company that would cause the questions to be answered "Yes". Each form must be signed and dated by a person that is authorized to execute contracts for your organization. **Photocopied or stamped signatures are not acceptable**. The person signing can be, but does not have to be, the person for which the form is being completed. The bidder is responsible for the accuracy of any information provided.

(Note: Only one set of forms needs to be completed per person per bid even if a specific individual would require a yes answer to more

If the answer to each of the above questions is "NO", then the NOT APPLICABLE STATEMENT of Form A must be signed and dated by a person that is authorized to execute contracts for your company.

#### Form B: Instructions for Identifying Other Contracts & Procurement Related Information

Disclosure Form B must be completed for each bid submitted by the bidding entity. *Note: Checking the <u>NOT APPLICABLE STATEMENT</u> on Form A <u>does not</u> allow the bidder to ignore Form B. Form B must be completed, checked, and dated or the bidder may be considered nonresponsive and the bid will not be accepted.* 

The Bidder shall identify, by checking Yes or No on Form B, whether it has any pending contracts (including leases), bids, proposals, or other ongoing procurement relationship with any other (non-IDOT) State of Illinois agency. If "No" is checked, the bidder only needs to complete the check box on the bottom of Form B. If "Yes" is checked, the bidder must do one of the following:

Option I: If the bidder did not submit an Affidavit of Availability to obtain authorization to bid, the bidder must list all non-IDOT State of Illinois agency pending contracts, leases, bids, proposals, and other ongoing procurement relationships. These items may be listed on Form B or on an attached sheet(s). Do not include IDOT contracts. Contracts with cities, counties, villages, etc. are not considered State of Illinois agency contracts and are not to be included. Contracts with other State of Illinois agencies such as the Department of Natural Resources or the Capital Development Board must be included. Bidders who submit Affidavits of Availability are suggested to use Option II.

Option II: If the bidder is required and has submitted an Affidavit of Availability in order to obtain authorization to bid, the bidder may write or type "See Affidavit of Availability" which indicates that the Affidavit of Availability is incorporated by reference and includes all non-IDOT State of Illinois agency pending contracts, leases, bids, proposals, and other ongoing procurement relationships. For any contracts that are not covered by the Affidavit of Availability, the bidder must identify them on Form B or on an attached sheet(s). These might be such things as leases.

## ILLINOIS DEPARTMENT OF TRANSPORTATION

# Form A Financial Information & Potential Conflicts of Interest Disclosure

Contractor Name		
Legal Address		
City, State, Zip		
Telephone Number	Email Address	Fax Number (if available)
•		

Disclosure of the information contained in this Form is required by the Section 50-35 of the Illinois Procurement Code (30 ILCS 500). Vendors desiring to enter into a contract with the State of Illinois must disclose the financial information and potential conflict of interest information as specified in this Disclosure Form. This information shall become part of the publicly available contract file. This Form A must be completed for bids in excess of \$25,000, and for all openended contracts. A publicly traded company may submit a 10K disclosure (or equivalent if applicable) in satisfaction of the requirements set forth in Form A. See Disclosure Form Instructions.

The current annual salary of the Governor is \$177,412.00.

FOR INDIVIDUAL (type or print information)

#### DISCLOSURE OF FINANCIAL INFORMATION

1. Disclosure of Financial Information. The individual named below has an interest in the BIDDER (or its parent) in terms of ownership or distributive income share in excess of 5%, or an interest which has a value of more than 60% of the annual salary of the Governor. (Make copies of this form as necessary and attach a separate Disclosure Form A for each individual meeting these requirements)

NAME:	
ADDRE	ss
_	
Type of	ownership/distributable income share:
	sole proprietorship Partnership other: (explain on separate sheet):
	of Potential Conflicts of Interest. Check "Yes" or "No" to indicate which, if any, of the following
potential conflic and describe. (a) State e	et of interest relationships apply. If the answer to any question is "Yes", please attach additional pages employment, currently or in the previous 3 years, including contractual employment of services.  YesNo
potential conflic and describe. (a) State e	et of interest relationships apply. If the answer to any question is "Yes", please attach additional pages employment, currently or in the previous 3 years, including contractual employment of services.
potential conflic and describe. (a) State e	et of interest relationships apply. If the answer to any question is "Yes", please attach additional pages employment, currently or in the previous 3 years, including contractual employment of services.  YesNo

4. If you are currently appointed to or employed by any agency of the State of Illinois, and your salary exceeds 60% of the annual salary of the Governor, are you and your spouse or minor children entitled to receive (i) more than 15 % in the aggregate of the total distributions of your firm, partnership, association or corporation, or (ii) an amount in excess of the salary of the Governor?  (b) State employment of spouse, father, mother, son, or daughter, including contractual employment service in the previous 2 years.  YesNo  If your answer is yes, please answer each of the following questions.  1. Is your spouse or any minor children currently an officer or employee of the Capitol Develop Board or the Illinois State Toll Highway Authority?  YesNo  2. Is your spouse or any minor children currently appointed to or employed by any agency of the Illinois? If your spouse or minor children is/are currently appointed to or employed agency of the State of Illinois, and his/her annual salary exceeds 60% of the annual salary of the Governor, provide the name of your spouse and/or minor children, the name of the State agency for which he/she is employed and his/her annual salary.  3. If your spouse or any minor children is/are currently appointed to or employed by any agency State of Illinois, and his/her annual salary exceeds 60% of the annual salary of the Governor as of 7/1/07) are you entitled to receive (i) more than 71/2% of the total distributable income firm, partnership, association or corporation, or (ii) an amount in excess of 100% of the annual salary of the Governor?	annual on or
If your answer is yes, please answer each of the following questions.  1. Is your spouse or any minor children currently an officer or employee of the Capitol Develor Board or the Illinois State Toll Highway Authority?  2. Is your spouse or any minor children currently appointed to or employed by any agency of the Illinois? If your spouse or minor children is/are currently appointed to or employed agency of the State of Illinois, and his/her annual salary exceeds 60% of the annual salary of the Governor, provide the name of your spouse and/or minor children, the name of the State agency for which he/she is employed and his/her annual salary.  3. If your spouse or any minor children is/are currently appointed to or employed by any agency State of Illinois, and his/her annual salary exceeds 60% of the annual salary of the Governor as of 7/1/07) are you entitled to receive (i) more than 71/2% of the total distributable income firm, partnership, association or corporation, or (ii) an amount in excess of 100% of the	outable
If your answer is yes, please answer each of the following questions.  1. Is your spouse or any minor children currently an officer or employee of the Capitol Develop Board or the Illinois State Toll Highway Authority?  2. Is your spouse or any minor children currently appointed to or employed by any agency of the Illinois? If your spouse or minor children is/are currently appointed to or employed agency of the State of Illinois, and his/her annual salary exceeds 60% of the annual salary of the Governor, provide the name of your spouse and/or minor children, the name of the State agency for which he/she is employed and his/her annual salary.  3. If your spouse or any minor children is/are currently appointed to or employed by any agency State of Illinois, and his/her annual salary exceeds 60% of the annual salary of the Governor as of 7/1/07) are you entitled to receive (i) more than 71/2% of the total distributable income firm, partnership, association or corporation, or (ii) an amount in excess of 100% of the	es
2. Is your spouse or any minor children currently appointed to or employed by any agency of the fillinois? If your spouse or minor children is/are currently appointed to or employed agency of the State of Illinois, and his/her annual salary exceeds 60% of the annual salary of the Governor, provide the name of your spouse and/or minor children, the name of the State agency for which he/she is employed and his/her annual salary.  3. If your spouse or any minor children is/are currently appointed to or employed by any agency State of Illinois, and his/her annual salary exceeds 60% of the annual salary of the Governor as of 7/1/07) are you entitled to receive (i) more than 71/2% of the total distributable income firm, partnership, association or corporation, or (ii) an amount in excess of 100% of the	
of Illinois? If your spouse or minor children is/are currently appointed to or employed agency of the State of Illinois, and his/her annual salary exceeds 60% of the annual salary of the Governor, provide the name of your spouse and/or minor children, the name of the State agency for which he/she is employed and his/her annual salary.  3. If your spouse or any minor children is/are currently appointed to or employed by any agency State of Illinois, and his/her annual salary exceeds 60% of the annual salary of the Governor as of 7/1/07) are you entitled to receive (i) more than 71/2% of the total distributable income firm, partnership, association or corporation, or (ii) an amount in excess of 100% of the	ment
State of Illinois, and his/her annual salary exceeds 60% of the annual salary of the Governor as of 7/1/07) are you entitled to receive (i) more than 71/2% of the total distributable income firm, partnership, association or corporation, or (ii) an amount in excess of 100% of the	by any
· — — —	of your
4. If your spouse or any minor children are currently appointed to or employed by any agency State of Illinois, and his/her annual salary exceeds 60% of the annual salary of the Governor, and your spouse or minor children entitled to receive (i) more than 15% in the aggregate of the total distributable income of your firm, partnership, association or corpora (ii) an amount in excess of 2 times the salary of the Governor?	are you
YesNo	
(c) Elective status; the holding of elective office of the State of Illinois, the government of the United State unit of local government authorized by the Constitution of the State of Illinois or the statutes of the Illinois currently or in the previous 3 years.  YesNo	
(d) Relationship to anyone holding elective office currently or in the previous 2 years; spouse, father, m son, or daughter.  YesNo	other,
(e) Appointive office; the holding of any appointive government office of the State of Illinois, the United America, or any unit of local government authorized by the Constitution of the State of Illinois or the of the State of Illinois, which office entitles the holder to compensation in excess of the expenses in the discharge of that office currently or in the previous 3 years.  YesNo	statutes
(f) Relationship to anyone holding appointive office currently or in the previous 2 years; spouse, father, son, or daughter.  YesNo	mother,
(g) Employment, currently or in the previous 3 years, as or by any registered lobbyist of the State government. YesNo	nment.

#### **RETURN WITH BID/OFFER**

(h)	son, or daughter.  Relationship to anyone who is or was a registered lobbyist in the previous 2 years; spouse, father, mothers on, or daughter.  YesNo	∍r,
(i)	Compensated employment, currently or in the previous 3 years, by any registered election or reelecticommittee registered with the Secretary of State or any county clerk of the State of Illinois, or any politic action committee registered with either the Secretary of State or the Federal Board of Elections.  Yes No	
(j)	Relationship to anyone; spouse, father, mother, son, or daughter; who was a compensated employee in last 2 years by any registered election or re-election committee registered with the Secretary of State or a county clerk of the State of Illinois, or any political action committee registered with either the Secretary State or the Federal Board of Elections.	any
	Yes No	
2.	Communication Disclosure.	
Se er su	sclose the name and address of each lobbyist and other agent of the bidder or offeror who is not identified ction 2 of this form, who is has communicated, is communicating, or may communicate with any State off aployee concerning the bid or offer. This disclosure is a continuing obligation and must be promptly applemented for accuracy throughout the process and throughout the term of the contract. If no person is antified, enter "None" on the line below:	
	Name and address of person(s):	

**4. Debarment Disclosure.** For each of the persons identified under Sections 2 and 3 of this form, disclose whether any of the following has occurred within the previous 10 years: debarment from contracting with any

governmental entity; professional licensure discipline; bankruptcies; adverse civil judgments and administrative findings; and criminal felony convictions. This disclosure is a continuing obligation and must be promptly supplemented for accuracy throughout the procurement process and term of the contract. If no person is identified, enter "None" on the line below: Name of person(s): Nature of disclosure: **APPLICABLE STATEMENT** This Disclosure Form A is submitted on behalf of the INDIVIDUAL named on previous page. Under penalty of perjury, I certify the contents of this disclosure to be true and accurate to the best of my knowledge. Completed by: Signature of Individual or Authorized Representative Date NOT APPLICABLE STATEMENT Under penalty of perjury, I have determined that no individuals associated with this organization meet the criteria that would require the completion of this Form A. This Disclosure Form A is submitted on behalf of the CONTRACTOR listed on the previous page. Signature of Authorized Representative Date

The bidder has a continuing obligation to supplement these disclosures under Sec. 50-35 of the Procurement Code.

## ILLINOIS DEPARTMENT OF TRANSPORTATION

# Form B Other Contracts & Procurement Related Information Disclosure

Contractor Name		
Legal Address		
City, State, Zip		
Telephone Number	Email Address	Fax Number (if available)
Disclosure of the information contained in the LCS 500). This information shall become poids in excess of \$25,000, and for all open-e	art of the publicly available contract nded contracts.	file. This Form B must be completed fo
DISCLOSURE OF OTHER CO	ONTRACTS AND PROCUREMENT	RELATED INFORMATION
1. Identifying Other Contracts & Procure pending contracts (including leases), bids, Illinois agency: Yes No If "No" is checked, the bidder only needs	proposals, or other ongoing procure	ement relationship with any other State of
<b>2. If "Yes" is checked.</b> Identify each such descriptive information such as bid or proje FORM INSTRUCTIONS:		
THE FOLL	OWING STATEMENT MUST BE C	HECKED
	Signature of Authorized Representative	Date

#### **SPECIAL NOTICE TO CONTRACTORS**

The following requirements of the Illinois Department of Human Rights' Rules and Regulations are applicable to bidders on all construction contracts advertised by the Illinois Department of Transportation:

#### **CONSTRUCTION EMPLOYEE UTILIZATION PROJECTION**

- (a) All bidders on construction contracts shall complete and submit, along with and as part of their bids, a Bidder's Employee Utilization Form (Form BC-1256) setting forth a projection and breakdown of the total workforce intended to be hired and/or allocated to such contract work by the bidder including a projection of minority and female employee utilization in all job classifications on the contract project.
- (b) The Department of Transportation shall review the Employee Utilization Form, and workforce projections contained therein, of the contract awardee to determine if such projections reflect an underutilization of minority persons and/or women in any job classification in accordance with the Equal Employment Opportunity Clause and Section 7.2 of the Illinois Department of Human Rights' Rules and Regulations for Public Contracts adopted as amended on September 17, 1980. If it is determined that the contract awardee's projections reflect an underutilization of minority persons and/or women in any job classification, it shall be advised in writing of the manner in which it is underutilizing and such awardee shall be considered to be in breach of the contract unless, prior to commencement of work on the contract project, it submits revised satisfactory projections or an acceptable written affirmative action plan to correct such underutilization including a specific timetable geared to the completion stages of the contract.
- (c) The Department of Transportation shall provide to the Department of Human Rights a copy of the contract awardee's Employee Utilization Form, a copy of any required written affirmative action plan, and any written correspondence related thereto. The Department of Human Rights may review and revise any action taken by the Department of Transportation with respect to these requirements.



Contract No. 76E02 ST CLAIR County Section 82-(1,2)T-18 Route FAI 70 District 8 Construction Funds

PART I. IDENTIFIC	CATION								DIST	ici o	Cons	truction	runus	•			
Dept. Human Right	ts #						Dur	ation o	f Proje	ect: _							
Name of Bidder: _																	
PART II. WORKE A. The undersigned which this contract we projection including a	d bidder h	as analyz e perform	ed mir ed, an	d for the	ne locati	ons froi	m whic	h the b	idder re	cruits	employe	ees, and her	eby subm be alloca	nits the folloted to this TABLE	owir con B	ng workfo tract:	orce
		TOTA	AL Wo	rkforce	Projec	tion for	Contra	ıct					(	CURRENT TO BE			ES
				MINO	ORITY I	=MPI O	YFFS			TR	AINEES			TO CO	TNC	RACT	
JOB CATEGORIES		TAL OYEES	BL	ACK	HISP		*OTI		APPI TIC		ON T	HE JOB INEES		OTAL LOYEES			ORITY OYEES
	М	F	М	F	М	F	М	F	М	F	М	F	M	F		М	F
OFFICIALS (MANAGERS)																	
SUPERVISORS																	
FOREMEN																	
CLERICAL																	
EQUIPMENT OPERATORS																	
MECHANICS																	
TRUCK DRIVERS																	
IRONWORKERS																	
CARPENTERS																	
CEMENT MASONS																	
ELECTRICIANS																	
PIPEFITTERS, PLUMBERS																	
PAINTERS																	
LABORERS, SEMI-SKILLED																	
LABORERS, UNSKILLED																	
TOTAL																	
		BLE C										EOD D	EDADT	/ENT US	E (	NII V	•
	TOTAL Tr		ojectio	n for C	ontract							FOR D	EFARII	VIEIVI OS	) L	JINL I	
EMPLOYEES IN	_	TAL OYEES	ום	ACK	ысп	ANIC	_	THER NOR.									
TRAINING	M	F	M	F	M	F	M	F									
APPRENTICES	- ""	<u> </u>		Ĺ		<u> </u>		Ė	1								
ON THE JOB									1								

Note: See instructions on page 2

BC 1256 (Rev. 12/11/07)

\* Other minorities are defined as Asians (A) or Native Americans (N).

Please specify race of each employee shown in Other Minorities column.

Contract No. 76E02 ST CLAIR County Section 82-(1,2)T-18 Route FAI 70 District 8 Construction Funds

#### PART II. WORKFORCE PROJECTION - continued

B.		ded in "Total Employees" under Table A is the total numb t the undersigned bidder is awarded this contract.	per of <b>new hires</b> that wo	ould be employed in the								
	The u	undersigned bidder projects that: (number)		new hires would be								
	recrui	ited from the area in which the contract project is located	d; and/or (number)									
	office	new hires would be report or base of operation is located.	cruited from the area in	which the bidder's principal								
C.		ncluded in "Total Employees" under Table A is a projection of numbers of persons to be employed directly by the undersigned bidder as well as a projection of numbers of persons to be employed by subcontractors.										
	The u	undersigned bidder estimates that (number)		persons will								
		rectly employed by the prime contractor and that (number byed by subcontractors.	er)	persons will be								
PART	III. AFF	FIRMATIVE ACTION PLAN										
A.	utiliza in any comm (geare utiliza	undersigned bidder understands and agrees that in the ention projection included under <b>PART II</b> is determined to by job category, and in the event that the undersigned bid nencement of work, develop and submit a written Affirmated to the completion stages of the contract) whereby determined are corrected. Such Affirmative Action Plan will be repartment of Human Rights.	be an underutilization o lder is awarded this contative Action Plan including ficiencies in minority and	f minority persons or women tract, he/she will, prior to ng a specific timetable d/or female employee								
B.	subm	undersigned bidder understands and agrees that the min itted herein, and the goals and timetable included under part of the contract specifications.										
Comp	any		Telephone Number									
Addre	 :SS											
Г		NOTICE REGARDING S	SIGNATURE									
	The Rid	dder's signature on the Proposal Signature Sheet will constitut		The following signature block								
		to be completed if revisions are required.	e the signing of this form.	The following signature block								
	Signatu	ure: Title:		Date:								
Instruct	ions:	All tables must include subcontractor personnel in addition to prime	contractor personnel.									
Table A	۸ -	Include both the number of employees that would be hired to per (Table B) that will be allocated to contract work, and include all appropriate should include all employees including all minorities, apprentices an	prentices and on-the-job trains	ees. The "Total Employees" column								
Table E	3 -	Include all employees currently employed that will be allocated to the currently employed.	ie contract work including any	apprentices and on-the-job trainees								
Table 0	<b>)</b> -	Indicate the racial breakdown of the total apprentices and on-the-job	trainees shown in Table A.									
				DO 1070 (D 10/1/07)								

BC-1256 (Rev. 12/11/07)

# RETURN WITH BID Contract No. 76E02 ST CLAIR County Section 82-(1,2)T-18 Route FAI 70 District 8 Construction Funds

#### PROPOSAL SIGNATURE SHEET

The undersigned bidder hereby makes and submits this bid on the subject Proposal, thereby assuring the Department that all requirements of the Invitation for Bids and rules of the Department have been met, that there is no misunderstanding of the requirements of paragraph 3 of this Proposal, and that the contract will be executed in accordance with the rules of the Department if an award is made on this bid.

	Firm Name	
(IF AN INDIVIDUAL)		
	Firm Name	
(IF A CO-PARTNERSHIP)		
		Name and Address of All Members of the Firm:
-		
	Corporate Name	
	,	Signature of Authorized Representative
		Typed or printed name and title of Authorized Representative
(IF A CORPORATION)	A444	
(IF A JOINT VENTURE, USE THIS SECTION	Allesi I	Signature
FOR THE MANAGING PARTY AND THE SECOND PARTY SHOULD SIGN BELOW)	Business Address	
	Corporate Name	
	Ву	Signature of Authorized Representative
		Signature of Authorized Representative
		Typed or printed name and title of Authorized Representative
(IF A JOINT VENTURE)	Attest	
		Signature
	Business Address	
If more than two parties are in the joint ventur	e nlease attach an ac	ditional signature sheet

#### **Return with Bid**



Electronic Bid Bond ID#

## Division of Highways Proposal Bid Bond

Item No.

(Effective November 1, 1992)

			Letting Date
NOW ALL MEN BY THESE PRES	SENTS, That We		
s PRINCIPAL, and			
			as SURETY, ar
Article 102.09 of the "Standard S	specifications for Road and Brid	lge Construction" in effe	of 5 percent of the total bid price, or for the amount specific fect on the date of invitation for bids, whichever is the less ch we bind ourselves, our heirs, executors, administrator
			ne PRINCIPAL has submitted a bid proposal to the ment designated by the Transportation Bulletin Item Numb
nd as specified in the bidding and fter award by the Department, the ncluding evidence of the required erformance of such contract and f f the PRINCIPAL to make the requestrement the difference not to ex-	d contract documents, submit as e PRINCIPAL shall enter into disciplination in the prompt payment of laborated DBE submission or to entered the penalty hereof between the party to perform the work of the party to perform the party to perform the work of the party to perform the performance t	a DBE Utilization Plan a contract in accordar roviding such bond as r and material furnishe ater into such contract a een the amount specifie	CIPAL; and if the PRINCIPAL shall, within the time in that is accepted and approved by the Department; and ince with the terms of the bidding and contract documer is specified with good and sufficient surety for the faithed in the prosecution thereof; or if, in the event of the failure and to give the specified bond, the PRINCIPAL pays to the din the bid proposal and such larger amount for which the opposal, then this obligation shall be null and void, otherwise
aragraph, then Surety shall pay the ayment within such period of time expenses, including attorney's fees	ne penal sum to the Departmer e, the Department may bring and s, incurred in any litigation in wh	nt within fifteen (15) day n action to collect the a nich it prevails either in	
neir respective officers this	day of	salu SURETT Have cau	used this instrument to be signed by  A.D.,
RINCIPAL	day of	SURET	<del></del>
(Company	Name)		(Company Name)
			(
y (Signa	ture & Title)	By:	(Signature of Attorney-in-Fact)
	Notony Contifi	action for Dringing and	J. Cromoter
TATE OF ILLINOIS, county of	Notary Certifi	cation for Principal and	a Surety
		, a Notary P	Public in and for said County, do hereby certify that
		and	, ,
	(Insert names of individuals		RINCIPAL & SURETY)
	e this day in person and acknow		cribed to the foregoing instrument on behalf of PRINCIPA that they signed and delivered said instrument as their from
Given under my hand and no	otarial seal this	day of	A.D
My commission expires			
			Notary Public
	Signature and Title line below,	the Principal is ensuring	file an Electronic Bid Bond. By signing the proposal at the identified electronic bid bond has been executed at the bid bond as shown above.

Company / Bidder Name

Signature and Title



#### **DBE Utilization Plan**

#### (1) Policy

It is public policy that disadvantaged businesses as defined in 49 CFR Part 26 and the Special Provision shall have the maximum opportunity to participate in the performance of contracts financed in whole or in part with Federal or State funds. Consequently the requirements of 49 CFR Part 26 apply to this contract.

#### (2) Obligation

Date

The contractor agrees to ensure that disadvantaged businesses as defined in 49 CFR Part 26 and the Special Provision have the maximum opportunity to participate in the performance of contracts or subcontracts financed in whole or in part with Federal or State funds. The contractor shall take all necessary and reasonable steps in accordance with 49 CFR Part 26 and the Special Provision to ensure that said businesses have the maximum opportunity to compete for and perform under this contract. The contractor shall not discriminate on the basis of race, color, national origin or sex in the award and performance of contracts.

(3) Pro	ject and Bid Identification			
Complet	te the following information concerning the project and bid:			
Route		Total Bid		<u> </u>
Section		Contract DBE Goal		
Project			(Percent)	(Dollar Amount)
County				
Letting [	Date			
Contrac	t No.			
Letting I	tem No.			
(4) Ass	surance			
	in my capacity as an officer of the undersigned bidder (or bidder my company: (check one)  Meets or exceeds contract award goals and has provided door Disadvantaged Business Participation percent  Attached are the signed participation statements, forms SBE use of each business participating in this plan and assuring th work of the contract.  Failed to meet contract award goals and has included good fa provided participation as follows:  Disadvantaged Business Participation percent  The contract goals should be accordingly modified or waived. support of this request including good faith effort. Also attacher required by the Special Provision evidencing availability and u business will perform a commercially useful function in the wo	cumented participation as following as follows:  2025, required by the Special each business will perform the effort documentation to not a stacked is all information red are the signed participation of the contract.	al Provision even a commercianeet the goals are equired by the on statements ating in this plant.	idencing availability and lly useful function in the and that my company has Special Provision in forms SBE 2025, an and assuring that each
Bv	Company	The "as read" Low Bidder is red		•
		Submit only one utilization plan submitted in accordance with the		
Title		Bureau of Small Business Ente 2300 South Dirksen Parkway	rprises	Local Let Projects Submit forms to the

The Department of Transportation is requesting disclosure of information that is necessary to accomplish the purpose as outlined under State and Federal law. Disclosure of this information is **REQUIRED**. Failure to provide any information will result in the contract not being awarded. This form has been approved by the State Forms Manager Center.

Springfield, Illinois 62764

Local Agency

(F)	Illinois Department of Transportation	D	BE Participatio	n Statement			
Subcontract	or Registration	Letting					
Participation	on Statement	lte	em No.				
(1) Instructi	ons	С	ontract				
be submitte	ust be completed for each disadvantaged business pard in accordance with the special provision and will be accessed is needed complete an additional form for the firm.	ttached to the Ut					
(2) Work							
Pay Item No.	Description	Quantity	Unit Price	Total			
(4) Commitre The undersite has agreed execute a constatement methat complete.	gned certify that the information included herein is true to perform a commercially useful function in the work of ontract with the prime contractor. The undersigned furthary be made without prior approval from the Departmente and accurate information regarding actual work perforwided to the Department.	and correct, and f the contract iter her understand t nt's Bureau of Sn ormed on this pro	that the DBE firm n(s) listed above hat no changes to nall Business Ente ject and the payn	n listed below and to o this erprises and			
	Signature for Prime Contractor	Sign	nature for DBE Firm				
Title	Title	·					
Date	Date	e					
Contact	Cor	ntact					
Phone	Pho	ne					
Firm Name	Firm	n Name					
Address	Add	Address					

City/State/Zip

The Department of Transportation is requesting disclosure of information that is necessary to accomplish the statutory purpose as outlined under the state and federal law. Disclosure of this information is **REQUIRED**. Failure to provide any information will result in the contract not being awarded. This form has been approved by the State Forms Management Center.

City/State/Zip \_\_\_\_\_

E \_\_\_\_\_

WC \_\_\_\_\_

### PROPOSAL ENVELOPE



## **PROPOSALS**

for construction work advertised for bids by the Illinois Department of Transportation

Item No.	Item No.	Item No.

#### Submitted By:

Name:	
Address:	
Phone No.	

Bidders should use an IDOT proposal envelope or affix this form to the front of a 10" x 13" envelope for the submittal of bids. If proposals are mailed, they should be enclosed in a second or outer envelope addressed to:

Engineer of Design and Environment - Room 326 Illinois Department of Transportation 2300 South Dirksen Parkway Springfield, Illinois 62764

#### **NOTICE**

Individual bids, including Bid Bond and/or supplemental information if required, should be securely stapled.

# CONTRACTOR OFFICE COPY OF CONTRACT SPECIFICATIONS

#### **NOTICE**

None of the following material needs to be returned with the bid package unless the special provisions require documentation and/or other information to be submitted.

Contract No. 76E02 ST CLAIR County Section 82-(1,2)T-18 Route FAI 70 District 8 Construction Funds



### SUBCONTRACTOR DOCUMENTATION

Public Acts 96-0795 and 96-0920, enacted substantial changes to the provisions of the Illinois Procurement Code (30 ILCS 500). Among the changes are provisions affecting subcontractors. The Contractor awarded this contract will be required as a material condition of the contract to implement and enforce the contract requirements applicable to subcontractors approved in accordance with article 108.01 of the Standard Specifications for Road and Bridge Construction.

If the Contractor seeks approval of subcontractors to perform a portion of the work, and approval is granted by the Department, the Contractor shall provide a copy of the subcontract to the Chief Procurement Officer within 20 calendar days after execution of the subcontract.

The subcontract shall contain the certifications required to be made by subcontractors pursuant to Article 50 of the Illinois Procurement Code. This Notice to Bidders includes a document incorporating all required subcontractor certifications and disclosures for use by the Contractor in compliance with this mandate. The document is entitled <u>State Required Ethical Standards Governing Subcontractors</u>.

#### **RETURN WITH SUBCONTRACT**

## STATE ETHICAL STANDARDS GOVERNING SUBCONTRACTORS

Article 50 of the Illinois Procurement Code establishes the duty of all State chief procurement officers, State purchasing officers, and their designees to maximize the value of the expenditure of public moneys in procuring goods, services, and contracts for the State of Illinois and to act in a manner that maintains the integrity and public trust of State government. In discharging this duty, they are charged by law to use all available information, reasonable efforts, and reasonable actions to protect, safeguard, and maintain the procurement process of the State of Illinois.

The certifications hereinafter made by the subcontractor are each a material representation of fact upon which reliance is placed should the Department approve the subcontractor. The chief procurement officer may terminate or void the subcontract approval if it is later determined that the bidder or subcontractor rendered a false or erroneous certification.

Section 50-2 of the Illinois Procurement Code provides that every person that has entered into a multi-year contract and every subcontractor with a multi-year subcontract shall certify, by July 1 of each fiscal year covered by the contract after the initial fiscal year, to the responsible chief procurement officer whether it continues to satisfy the requirements of Article 50 pertaining to the eligibility for a contract award. If a contractor or subcontractor is not able to truthfully certify that it continues to meet all requirements, it shall provide with its certification a detailed explanation of the circumstances leading to the change in certification status. A contractor or subcontractor that makes a false statement material to any given certification required under Article 50 is, in addition to any other penalties or consequences prescribed by law, subject to liability under the Whistleblower Reward and Protection Act for submission of a false claim.

#### A. Bribery

1. The Illinois Procurement Code provides:

Section 50-5. Bribery.

- (a) Prohibition. No person or business shall be awarded a contract or subcontract under this Code who:
  - (1) has been convicted under the laws of Illinois or any other state of bribery or attempting to bribe an officer or employee of the State of Illinois or any other state in that officer's or employee's official capacity; or
  - (2) has made an admission of guilt of that conduct that is a matter of record but has not been prosecuted for that conduct.
- (b) Businesses. No business shall be barred from contracting with any unit of State or local government, or subcontracting under such a contract, as a result of a conviction under this Section of any employee or agent of the business if the employee or agent is no longer employed by the business and:
  - (1) the business has been finally adjudicated not guilty; or
  - (2) the business demonstrates to the governmental entity with which it seeks to contract, or which is signatory to the contract to which the subcontract relates, and that entity finds that the commission of the offense was not authorized, requested, commanded, or performed by a director, officer, or high managerial agent on behalf of the business as provided in paragraph (2) of subsection (a) of Section 5-4 of the Criminal Code of 1961.
- (c) Conduct on behalf of business. For purposes of this Section, when an official, agent, or employee of a business committed the bribery or attempted bribery on behalf of the business and in accordance with the direction or authorization of a responsible official of the business, the business shall be chargeable with the conduct.
- (d) Certification. Every bid submitted to and contract executed by the State, and every subcontract subject to Section 20-120 of the Procurement Code shall contain a certification by the contractor or the subcontractor, respectively, that the contractor or subcontractor is not barred from being awarded a contract or subcontract under this Section and acknowledges that the chief procurement officer may declare the related contract void if any certifications required by this Section are false. A contractor who makes a false statement, material to the certification, commits a Class 3 felony.
- 2. The contractor or subcontractor certifies that it is not barred from being awarded a contract under Section 50.5.

#### B. Felons

1. The Illinois Procurement Code provides:

Section 50-10. Felons. Unless otherwise provided, no person or business convicted of a felony shall do business with the State of Illinois or any State agency, or enter into a subcontract, from the date of conviction until 5 years after the date of completion of the sentence for that felony, unless no person held responsible by a prosecutorial office for the facts upon which the conviction was based continues to have any involvement with the business.

2. Certification. Every bid submitted to and contract executed by the State and every subcontract subject to Section 20-120 of the Procurement Code shall contain a certification by the bidder or contractor or subcontractor, respectively, that the bidder, contractor, or subcontractor is not barred from being awarded a contract or subcontract under this Section and acknowledges that the chief procurement officer may declare the related contract void if any of the certifications required by this Section are false.

#### **RETURN WITH SUBCONTRACT**

#### C. <u>Debt Delinquency</u>

1. The Illinois Procurement Code provides:

Section 50-11 and 50-12. Debt Delinguency.

The contractor or bidder or subcontractor, respectively, certifies that it, or any affiliate, is not barred from being awarded a contract or subcontract under the Procurement Code. Section 50-11 prohibits a person from entering into a contract with a State agency, or entering into a subcontract, if it knows or should know that it, or any affiliate, is delinquent in the payment of any debt to the State as defined by the Debt Collection Board. Section 50-12 prohibits a person from entering into a contract with a State agency, or entering into a subcontract, if it, or any affiliate, has failed to collect and remit Illinois Use Tax on all sales of tangible personal property into the State of Illinois in accordance with the provisions of the Illinois Use Tax Act. The bidder or contractor or subcontractor, respectively, further acknowledges that the chief procurement officer may declare the related contract void if this certification is false or if the bidder, contractor, or subcontractor, or any affiliate, is determined to be delinquent in the payment of any debt to the State during the term of the contract.

#### D. Prohibited Bidders, Contractors and Subcontractors

1. The Illinois Procurement Code provides:

Section 50-10.5 and 50-60(c). Prohibited bidders, contractors and subcontractors.

The bidder or contractor or subcontractor, respectively, certifies in accordance with 30 ILCS 500/50-10.5 that no officer, director, partner or other managerial agent of the contracting business has been convicted of a felony under the Sarbanes-Oxley Act of 2002 or a Class 3 or Class 2 felony under the Illinois Securities Law of 1953 or if in violation of Subsection (c) for a period of five years from the date of conviction.. Every bid submitted to and contract executed by the State and every subcontract subject to Section 20-120 of the Procurement Code shall contain a certification by the bidder, contractor, or subcontractor, respectively, that the bidder, contractor, or subcontractor is not barred from being awarded a contract or subcontract under this Section and acknowledges that the chief procurement officer shall declare the related contract void if any of the certifications completed pursuant to this Section are false

#### E. Section 42 of the Environmental Protection Act

The bidder or contractor or subcontractor, respectively, certifies in accordance with 30 ILCS 500/50-12 that the bidder, contractor, or subcontractor, is not barred from being awarded a contract or entering into a subcontract under this Section which prohibits the bidding on or entering into contracts with the State of Illinois or a State agency, or entering into any subcontract, that is subject to the Procurement Code by a person or business found by a court or the Pollution Control Board to have committed a willful or knowing violation of Section 42 of the Environmental Protection Act for a period of five years from the date of the order. The bidder or contractor or subcontractor, respectively, acknowledges that the chief procurement officer may declare the contract void if this certification is false.

The undersigned, on behalf of the subcontracting company, has read and understands the above certifications and makes the certifications as required by law.

 Name of Subcontracting Company	
 Authorized Officer	Date

#### **RETURN WITH SUBCONTRACT**

#### SUBCONTRACTOR DISCLOSURES

#### I. DISCLOSURES

A. The disclosures hereinafter made by the subcontractor are each a material representation of fact upon which reliance is placed. The subcontractor further certifies that the Department has received the disclosure forms for each subcontract.

The chief procurement officer may void the bid, contract, or subcontract, respectively, if it is later determined that the bidder or subcontractor rendered a false or erroneous disclosure. A contractor or subcontractor may be suspended or debarred for violations of the Procurement Code. Furthermore, the chief procurement officer may void the contract or subcontract.

#### B. Financial Interests and Conflicts of Interest

1. Section 50-35 of the Illinois Procurement Code provides that all subcontracts with a total value of \$25,000 or more from subcontractors identified in Section 20-120 of the Illinois Procurement Code, shall be accompanied by disclosure of the financial interests of the subcontractor. This disclosed information for the subcontractor, will be maintained as public information subject to release by request pursuant to the Freedom of Information Act, filed with the Procurement Policy Board, and shall be incorporated as a material term of the Prime Contractor's contract. Furthermore, pursuant to this Section, the Procurement Policy Board may recommend to allow or void a contract or subcontract based on a potential conflict of interest.

The financial interests to be disclosed shall include ownership or distributive income share that is in excess of 5%, or an amount greater than 60% of the annual salary of the Governor, of the subcontracting entity or its parent entity, whichever is less, unless the subcontractor is a publicly traded entity subject to Federal 10K reporting, in which case it may submit its 10K disclosure in place of the prescribed disclosure. If a subcontractor is a privately held entity that is exempt from Federal 10K reporting, but has more than 400 shareholders, it may submit the information that Federal 10K companies are required to report, and list the names of any person or entity holding any ownership share that is in excess of 5%. The disclosure shall include the names, addresses, and dollar or proportionate share of ownership of each person making the disclosure, their instrument of ownership or beneficial relationship, and notice of any potential conflict of interest resulting from the current ownership or beneficial interest of each person making the disclosure having any of the relationships identified in Section 50-35 and on the disclosure form.

The current annual salary of the Governor is \$177,412.00.

In addition, all disclosures shall indicate any other current or pending contracts, subcontracts, proposals, leases, or other ongoing procurement relationships the subcontracting entity has with any other unit of state government and shall clearly identify the unit and the contract, subcontract, proposal, lease, or other relationship.

2. <u>Disclosure Forms</u>. Disclosure Form A is attached for use concerning the individuals meeting the above ownership or distributive share requirements. Subject individuals should be covered each by one form. In addition, a second form (Disclosure Form B) provides for the disclosure of current or pending procurement relationships with other (non-IDOT) state agencies.

#### C. Disclosure Form Instructions

#### Form A Instructions for Financial Information & Potential Conflicts of Interest

If the subcontractor is a publicly traded entity subject to Federal 10K reporting, the 10K Report may be submitted to meet the requirements of Form A. If a subcontractor is a privately held entity that is exempt from Federal 10K reporting, but has more than 400 shareholders, it may submit the information that Federal 10K companies are required to report, and list the names of any person or entity holding any ownership share that is in excess of 5%. If a subcontractor is not subject to Federal 10K reporting, the subcontractor must determine if any individuals are required by law to complete a financial disclosure form. To do this, the subcontractor should answer each of the following questions. A "YES" answer indicates Form A must be completed. If the answer to each of the following questions is "NO", then the NOT APPLICABLE STATEMENT on the second page of Form A must be signed and dated by a person that is authorized to execute contracts for the subcontracting company. Note: These questions are for assistance only and are not required to be completed.

1.	Does anyone in your organization have a direct or beneficial ownership share of greater than 5% of the bidding entity or parent entity? YES NO	
2.	Does anyone in your organization have a direct or beneficial ownership share of less than 5%, but which has a value greater than 60% of the annual salary of the Governor? YESNO	
3.	Does anyone in your organization receive more than 60% of the annual salary of the Governor of the subcontracting entity's or parentity's distributive income? YES NO	
	(Note: Distributive income is, for these purposes, any type of distribution of profits. An annual salary is not distributive income.)	
4.	Does anyone in your organization receive greater than 5% of the subcontracting entity's or parent entity's total distributive income, but which is less than 60% of the annual salary of the Governor? YES NO	
	(Note: Only one set of forms needs to be completed <u>per person per subcontract</u> even if a specific individual would require a yes answer to more than one question.)	
	answer to any of these questions requires the completion of Form A. The subcontractor must determine each individual in the	

subcontracting entity or the subcontracting entity's parent company that would cause the questions to be answered "Yes". Each form must be signed and dated by a person that is authorized to execute contracts for your organization. **Photocopied or stamped signatures are not acceptable**. The person signing can be, but does not have to be, the person for which the form is being completed. The subcontractor is responsible for the accuracy of any information provided.

If the answer to each of the above questions is "NO", then the <u>NOT APPLICABLE STATEMENT</u> on page 2 of Form A must be signed and dated by a person that is authorized to execute contracts for your company.

#### Form B: Instructions for Identifying Other Contracts & Procurement Related Information

Disclosure Form B must be completed for each subcontract submitted by the subcontracting entity. Note: Checking the <u>NOT APPLICABLE</u> <u>STATEMENT</u> on Form A <u>does not</u> allow the subcontractor to ignore Form B. Form B must be completed, checked, and dated or the subcontract will not be approved.

The Subcontractor shall identify, by checking Yes or No on Form B, whether it has any pending contracts, subcontracts, leases, bids, proposals, or other ongoing procurement relationship with any other (non-IDOT) State of Illinois agency. If "No" is checked, the subcontractor only needs to complete the check box on the bottom of Form B. If "Yes" is checked, the subcontractor must list all non-IDOT State of Illinois agency pending contracts, subcontracts, leases, bids, proposals, and other ongoing procurement relationships. These items may be listed on Form B or on an attached sheet(s). Contracts with cities, counties, villages, etc. are not considered State of Illinois agency contracts and are not to be included. Contracts or subcontracts with other State of Illinois agencies such as the Department of Natural Resources or the Capital Development Board must be included.

### ILLINOIS DEPARTMENT OF TRANSPORTATION

# Form A Subcontractor: Financial Information & Potential Conflicts of Interest Disclosure

Yes \_\_\_No \_\_

Subcontractor Name		
Substitution Hame		
Legal Address		
3		
City Ctata Zin		
City, State, Zip		
Telephone Number	Email Address	Fax Number (if available)
Tolophone Humbol	Linaii / laai 055	Tax Namber (ii available)

Disclosure of the information contained in this Form is required by the Section 50-35 of the Illinois Procurement Code (30 ILCS 500). Subcontractors desiring to enter into a subcontract of a State of Illinois contract must disclose the financial information and potential conflict of interest information as specified in this Disclosure Form. This information shall become part of the publicly available contract file. This Form A must be completed for subcontracts with a total value of \$25,000 or more, from subcontractors identified in Section 20-120 of the Illinois Procurement Code, and for all open-ended contracts. A publicly traded company may submit a 10K disclosure (or equivalent if applicable) in satisfaction of the requirements set forth in Form A. See Disclosure Form Instructions.

The current annual salary of the Governor is \$177,412.00.

#### DISCLOSURE OF FINANCIAL INFORMATION

1. Disclosure of Financial Information. The individual named below has an interest in the SUBCONTRACTOR (or its parent) in terms of ownership or distributive income share in excess of 5%, or an interest which has a value of more than 60% of the annual salary of the Governor. (Make copies of this form as necessary and attach a separate Disclosure Form A for each individual meeting these requirements)

FOR INDIVIDUAL (ty	pe or print information)		
NAME:			
ADDRESS			
Type of ownersh	nip/distributable income share	9:	
stock % or \$ value of o	sole proprietorship wnership/distributable income sl	Partnership	other: (explain on separate sheet):

- **2. Disclosure of Potential Conflicts of Interest.** Check "Yes" or "No" to indicate which, if any, of the following potential conflict of interest relationships apply. If the answer to any question is "Yes", please attach additional pages and describe.
- (a) State employment, currently or in the previous 3 years, including contractual employment of services.

If your answer is yes, please answer each of the following questions.

- 2. Are you currently appointed to or employed by any agency of the State of Illinois? If you are currently appointed to or employed by any agency of the State of Illinois, and your annual salary exceeds 60% of the annual salary of the Governor, provide the name the State agency for which you are employed and your annual salary. \_\_\_\_\_\_

\_\_\_\_\_

<ol> <li>If you are currently appointed to or employed by any agency of the salary exceeds 60% of the annual salary of the Governor, are you         <ul> <li>(i) more than 7 1/2% of the total distributable income of your fir corporation, or (ii) an amount in excess of 100% of the annual sala</li> </ul> </li> </ol>	entitled to receive m, partnership, association or
4. If you are currently appointed to or employed by any agency of the salary exceeds 60% of the annual salary of the Governor, are you or minor children entitled to receive (i) more than 15 % in the ag income of your firm, partnership, association or corporation, or (ii) the salary of the Governor?	and your spouse gregate of the total distributable
(b) State employment of spouse, father, mother, son, or daughter, including in the previous 2 years.	
If your answer is yes, please answer each of the following questions.	YesNo
<ol> <li>Is your spouse or any minor children currently an officer or employ Board or the Illinois Toll Highway Authority?</li> </ol>	ree of the Capitol Development YesNo
2. Is your spouse or any minor children currently appointed to or emportation of Illinois? If your spouse or minor children is/are currently a agency of the State of Illinois, and his/her annual salary excernant annual salary of the Governor, provide the name of your spouse at of the State agency for which he/she is employed and his/her annual salary.	appointed to or employed by any eds 60% of the nd/or minor children, the name
3. If your spouse or any minor children is/are currently appointed to a State of Illinois, and his/her annual salary exceeds 60% of the annuas of 7/1/07) are you entitled to receive (i) more then 7 1/2% of the firm, partnership, association or corporation, or (ii) an amount annual salary of the Governor?	ual salary of the Governor, e total distributable income of your
4. If your spouse or any minor children are currently appointed to or State of Illinois, and his/her annual salary exceeds 60% of the annuare you and your spouse or minor children entitled to receive (i) aggregate of the total distributable income of your firm, partnersh (ii) an amount in excess of two times the annual salary of the Gove	ual salary of the Governor, ) more than 15 % in the ip, association or corporation, or
(c) Elective status; the holding of elective office of the State of Illinois, the government authorized by the Constitution of the State of Illin Illinois currently or in the previous 3 years.	vernment of the United States, any
(d) Relationship to anyone holding elective office currently or in the previous a son, or daughter.	2 years; spouse, father, mother, YesNo
(e) Appointive office; the holding of any appointive government office of the S America, or any unit of local government authorized by the Constitution of of the State of Illinois, which office entitles the holder to compensation in the discharge of that office currently or in the previous 3 years.	the State of Illinois or the statutes
(f) Relationship to anyone holding appointive office currently or in the previou son, or daughter.	s 2 years; spouse, father, mother, YesNo
(g) Employment, currently or in the previous 3 years, as or by any registered	lobbyist of the State government. YesNo

(11)	son, or daughter.  YesNo
(i)	Compensated employment, currently or in the previous 3 years, by any registered election or reelection committee registered with the Secretary of State or any county clerk of the State of Illinois, or any political action committee registered with either the Secretary of State or the Federal Board of Elections.  Yes No
(j)	Relationship to anyone; spouse, father, mother, son, or daughter; who was a compensated employee in the last 2 years by any registered election or re-election committee registered with the Secretary of State or any county clerk of the State of Illinois, or any political action committee registered with either the Secretary of State or the Federal Board of Elections.
	Yes No
3.	Communication Disclosure.
Se en su	close the name and address of each lobbyist and other agent of the bidder or offeror who is not identified in ction 2 of this form, who is has communicated, is communicating, or may communicate with any State officer or ployee concerning the bid or offer. This disclosure is a continuing obligation and must be promptly oplemented for accuracy throughout the process and throughout the term of the contract. If no person is ntified, enter "None" on the line below:
	Name and address of person(s):

**4. Debarment Disclosure.** For each of the persons identified under Sections 2 and 3 of this form, disclose whether any of the following has occurred within the previous 10 years: debarment from contracting with any

governmental entity; professional licensure discipline; bankruptcies; adverse civil judgments and administrative findings; and criminal felony convictions. This disclosure is a continuing obligation and must be promptly supplemented for accuracy throughout the procurement process and term of the contract. If no person is identified, enter "None" on the line below: Name of person(s): Nature of disclosure: **APPLICABLE STATEMENT** This Disclosure Form A is submitted on behalf of the INDIVIDUAL named on previous page. Under penalty of perjury, I certify the contents of this disclosure to be true and accurate to the best of my knowledge. Completed by: Signature of Individual or Authorized Officer Date NOT APPLICABLE STATEMENT Under penalty of perjury, I have determined that no individuals associated with this organization meet the criteria that would require the completion of this Form A. This Disclosure Form A is submitted on behalf of the SUBCONTRACTOR listed on the previous page. Signature of Authorized Officer Date

### ILLINOIS DEPARTMENT OF TRANSPORTATION

# Form B Subcontractor: Other Contracts & Procurement Related Information Disclosure

Subcontractor Name			
Legal Address			
City, State, Zip			
Telephone Number	Email Address	Fax Number (if available)	
ILCS 500). This information shall become	part of the publicly available contra 00 or more, from subcontractors	on 50-35 of the Illinois Procurement Act (30 act file. This Form B must be completed for identified in Section 20-120 of the Illinois	
DISCLOSURE OF OTHER CONTRA	CTS, SUBCONTRACTS, AND PR	OCUREMENT RELATED INFORMATION	
1. Identifying Other Contracts & Procurement Related Information. The SUBCONTRACTOR shall identify whether it has any pending contracts, subcontracts, including leases, bids, proposals, or other ongoing procurement relationship with any other State of Illinois agency:  Yes No  If "No" is checked, the subcontractor only needs to complete the signature box on the bottom of this page.			
2. If "Yes" is checked. Identify each such information such as bid or project number (INSTRUCTIONS:			
THE FOLLO	WING STATEMENT MUST BE CH	IECKED	
	Signature of Authorized Officer	Date	
	orginatore of Authorized Officer	Date	

## Illinois Department of Transportation

#### **NOTICE TO BIDDERS**

- 1. TIME AND PLACE OF OPENING BIDS. Sealed proposals for the improvement described herein will be received by the Department of Transportation at the Harry R. Hanley Building, 2300 South Dirksen Parkway, in Springfield, Illinois until 10:00 o'clock a.m., April 29, 2011. All bids will be gathered, sorted, publicly opened and read in the auditorium at the Department of Transportation's Harry R. Hanley Building shortly after the 10:00 a.m. cut off time.
- 2. **DESCRIPTION OF WORK**. The proposed improvement is identified and advertised for bids in the Invitation for Bids as:

Contract No. 76E02 ST CLAIR County Section 82-(1,2)T-18 Route FAI 70 District 8 Construction Funds

This project consists of replacing a submersible pump and submersible mixer at the Bowman Pump Station in East St. Louis, IL.

- 3. INSTRUCTIONS TO BIDDERS. (a) This Notice, the invitation for bids, proposal and letter of award shall, together with all other documents in accordance with Article 101.09 of the Standard Specifications for Road and Bridge Construction, become part of the contract. Bidders are cautioned to read and examine carefully all documents, to make all required inspections, and to inquire or seek explanation of the same prior to submission of a bid.
  - (b) State law, and, if the work is to be paid wholly or in part with Federal-aid funds, Federal law requires the bidder to make various certifications as a part of the proposal and contract. By execution and submission of the proposal, the bidder makes the certification contained therein. A false or fraudulent certification shall, in addition to all other remedies provided by law, be a breach of contract and may result in termination of the contract.
- 4. AWARD CRITERIA AND REJECTION OF BIDS. This contract will be awarded to the lowest responsive and responsible bidder considering conformity with the terms and conditions established by the Department in the rules, Invitation for Bids and contract documents. The issuance of plans and proposal forms for bidding based upon a prequalification rating shall not be the sole determinant of responsibility. The Department reserves the right to determine responsibility at the time of award, to reject any or all proposals, to readvertise the proposed improvement, and to waive technicalities.

By Order of the Illinois Department of Transportation

Gary Hannig, Secretary

## INDEX FOR SUPPLEMENTAL SPECIFICATIONS AND RECURRING SPECIAL PROVISIONS

#### Adopted January 1, 2011

This index contains a listing of SUPPLEMENTAL SPECIFICATIONS and frequently used RECURRING SPECIAL PROVISIONS.

ERRATA Standard Specifications for Road and Bridge Construction (Adopted 1-1-07) (Revised 1-1-11)

#### SUPPLEMENTAL SPECIFICATIONS

<u> </u>		<u>je ivo.</u>
201	Clearing, Tree Removal and Protection	
205	Embankment	. 2
251	Mulch	
253	Planting Woody Plants	. 4
280	Temporary Erosion Control	6
406	Hot-Mix Asphalt Binder and Surface Course	. 7
420	Portland Cement Concrete Pavement	. 11
443	Reflective Crack Control Treatment	. 12
501	Removal of Existing Structures	. 15
502	Excavation for Structures	. 16
503	Concrete Structures	. 17
504	Precast Concrete Structures	. 18
505	Steel Structures	. 19
508	Reinforcement Bars	
540	Box Culverts	
581	Waterproofing Membrane System	. 22
606	Concrete Gutter, Curb, Median, and Paved Ditch	
630	Steel Plate Beam Guardrail	24
633	Removing and Reerecting Guardrail and Terminals	. 25
637	Concrete Barrier	
664	Chain Link Fence	. 27
669	Removal and Disposal of Regulated Substances	
672	Sealing Abandoned Water Wells	. 29
701	Work Zone Traffic Control and Protection	. 30
720	Sign Panels and Appurtenances	
721	Sign Panel Overlay	. 33
722	Demountable Sign Legend Characters and Arrows	. 34
726	Mile Post Marker Assembly	35
733	Overhead Sign Structures	. 36
780	Pavement Striping	
782	Prismatic Reflectors	42
783	Pavement Marking and Marker Removal	43
801	Electrical Requirements	. 44
805	Electrical Service Installation – Traffic Signals	45
821	Roadway Luminaires	46
836	Pole Foundation	47
838	Breakaway Devices	
843	Removal of Navigational Obstruction Warning Lighting System	49
862	Uninterruptable Power Supply	50
873	Electric Cable	. 52
878	Traffic Signal Concrete Foundation	54

1003	Fine Aggregates	55
1004	Coarse Aggregates	56
1005	Stone and Broken Concrete	57
1006	Metals	58
1008	Structural Steel Coatings	60
1010	Finely Divided Materials	65
1020	Portland Cement Concrete	66
1022	Concrete Curing Materials	77
1024	Nonshrink Grout	78
1026	Concrete Sealer	79
1030	Hot-Mix Asphalt	80
1032	Bituminous Materials	87
1042	Precast Concrete Products	90
1062	Reflective Crack Control System	92
1069	Pole and Tower	94
1074	Control Equipment	97
1076	Wire and Cable	102
1077	Post and Foundation	103
1080	Fabric Materials	105
1081	Materials for Planting	106
1083	Elastomeric Bearings	108
1090	Sign Base	109
1091	Sign Face	111
1092	Sign Legend and Supplemental Panels	119
1093	Sign Supports	120
1094		122
1095	Pavement Markings	128
1097	Reflectors	136
1101	General Equipment	137
1102		138
1103	Portland Cement Concrete Equipment	140
1105	Pavement Marking Equipment	141
1106	Work Zone Traffic Control Devices	143

#### **RECURRING SPECIAL PROVISIONS**

The following RECURRING SPECIAL PROVISIONS indicated by an "X" are applicable to this contract and are included by reference:

Additional State Requirements For Federal-Aid Construction Contracts (Eff. 2-1-69) (Rev. 1-1-10)  Subletting of Contracts (Federal-Aid Contracts) (Eff. 1-1-88) (Rev. 5-1-93)  X EEO (Eff. 7-21-78) (Rev. 11-18-80)  X Specific Equal Employment Opportunity Responsibilities Non Federal-Aid Contracts (Eff. 3-20-69) (Rev. 1-1-94)  X Required Provisions - State Contracts (Eff. 4-1-65) (Rev. 1-1-10)  164 Reserved  Reserved  Reserved  Haul Road Stream Crossings, Other Temporary Stream Crossings, and In-Stream Work Pads (Eff. 1-2-92) (Rev. 1-1-98)  Construction Layout Stakes Except for Bridges (Eff. 1-1-99) (Rev. 1-1-07)  Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-95) (Rev. 1-1-07)  Lye of Geotextile Fabric for Railroad Crossing (Eff. 1-1-95) (Rev. 1-1-07)  Hot-Mix Asphalt Surface Correction (Eff. 11-1-81) (Rev. 1-1-07)  Hot-Mix Asphalt Surface Correction (Eff. 11-1-87) (Rev. 1-1-09)  PCC Partial Depth Hot-Mix Asphalt Patching (Eff. 10-1-95) (Rev. 1-1-07)  Patching with Hot-Mix Asphalt Overlay Removal (Eff. 10-1-95) (Rev. 1-1-07)  Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-08)  PVC Pipeliner (Eff. 4-1-04) (Rev. 1-1-07)  190  Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-07)  Temporary Modular Glare Screen System (Eff. 1-1-95) (Rev. 1-1-07)  Temporary Modular Glare Screen System (Eff. 1-1-00) (Rev. 1-1-07)  Temporary Portable Bridge Traffic Signals (Eff. 8-1-03) (Rev. 1-1-07)  201  Reserved	CHE	CK S	SHEET#	PAGE NO.
Subletting of Contracts (Federal-Aid Contracts) (Eff. 1-1-88) (Rev. 5-1-93)   148   3	1		Additional State Requirements For Federal-Aid Construction Contracts	
3         X         EEO (Eff. 7-21-78) (Rev. 11-18-80)         149           4         X         Specific Equal Employment Opportunity Responsibilities         159           5         X         Required Provisions - State Contracts (Eff. 3-20-69) (Rev. 1-1-94)         159           5         X         Required Provisions - State Contracts (Eff. 4-1-65) (Rev. 1-1-10)         164           6         Reserved         169           7         Reserved         170           8         Haul Road Stream Crossings, Other Temporary Stream Crossings, and In-Stream Work Pads (Eff. 12-92) (Rev. 1-1-98)         171           9         Construction Layout Stakes Except for Bridges (Eff. 11-1-99) (Rev. 1-1-07)         172           10         Construction Layout Stakes (Eff. 5-1-93) (Rev. 1-1-07)         175           11         Use of Geotextile Fabric for Railroad Crossing (Eff. 11-1-98) (Rev. 1-1-07)         178           12         Subsealing of Concrete Pavements (Eff. 11-1-84) (Rev. 1-1-07)         180           13         Hot-Mix Asphalt Surface Correction (Eff. 11-1-84) (Rev. 1-1-07)         180           14         Pavement and Shoulder Resurfacing (Eff. 2-1-00) (Rev. 1-1-09)         186           15         PCC Partial Depth Hot-Mix Asphalt Patching (Eff. 11-1-88) (Rev. 1-1-07)         187           16         Patching with Hot-Mix Asphalt Patchin				
4         X         Specific Equal Employment Opportunity Responsibilities           Non Federal-Aid Contracts (Eff. 3-20-69) (Rev. 1-1-94)         159           5         X         Required Provisions - State Contracts (Eff. 4-1-65) (Rev. 1-1-10)         164           6         Reserved         169           7         Reserved         170           8         Haul Road Stream Crossings, Other Temporary Stream Crossings, and         171           9         Construction Layout Stakes Except for Bridges (Eff. 1-1-99) (Rev. 1-1-07)         172           10         Construction Layout Stakes Except for Bridges (Eff. 1-1-99) (Rev. 1-1-07)         175           11         Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-95) (Rev. 1-1-07)         178           12         Subsealing of Concrete Pavements (Eff. 11-1-84) (Rev. 1-1-07)         180           13         Hot-Mix Asphalt Surface Correction (Eff. 11-1-84) (Rev. 1-1-09)         184           14         Pavement and Shoulder Resurfacing (Eff. 2-1-00) (Rev. 1-1-09)         186           15         PCC Partial Depth Hot-Mix Asphalt Patching (Eff. 1-1-98) (Rev. 1-1-07)         187           16         Patching with Hot-Mix Asphalt Overlay Removal (Eff. 10-1-95) (Rev. 1-1-07)         189           17         Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-08)         190           18	2			
Non Federal-Aid Contracts (Eff. 3-20-69) (Rev. 1-1-94)   159   164   164   164   165   164   165   164   165   164   165   1	3	Χ		149
5         X         Required Provisions - State Contracts (Eff. 4-1-65) (Rev. 1-1-10)         164           6         Reserved         169           7         Reserved         170           8         Haul Road Stream Crossings, Other Temporary Stream Crossings, and In-Stream Work Pads (Eff. 1-2-92) (Rev. 1-1-98)         171           9         Construction Layout Stakes Except for Bridges (Eff. 1-1-99) (Rev. 1-1-07)         172           10         Construction Layout Stakes (Eff. 5-1-93) (Rev. 1-1-07)         175           11         Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-95) (Rev. 1-1-07)         180           13         Hot-Mix Asphalt Surface Correction (Eff. 11-1-87) (Rev. 1-1-07)         180           14         Pavement and Shoulder Resurfacing (Eff. 1-1-98) (Rev. 1-1-09)         186           15         PCC Partial Depth Hot-Mix Asphalt Patching (Eff. 1-1-98) (Rev. 1-1-07)         187           16         Patching with Hot-Mix Asphalt Overlay Removal (Eff. 10-1-95) (Rev. 1-1-07)         189           17         Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-08)         190           18         PVC Pipeliner (Eff. 4-1-04) (Rev. 1-1-07)         192           19         Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-07)         193           20         Fundard and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97)         194	4	Χ		
6         Reserved         169           7         Reserved         170           8         Haul Road Stream Crossings, Other Temporary Stream Crossings, and In-Stream Work Pads (Eff. 1-2-92) (Rev. 1-1-98)         171           9         Construction Layout Stakes Except for Bridges (Eff. 1-1-99) (Rev. 1-1-07)         172           10         Construction Layout Stakes (Eff. 5-1-93) (Rev. 1-1-07)         175           11         Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-95) (Rev. 1-1-07)         178           12         Subsealing of Concrete Pavements (Eff. 11-1-84) (Rev. 1-1-07)         180           13         Hot-Mix Asphalt Surface Correction (Eff. 11-1-87) (Rev. 1-1-09)         184           14         Pavement and Shoulder Resurfacing (Eff. 2-1-00) (Rev. 1-1-09)         186           15         PCC Partial Depth Hot-Mix Asphalt Patching (Eff. 11-1-98) (Rev. 1-1-07)         187           16         Patching with Hot-Mix Asphalt Overlay Removal (Eff. 10-1-95) (Rev. 1-1-07)         189           17         Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-08)         190           18         PVC Pipeliner (Eff. 4-1-94) (Rev. 1-1-07)         192           19         Pipe Underdrains (Eff. 99-87) (Rev. 1-1-07)         193           20         Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97)         194           2				
7         Reserved         170           8         Haul Road Stream Crossings, Other Temporary Stream Crossings, and In-Stream Work Pads (Eff. 1-2-92) (Rev. 1-1-98)         171           9         Construction Layout Stakes Except for Bridges (Eff. 1-1-99) (Rev. 1-1-07)         172           10         Construction Layout Stakes (Eff. 5-1-93) (Rev. 1-1-07)         175           11         Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-95) (Rev. 1-1-07)         178           12         Subsealing of Concrete Pavements (Eff. 11-1-84) (Rev. 1-1-07)         180           13         Hot-Mix Asphalt Surface Correction (Eff. 11-1-87) (Rev. 1-1-09)         184           14         Pavement and Shoulder Resurfacing (Eff. 2-1-00) (Rev. 1-1-09)         186           15         PCC Partial Depth Hot-Mix Asphalt Patching (Eff. 1-1-98) (Rev. 1-1-07)         187           16         Patching with Hot-Mix Asphalt Overlay Removal (Eff. 10-1-95) (Rev. 1-1-07)         189           17         Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-08)         190           18         PVC Pipeliner (Eff. 4-1-04) (Rev. 1-1-07)         192           19         Pipe Underdrains (Eff. 99-87) (Rev. 1-1-07)         192           20         Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97)         193           21         Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-07)         204		X	. , , , , ,	
8         Haul Road Stream Crossings, Other Temporary Stream Crossings, and In-Stream Work Pads (Eff. 1-2-92) (Rev. 1-1-98).         171           9         Construction Layout Stakes Except for Bridges (Eff. 1-1-99) (Rev. 1-1-07)         172           10         Construction Layout Stakes (Eff. 5-1-93) (Rev. 1-1-07)         175           11         Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-95) (Rev. 1-1-07)         178           12         Subsealing of Concrete Pavements (Eff. 11-1-87) (Rev. 1-1-07)         180           13         Hot-Mix Asphalt Surface Correction (Eff. 11-1-87) (Rev. 1-1-09)         184           14         Pavement and Shoulder Resurfacing (Eff. 2-1-00) (Rev. 1-1-09)         186           15         PCC Partial Depth Hot-Mix Asphalt Patching (Eff. 1-1-98) (Rev. 1-1-07)         187           16         Patching with Hot-Mix Asphalt Overlay Removal (Eff. 10-1-95) (Rev. 1-1-07)         189           17         Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-08)         190           18         PVC Pipeliner (Eff. 4-1-04) (Rev. 1-1-07)         192           19         Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-07)         193           20         Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97)         194           21         Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-07)         204           22         Temporary Modular Glare Screen	6		Reserved	169
In-Stream Work Pads (Eff. 1-2-92) (Rev. 1-1-98)   171	7			170
9         Construction Layout Stakes Except for Bridges (Eff. 1-1-99) (Rev. 1-1-07)         172           10         Construction Layout Stakes (Eff. 5-1-93) (Rev. 1-1-07)         175           11         Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-95) (Rev. 1-1-07)         178           12         Subsealing of Concrete Pavements (Eff. 11-1-87) (Rev. 1-1-07)         180           13         Hot-Mix Asphalt Surface Correction (Eff. 11-1-87) (Rev. 1-1-09)         184           14         Pavement and Shoulder Resurfacing (Eff. 2-1-00) (Rev. 1-1-09)         186           15         PCC Partial Depth Hot-Mix Asphalt Patching (Eff. 1-1-98) (Rev. 1-1-07)         187           16         Patching with Hot-Mix Asphalt Overlay Removal (Eff. 10-1-95) (Rev. 1-1-07)         189           17         Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-07)         190           18         PVC Pipeliner (Eff. 4-1-04) (Rev. 1-1-07)         192           19         Pipe Underdrains (Eff. 99-87) (Rev. 1-1-07)         193           20         Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97)         194           21         Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-07)         198           22         Temporary Modular Glare Screen System (Eff. 1-1-00) (Rev. 1-1-07)         200           23         Temporary Portable Bridge Traffic Signals (Eff. 8-1-03) (Rev. 1-1-07)	8			
10         Construction Layout Stakes (Eff. 5-1-93) (Rev. 1-1-07)         175           11         Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-95) (Rev. 1-1-07)         178           12         Subsealing of Concrete Pavements (Eff. 11-1-84) (Rev. 1-1-07)         180           13         Hot-Mix Asphalt Surface Correction (Eff. 11-1-87) (Rev. 1-1-09)         184           14         Pavement and Shoulder Resurfacing (Eff. 2-1-00) (Rev. 1-1-09)         186           15         PCC Partial Depth Hot-Mix Asphalt Patching (Eff. 1-1-98) (Rev. 1-1-07)         187           16         Patching with Hot-Mix Asphalt Overlay Removal (Eff. 10-1-95) (Rev. 1-1-07)         189           17         Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-08)         190           18         PVC Pipeliner (Eff. 4-1-04) (Rev. 1-1-07)         192           19         Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-07)         193           20         Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97)         194           21         Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-07)         198           22         Temporary Modular Glare Screen System (Eff. 1-1-00) (Rev. 1-1-07)         200           23         Temporary Portable Bridge Traffic Signals (Eff. 8-1-03) (Rev. 1-1-07)         202           24         Work Zone Public Information Signs (Eff. 9-1-02) (Rev. 1-1-07)         20				
11       Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-95) (Rev. 1-1-07)       178         12       Subsealing of Concrete Pavements (Eff. 11-1-84) (Rev. 1-1-07)       180         13       Hot-Mix Asphalt Surface Correction (Eff. 11-1-87) (Rev. 1-1-09)       184         14       Pavement and Shoulder Resurfacing (Eff. 2-1-00) (Rev. 1-1-09)       186         15       PCC Partial Depth Hot-Mix Asphalt Patching (Eff. 1-1-98) (Rev. 1-1-07)       187         16       Patching with Hot-Mix Asphalt Overlay Removal (Eff. 10-1-95) (Rev. 1-1-07)       189         17       Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-08)       190         18       PVC Pipeliner (Eff. 4-1-04) (Rev. 1-1-07)       192         19       Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-07)       193         20       Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97)       194         21       Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-07)       198         22       Temporary Modular Glare Screen System (Eff. 1-1-00) (Rev. 1-1-07)       200         23       Temporary Portable Bridge Traffic Signals (Eff. 8-1-03) (Rev. 1-1-07)       202         24       Work Zone Public Information Signs (Eff. 9-1-02) (Rev. 1-1-07)       204         25       English Substitution of Metric Bolts (Eff. 5-1-96)       205         26       English Substitution of Metric	9			
12       Subsealing of Concrete Pavements (Eff. 11-1-84) (Rev. 1-1-07)       180         13       Hot-Mix Asphalt Surface Correction (Eff. 11-1-87) (Rev. 1-1-09)       184         14       Pavement and Shoulder Resurfacing (Eff. 2-1-00) (Rev. 1-1-09)       186         15       PCC Partial Depth Hot-Mix Asphalt Patching (Eff. 1-1-98) (Rev. 1-1-07)       187         16       Patching with Hot-Mix Asphalt Overlay Removal (Eff. 10-1-95) (Rev. 1-1-07)       189         17       Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-08)       190         18       PVC Pipeliner (Eff. 4-1-94) (Rev. 1-1-07)       192         19       Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-07)       193         20       Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97)       194         21       Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-07)       198         22       Temporary Modular Glare Screen System (Eff. 1-1-00) (Rev. 1-1-07)       200         23       Temporary Portable Bridge Traffic Signals (Eff. 8-1-03) (Rev. 1-1-07)       202         24       Work Zone Public Information Signs (Eff. 9-1-02) (Rev. 1-1-07)       204         25       English Substitution of Metric Bolts (Eff. 7-1-96)       205         26       English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)       207         27       Calcium Chloride Accelerato	10		Construction Layout Stakes (Eff. 5-1-93) (Rev. 1-1-07)	175
13       Hot-Mix Asphalt Surface Correction (Eff. 11-1-87) (Rev. 1-1-09)       184         14       Pavement and Shoulder Resurfacing (Eff. 2-1-00) (Rev. 1-1-09)       186         15       PCC Partial Depth Hot-Mix Asphalt Patching (Eff. 1-1-98) (Rev. 1-1-07)       187         16       Patching with Hot-Mix Asphalt Overlay Removal (Eff. 10-1-95) (Rev. 1-1-07)       189         17       Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-08)       190         18       PVC Pipeliner (Eff. 4-1-04) (Rev. 1-1-07)       192         19       Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-07)       193         20       Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97)       194         21       Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-07)       198         22       Temporary Modular Glare Screen System (Eff. 1-1-00) (Rev. 1-1-07)       200         23       Temporary Portable Bridge Traffic Signals (Eff. 8-1-03) (Rev. 1-1-07)       202         24       Work Zone Public Information Signs (Eff. 9-1-02) (Rev. 1-1-07)       204         25       Night Time Inspection of Roadway Lighting (Eff. 5-1-96)       205         26       English Substitution of Metric Bolts (Eff. 8-1-06)       206         27       English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)       207         28       Calcium Chloride Accelerator for				
14       Pavement and Shoulder Resurfacing (Eff. 2-1-00) (Rev. 1-1-09)       186         15       PCC Partial Depth Hot-Mix Asphalt Patching (Eff. 1-1-98) (Rev. 1-1-07)       187         16       Patching with Hot-Mix Asphalt Overlay Removal (Eff. 10-1-95) (Rev. 1-1-07)       189         17       Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-08)       190         18       PVC Pipeliner (Eff. 4-1-04) (Rev. 1-1-07)       192         19       Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-07)       193         20       Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97)       194         21       Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-07)       198         22       Temporary Modular Glare Screen System (Eff. 1-1-00) (Rev. 1-1-07)       200         23       Temporary Portable Bridge Traffic Signals (Eff. 8-1-03) (Rev. 1-1-07)       202         24       Work Zone Public Information Signs (Eff. 9-1-02) (Rev. 1-1-07)       204         25       Night Time Inspection of Roadway Lighting (Eff. 5-1-96)       205         26       English Substitution of Metric Bolts (Eff. 7-1-96)       206         27       English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)       207         28       Calcium Chloride Accelerator for Portland Cement Concrete (Eff. 1-1-01)       208         29       Reserved       2	12			
15       PCC Partial Depth Hot-Mix Asphalt Patching (Eff. 1-1-98) (Rev. 1-1-07)       187         16       Patching with Hot-Mix Asphalt Overlay Removal (Eff. 10-1-95) (Rev. 1-1-07)       189         17       Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-08)       190         18       PVC Pipeliner (Eff. 4-1-04) (Rev. 1-1-07)       192         19       Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-07)       193         20       Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97)       194         21       Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-07)       198         22       Temporary Modular Glare Screen System (Eff. 1-1-00) (Rev. 1-1-07)       200         23       Temporary Portable Bridge Traffic Signals (Eff. 8-1-03) (Rev. 1-1-07)       202         24       Work Zone Public Information Signs (Eff. 9-1-02) (Rev. 1-1-07)       204         25       Night Time Inspection of Roadway Lighting (Eff. 5-1-96)       205         26       English Substitution of Metric Bolts (Eff. 7-1-96)       205         27       English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)       207         28       Calcium Chloride Accelerator for Portland Cement Concrete (Eff. 1-1-01)       208         29       Reserved       209         30       Quality Control of Concrete Mixtures at the Plant (Eff. 8-1-00) (Rev. 1-1-11)<	13		Hot-Mix Asphalt Surface Correction (Eff. 11-1-87) (Rev. 1-1-09)	184
16       Patching with Hot-Mix Asphalt Overlay Removal (Eff. 10-1-95) (Rev. 1-1-07)       189         17       Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-08)       190         18       PVC Pipeliner (Eff. 4-1-04) (Rev. 1-1-07)       192         19       Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-07)       193         20       Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97)       194         21       Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-07)       198         22       Temporary Modular Glare Screen System (Eff. 1-1-00) (Rev. 1-1-07)       200         23       Temporary Portable Bridge Traffic Signals (Eff. 8-1-03) (Rev. 1-1-07)       202         24       Work Zone Public Information Signs (Eff. 9-1-02) (Rev. 1-1-07)       204         25       Night Time Inspection of Roadway Lighting (Eff. 5-1-96)       205         26       English Substitution of Metric Bolts (Eff. 7-1-96)       205         27       English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)       207         28       Calcium Chloride Accelerator for Portland Cement Concrete (Eff. 1-1-01)       208         30       Quality Control of Concrete Mixtures at the Plant (Eff. 8-1-00) (Rev. 1-1-11)       210         31       Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-11)       218         32       <	14		Pavement and Shoulder Resurfacing (Eff. 2-1-00) (Rev. 1-1-09)	186
17       Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-08)       190         18       PVC Pipeliner (Eff. 4-1-04) (Rev. 1-1-07)       192         19       Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-07)       193         20       Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97)       194         21       Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-07)       198         22       Temporary Modular Glare Screen System (Eff. 1-1-00) (Rev. 1-1-07)       200         23       Temporary Portable Bridge Traffic Signals (Eff. 8-1-03) (Rev. 1-1-07)       202         24       Work Zone Public Information Signs (Eff. 9-1-02) (Rev. 1-1-07)       204         25       Night Time Inspection of Roadway Lighting (Eff. 5-1-96)       205         26       English Substitution of Metric Bolts (Eff. 7-1-96)       205         27       English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)       207         28       Calcium Chloride Accelerator for Portland Cement Concrete (Eff. 1-1-01)       208         29       Reserved       209         30       Quality Control of Concrete Mixtures at the Plant (Eff. 8-1-00) (Rev. 1-1-11)       210         31       Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-11)       218         32       Asbestos Bearing Pad Removal (Eff. 11-1-03)       230<	15		PCC Partial Depth Hot-Mix Asphalt Patching (Eff. 1-1-98) (Rev. 1-1-07)	187
18       PVC Pipeliner (Eff. 4-1-04) (Rev. 1-1-07)       192         19       Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-07)       193         20       Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97)       194         21       Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-07)       198         22       Temporary Modular Glare Screen System (Eff. 1-1-00) (Rev. 1-1-07)       200         23       Temporary Portable Bridge Traffic Signals (Eff. 8-1-03) (Rev. 1-1-07)       202         24       Work Zone Public Information Signs (Eff. 9-1-02) (Rev. 1-1-07)       204         25       Night Time Inspection of Roadway Lighting (Eff. 5-1-96)       205         26       English Substitution of Metric Bolts (Eff. 7-1-96)       205         27       English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)       207         28       Calcium Chloride Accelerator for Portland Cement Concrete (Eff. 1-1-01)       208         29       Reserved       209         30       Quality Control of Concrete Mixtures at the Plant (Eff. 8-1-00) (Rev. 1-1-11)       210         31       Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-11)       218         32       Asbestos Bearing Pad Removal (Eff. 11-1-03)       230	16			
19       Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-07)       193         20       Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97)       194         21       Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-07)       198         22       Temporary Modular Glare Screen System (Eff. 1-1-00) (Rev. 1-1-07)       200         23       Temporary Portable Bridge Traffic Signals (Eff. 8-1-03) (Rev. 1-1-07)       202         24       Work Zone Public Information Signs (Eff. 9-1-02) (Rev. 1-1-07)       204         25       Night Time Inspection of Roadway Lighting (Eff. 5-1-96)       205         26       English Substitution of Metric Bolts (Eff. 7-1-96)       206         27       English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)       207         28       Calcium Chloride Accelerator for Portland Cement Concrete (Eff. 1-1-01)       208         29       Reserved       209         30       Quality Control of Concrete Mixtures at the Plant (Eff. 8-1-00) (Rev. 1-1-11)       210         31       Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-11)       218         32       Asbestos Bearing Pad Removal (Eff. 11-1-03)       230	17		Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-08)	190
20       Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97)       194         21       Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-07)       198         22       Temporary Modular Glare Screen System (Eff. 1-1-00) (Rev. 1-1-07)       200         23       Temporary Portable Bridge Traffic Signals (Eff. 8-1-03) (Rev. 1-1-07)       202         24       Work Zone Public Information Signs (Eff. 9-1-02) (Rev. 1-1-07)       204         25       Night Time Inspection of Roadway Lighting (Eff. 5-1-96)       205         26       English Substitution of Metric Bolts (Eff. 7-1-96)       206         27       English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)       207         28       Calcium Chloride Accelerator for Portland Cement Concrete (Eff. 1-1-01)       208         29       Reserved       209         30       Quality Control of Concrete Mixtures at the Plant (Eff. 8-1-00) (Rev. 1-1-11)       210         31       Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-11)       218         32       Asbestos Bearing Pad Removal (Eff. 11-1-03)       230	18		PVC Pipeliner (Eff. 4-1-04) (Rev. 1-1-07)	192
21       Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-07)       198         22       Temporary Modular Glare Screen System (Eff. 1-1-00) (Rev. 1-1-07)       200         23       Temporary Portable Bridge Traffic Signals (Eff. 8-1-03) (Rev. 1-1-07)       202         24       Work Zone Public Information Signs (Eff. 9-1-02) (Rev. 1-1-07)       204         25       Night Time Inspection of Roadway Lighting (Eff. 5-1-96)       205         26       English Substitution of Metric Bolts (Eff. 7-1-96)       206         27       English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)       207         28       Calcium Chloride Accelerator for Portland Cement Concrete (Eff. 1-1-01)       208         29       Reserved       209         30       Quality Control of Concrete Mixtures at the Plant (Eff. 8-1-00) (Rev. 1-1-11)       210         31       Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-11)       218         32       Asbestos Bearing Pad Removal (Eff. 11-1-03)       230	19		Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-07)	193
21       Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-07)       198         22       Temporary Modular Glare Screen System (Eff. 1-1-00) (Rev. 1-1-07)       200         23       Temporary Portable Bridge Traffic Signals (Eff. 8-1-03) (Rev. 1-1-07)       202         24       Work Zone Public Information Signs (Eff. 9-1-02) (Rev. 1-1-07)       204         25       Night Time Inspection of Roadway Lighting (Eff. 5-1-96)       205         26       English Substitution of Metric Bolts (Eff. 7-1-96)       206         27       English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)       207         28       Calcium Chloride Accelerator for Portland Cement Concrete (Eff. 1-1-01)       208         29       Reserved       209         30       Quality Control of Concrete Mixtures at the Plant (Eff. 8-1-00) (Rev. 1-1-11)       210         31       Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-11)       218         32       Asbestos Bearing Pad Removal (Eff. 11-1-03)       230	20		Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97)	194
22       Temporary Modular Glare Screen System (Eff. 1-1-00) (Rev. 1-1-07)       200         23       Temporary Portable Bridge Traffic Signals (Eff. 8-1-03) (Rev. 1-1-07)       202         24       Work Zone Public Information Signs (Eff. 9-1-02) (Rev. 1-1-07)       204         25       Night Time Inspection of Roadway Lighting (Eff. 5-1-96)       205         26       English Substitution of Metric Bolts (Eff. 7-1-96)       206         27       English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)       207         28       Calcium Chloride Accelerator for Portland Cement Concrete (Eff. 1-1-01)       208         29       Reserved       209         30       Quality Control of Concrete Mixtures at the Plant (Eff. 8-1-00) (Rev. 1-1-11)       210         31       Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-11)       218         32       Asbestos Bearing Pad Removal (Eff. 11-1-03)       230	21			
23       Temporary Portable Bridge Traffic Signals (Eff. 8-1-03) (Rev. 1-1-07)       202         24       Work Zone Public Information Signs (Eff. 9-1-02) (Rev. 1-1-07)       204         25       Night Time Inspection of Roadway Lighting (Eff. 5-1-96)       205         26       English Substitution of Metric Bolts (Eff. 7-1-96)       206         27       English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)       207         28       Calcium Chloride Accelerator for Portland Cement Concrete (Eff. 1-1-01)       208         29       Reserved       209         30       Quality Control of Concrete Mixtures at the Plant (Eff. 8-1-00) (Rev. 1-1-11)       210         31       Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-11)       218         32       Asbestos Bearing Pad Removal (Eff. 11-1-03)       230	22		Temporary Modular Glare Screen System (Eff. 1-1-00) (Rev. 1-1-07)	200
24       Work Zone Public Information Signs (Eff. 9-1-02) (Rev. 1-1-07)       204         25       Night Time Inspection of Roadway Lighting (Eff. 5-1-96)       205         26       English Substitution of Metric Bolts (Eff. 7-1-96)       206         27       English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)       207         28       Calcium Chloride Accelerator for Portland Cement Concrete (Eff. 1-1-01)       208         29       Reserved       209         30       Quality Control of Concrete Mixtures at the Plant (Eff. 8-1-00) (Rev. 1-1-11)       210         31       Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-11)       218         32       Asbestos Bearing Pad Removal (Eff. 11-1-03)       230	23			
26       English Substitution of Metric Bolts (Eff. 7-1-96)       206         27       English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)       207         28       Calcium Chloride Accelerator for Portland Cement Concrete (Eff. 1-1-01)       208         29       Reserved       209         30       Quality Control of Concrete Mixtures at the Plant (Eff. 8-1-00) (Rev. 1-1-11)       210         31       Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-11)       218         32       Asbestos Bearing Pad Removal (Eff. 11-1-03)       230	24			
26       English Substitution of Metric Bolts (Eff. 7-1-96)       206         27       English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)       207         28       Calcium Chloride Accelerator for Portland Cement Concrete (Eff. 1-1-01)       208         29       Reserved       209         30       Quality Control of Concrete Mixtures at the Plant (Eff. 8-1-00) (Rev. 1-1-11)       210         31       Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-11)       218         32       Asbestos Bearing Pad Removal (Eff. 11-1-03)       230	25			
27       English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)       207         28       Calcium Chloride Accelerator for Portland Cement Concrete (Eff. 1-1-01)       208         29       Reserved       209         30       Quality Control of Concrete Mixtures at the Plant (Eff. 8-1-00) (Rev. 1-1-11)       210         31       Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-11)       218         32       Asbestos Bearing Pad Removal (Eff. 11-1-03)       230	26			
28       Calcium Chloride Accelerator for Portland Cement Concrete (Eff. 1-1-01)       208         29       Reserved       209         30       Quality Control of Concrete Mixtures at the Plant (Eff. 8-1-00) (Rev. 1-1-11)       210         31       Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-11)       218         32       Asbestos Bearing Pad Removal (Eff. 11-1-03)       230	27			
29       Reserved       209         30       Quality Control of Concrete Mixtures at the Plant (Eff. 8-1-00) (Rev. 1-1-11)       210         31       Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-11)       218         32       Asbestos Bearing Pad Removal (Eff. 11-1-03)       230	28			
(Eff. 8-1-00) (Rev. 1-1-11)       210         31       Quality Control/Quality Assurance of Concrete Mixtures         (Eff. 4-1-92) (Rev. 1-1-11)       218         32       Asbestos Bearing Pad Removal (Eff. 11-1-03)       230	29		,	
(Eff. 8-1-00) (Rev. 1-1-11)       210         31       Quality Control/Quality Assurance of Concrete Mixtures         (Eff. 4-1-92) (Rev. 1-1-11)       218         32       Asbestos Bearing Pad Removal (Eff. 11-1-03)       230	30		Quality Control of Concrete Mixtures at the Plant	
31       Quality Control/Quality Assurance of Concrete Mixtures         (Eff. 4-1-92) (Rev. 1-1-11)       218         32       Asbestos Bearing Pad Removal (Eff. 11-1-03)       230				210
(Eff. 4-1-92) (Rev. 1-1-11)       218         32       Asbestos Bearing Pad Removal (Eff. 11-1-03)       230	31		Quality Control/Quality Assurance of Concrete Mixtures	
32 Asbestos Bearing Pad Removal (Eff. 11-1-03)				218
	32			
	-			

#### **TABLE OF CONTENTS**

LOCATION OF PROJECT	1
DESCRIPTION OF PROJECT	1
SUBMERSIBLE PUMP	1
SUBMERSIBLE MIXER	5
MAGNUM BREAKER	8
STATUS OF UTILITIES TO BE ADJUSTED	12
APPROVAL OF PROPOSED BORROW AREAS, USE AREAS, AND/OR WASTE AREAS (BDE	)13
CONSTRUCTION AIR QUALITY – DIESEL RETROFIT (BDE)	13
CONSTRUCTION AIR QUALITY - DIESEL VEHICLE EMISSIONS CONTROL (BDE)	15
CONSTRUCTION AIR QUALITY - IDLING RESTRICTIONS (BDE)	16
DISADVANTAGED BUSINESS ENTERPRISE PARTICIPATION (BDE)	17
EQUIPMENT RENTAL RATES (BDE)	
LIQUIDATED DAMAGES (BDE)	25
NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM / EROSION AND S	EDIMENT
CONTROL DEFICIENCY DEDUCTION (BDE)	26
PAYMENTS TO SUBCONTRACTORS (BDE)	27
POST MOUNTING OF SIGNS (BDE)	
SELECTION OF LABOR (BDE)	28
SUBCONTRACTOR MOBILIZATION PAYMENTS (BDE)	29
UTILITY COORDINATION AND CONFLICTS (BDE)	29
WORKING DAYS (BDE)	34

#### STATE OF ILLINOIS

#### **SPECIAL PROVISIONS**

The following Special Provisions supplement the "Standard Specifications for Road and Bridge Construction," adopted January 1, 2007, the latest edition of the "Manual on Uniform Traffic Control Devices for Streets and Highways," and the "Manual of Test Procedures for Materials" in effect on the date of invitation for bids, and the Supplemental Specifications and Recurring Special Provisions indicated on the Check Sheet included herein which apply to and govern the construction of FAI Route 70 (I-70); Section 82-(1,2)T-18; St. Clair County; Contract No. 76E02 and in case of conflict with any part or parts of said Specifications, the said Special Provisions shall take precedence and shall govern.

#### **LOCATION OF PROJECT**

Bowman Avenue Pump Station, 726 Exchange Avenue, East St. Louis, Illinois.

#### **DESCRIPTION OF PROJECT**

This project consists of purchasing a new Submersible Pump # 2 and a new Submersible Mixer for the Bowman Avenue Pump Station. The Contractor is to provide the proposed Submersible Pump, Submersible Mixer and Magnum Breaker and deliver these to the Bowman Pump Station located at the IDOT Bowman Maintenance Yard, East St. Louis, Illinois. All items shall be delivered in their original factory shipping containers. Please contact Pete Sawyer at (618) 304-3082 twenty-four (24) hours prior to delivery to arrange for unloading.

#### SUBMERSIBLE PUMP

This item of work consists of furnishing a submersible non-clog vertical mixed flow pump. The pump shall be equipped with a close coupled nominal rated 170HP, submersible electric motor connected for operation on 480 volts, 3 phase, 60 hertz, 4 wire service with 60 linear feet of submersible cable (SUBCAB) suitable for submersible pump applications. The power cable shall be sized according to NEC and ICEA standards and also meet with P-MSHA Approval. Also, 60 linear feet of multi-conductor submersible cable (SUBCAB) will be used to convey pump monitoring device signals. Power cable and multi-conductor cable shall be supplied as part of the pump, and no additional compensation will be provided.

The pump shall be capable of delivering 8500 GPM at 57.5 ft. TDH. An additional point on the same curve shall be 9500 GPM at 50.0 ft. TDH. Pump shut off head shall be no less than 90.0 feet.

#### **PUMP CONSTRUCTION**

Major pump components shall be gray cast iron, ASTM A-48, Class 35B, with smooth surfaces devoid of blow holes or other casting irregularities. All exposed nuts or bolts shall be AISI Type 304 stainless steel. All metal surfaces coming into contact with the pumped media, other than stainless steel, shall be protected by a factory applied coating of an acrylic dispersion primer with a final coat of polyester resin paint finish coat on the exterior of the pump. Pumps utilizing fabricated steel weldments are not acceptable.

Sealing design shall incorporate metal-to-metal contact between machined surfaces. Pump/Motor unit mating surfaces where watertight sealing is required shall be machined and fitted with Nitrile or Viton rubber O-rings. Joint sealing will be the result of controlled compression of rubber O-rings in two planes and O-ring contact of four sides without the requirement of a specific bolt torque limit.

Rectangular cross sectioned rubber, paper or synthetic gaskets that require specific torque limits to achieve compression shall not be considered as adequate or equal. No secondary sealing compounds, elliptical O-rings, grease, silicone or other devices shall be used.

#### **COOLING SYSTEM**

Each pump/motor unit shall be cooled simply with the passage of the pumped fluid up, about and past the motor housing within the discharge column.

In complying with standard NEMA (40°C) design criteria, the motor shall be capable of continuous operation in ambient conditions of up to 104°F (40°C) Restrictions below this temperature are not acceptable.

#### **CABLE ENTRY SEAL**

The cable entry seal design shall preclude specific torque requirements to insure a watertight and submersible seal. The cable entry shall consist of dual cylindrical elastomer grommets, flanked by washers, all having a close tolerance fit against the cable outside diameter and the cable entry inside diameter. The grommets shall be compressed by the cable entry unit, thus providing a strain relief function. The assembly shall provide ease of changing the cable when necessary using the same entry seal. The cable entry junction chamber and motor shall be separated by a feed through type terminal board on non-hydroscopic material, which shall isolate the stator housing from foreign material gaining access through the pump top. **Epoxies, silicones, or other secondary sealing systems shall not be considered acceptable.** 

#### **MOTOR**

The pump motor shall be induction type with a squirrel cage rotor, shell type design, housed in an air filled, watertight chamber, NEMA B type. The stator windings and stator leads shall be insulated with moisture resistant Class H insulation rated for 180°C (356°F). The stator shall be heat-shrink fitted into the stator housing. The use of bolts, pins or other fastening devices requiring penetration of the stator housing is not acceptable. The motor shall be specifically designed for submersible pump usage and designed for continuous duty pumping media of up to 40°C (104°F) and capable of up to 15 evenly spaced starts per hour. The rotor bars and short circuit rings shall be made of cast aluminum. Thermal switches shall be embedded in the stator lead coils to monitor the temperature of each phase winding. These thermal switches shall be used in conjunction with and supplemental to external motor overload protection and shall be connected to the control panel. The junction chamber shall contain two distinct and separate terminal boards. The first terminal board shall be used for the connection of the pilot sensor leads with the pilot sensor cable. The second terminal boards shall be utilized for the line power connection to the motor stator leads. This power terminal board shall use threaded compression type binding posts to connect the cable conductors and motor stator leads. The power terminal board shall separate and seal the junction chamber from the stator housing. The use of wire nuts or crimping type connectors is not acceptable. The motor and pump shall be produced by the same manufacturer.

The combined service factor (combined effect of voltage, frequency and specific gravity) shall be a minimum of 1.15. The motor shall have a voltage tolerance of plus or minus 10%.

The motor shall be designed for operation up to 40°C (104°F) ambient and with a temperature rise not to exceed 80°C. A performance chart shall be provided showing curves for torque, current, power factor, input/output kW and efficiency. This chart shall also include data on starting and no-load characteristics.

The power cable shall be sized according to the NEC and ICEA standards. The outer jacket of the cable shall be oil resistant choroprene rubber. The motor and cable shall be capable of continuous submergence underwater without loss of watertight integrity to a depth of at least 65 feet

The motor horsepower shall be adequate so that the pump is non-overloading throughout the entire pump performance curve from shut-off through run-out.

#### **BEARINGS**

The pump shaft shall rotate on three grease-lubricated bearings. The upper bearing, provided for radial forces, shall be a single roller bearing. The two lower bearings shall consist of at least one roller bearing for radial forces and one angular contact ball bearing for axial thrust.

The minimum L10 bearing life shall be 100,000 hours at any point along the usable portion of the pump curve at maximum product speed.

The lower bearing housing shall include an independent thermal sensor to monitor the bearing temperature. The sensor shall be in direct contact with the outer race of the thrust bearing. If a high temperature occurs, the sensor shall activate an alarm and shut the pump down.

#### **MECHANICAL SEAL**

Each pump shall be provided with a tandem mechanical shaft seal system consisting of two totally independent seal assemblies. The lower seal shall be independent of the impeller hub. The seals shall operate in an oil reservoir that hydrodynamically lubricates the lapped seal faces at a constant rate. The lower, primary seal unit, located between the pump and oil chamber, shall contain one stationary and one positively driven rotating corrosion resistant **tungsten-carbide** ring. The upper, secondary seal unit, located between the oil chamber and the motor housing, shall contain one stationary corrosion resistant **tungsten-carbide** seal ring and one positively driven rotating corrosion resistant **tungsten-carbide** seal ring. Each seal interface shall be held in contact by its own spring system. The seals shall require neither maintenance or adjustment and shall be capable of operating in either clockwise or counter clockwise direction of rotation without damage or loss of seal. For special applications, other seal face materials shall be available.

Should both seals fail and allow fluid to enter the stator housing, a port shall be provided to direct that fluid immediately to the stator float switch to shut down the pump and activate an alarm. Any intrusion of fluid shall not come into contact with the lower bearings.

The following seal types shall not be considered acceptable nor equal to the dual independent seal specified: shaft seals without positively driven rotating members, or conventional double mechanical seals containing either a common single or double spring acting between the upper and lower seal faces. Cartridge type systems will not be acceptable. No system requiring a pressure differential to offset pressure and to effect sealing shall be used.

Each pump shall be provided with an oil chamber for the shaft sealing system. The oil chamber shall be designed to prevent overfilling and to provide oil expansion capacity. The drain and inspection plug, with positive anti-leak seal shall be easily accessible from the outside.

The seal system shall not rely upon the pumped media for lubrication.

#### **PUMP SHAFT**

Pump and motor shaft shall be a solid continuous shaft. Couplings shall not be acceptable. The pump shaft shall be of carbon steel C1035 and shall be completely isolated from the pumped liquid. The use of intermediate gear boxes or gear speed reducers shall not be acceptable as they lower wire-to-water efficiency and increase maintenance costs.

#### **IMPELLER**

The impeller shall be of gray cast iron, Class 35B, dynamically balanced, multiple vaned, double shrouded non-clogging design having long throughlets without acute turns. The impeller shall be capable of handling solids, fibrous materials, heavy sludge and other matter found in wastewater. Mass moment of inertia calculations shall be provided by the pump manufacturer upon request. Impeller shall be retained with an expansion ring and shall be capable of passing a minimum 4 inch diameter solid. All impellers shall be coated with alkyd resin primer.

#### **WEAR RINGS**

A wear ring system shall be used to provide efficient sealing between the volute and suction inlet of the impeller. Each pump shall be equipped with a Nitrile rubber coated steel or brass ring insert that is drive fitted to the volute inlet.

This pump shall also have a stainless steel impeller wear ring heat-shrink fitted onto the suction inlet of the impeller.

#### VOLUTE

Pump volute shall be single-piece gray cast iron, Class 35B, concentric design with smooth passages large enough to pass any solids that may enter the impeller. Minimum inlet and discharge size shall be as specified.

#### **PUMP DOLLY**

Design, fabricate and furnish one pump dolly for moving pump at floor El. 408.0 for the spare sump pump.

Dolly shall be designed to following criteria:

Dolly design shall be coordinated with approved pump shop drawings.

Dolly shall be custom designed to provide safe, stable handling of low flow pump by one person.

Accommodations for pump handling shall allow for both manual pushing and pulling of dolly.

Dolly shall easily slide under the pumps for loading while pumps are raised to maximum monorail hoist height in the hoist drop area.

Dolly chasis shall be either a pallet dolly, a pallet lift truck or other design approved by Engineer, designed for the weight of sump pump SSP-2 of approximately 5,500 lbs. Chasis shall be provided with custom designed cradle for supporting main and low flow pumps. Cradle support shall be based on pump manufacturer handling and storage recommendations to prevent damage to pumps. Cradle support shall allow for pushing/pulling of dolly and shall be securely attached to dolly. Dolly chasis shall be a galvanized steel plate approximately 34" by 42" in plan, 8.5" maximum height with two rigid 6"x3" and two 6"x3" swivel wheel casters designed for weight of sump pump or other design approved by Engineer.

Submit shop drawings showing complete sequence of pump handling, including clearances, rolling resistance and details of dolly assembly. Pump dolly will be included as part of the pump pay item, and no additional compensation will be provided.

#### **PROTECTION**

All stators shall incorporate thermal switches in series to monitor the temperature of each phase winding. Should high temperature occur, the thermal switches shall open, stop the motor and activate an alarm.

A lower bearing temperature sensor shall be provided. The sensor shall directly contact the outer race of the thrust bearing providing for accurate temperature monitoring.

Leakage sensors shall be provided to detect water in the stator chamber and in the cable entry chamber. The leakage sensor shall be used to detect the presence of water. When activated, the sensor will stop the motor and activate an alarm. The proposed pump must meet current electrical requirements.

This item will be paid for at the contract unit price per each for SUBMERSIBLE PUMP.

#### SUBMERSIBLE MIXER

This work will consist of furnishing a submersible mixer.

#### PART 1 - GENERAL SYSTEM DESCRIPTION

#### PERFORMANCE REQUIREMENTS

Minimum Capacity: 5,167 GPM

Maximum Propeller Rotating Speed: 875 RPM

Minimum Motor Nameplate HP: 6.0 HP

Minimum Axial Thrust: 928 N

Minimum Shaft Power (transmitted to mixed media): 5.0 HP

Electrical Service: 460 Volt, 60Hz, 3 phase

#### **QUALITY ASSURANCE - REFERENCED STANDARDS:**

American Iron & Steel Institute (AISI)

American Society for Testing and Materials (ASTM)

Factory Mutual (FM)

National Fire Protection Agency (NFPA)

National Electric Code (NEC)

National Electrical Manufacturers Association (NEMA)

Anti-Friction Bearing Manufacturers Association (AFBMA)

International Standards Organization (ISO) - ISO9001

#### WARRANTY

The mixer manufacturer shall warrant the mixer and motor to the Owner against defects in workmanship and materials for a period of one (1) year from date of first beneficial use or eighteen (18) months from shipment (whichever comes first). The manufacturer's warranty shall be in published form, and shall apply to all similar units. A copy of the warranty shall be provided to the Owner at startup.

#### PART 2 – PRODUCTS

#### **ACCEPTABLE MANUFACTURERS**

Subject to compliance with the Contract Documents, the following must a KSB Model Amamix to be compatible with existing hardware and equipment. All products, whether named as "acceptable" or proposed as "equal" must fully comply with these specifications. Standard product must be modified, if required, for compliance. The contractor shall base his bid price on product offered by KSB, Inc. for purposes of determining the successful bidder on this project. The contractor may submit, with the bid, an alternate proposal with applicable deduct if any for supplying product other than KSB. Alternate proposals must include a clear statement of each point of difference between the proposed alternate product and these specifications. The Owner and Engineer reserve the right to reject any bid not based on KSB product.

#### **MATERIALS**

Propeller Stainless Steel, ASTM A276 Type 316
Motor/Propeller Shaft Stainless Steel, ASTM A276 Type 316
Motor Housing Stainless Steel, ASTM A276 Type 316

Motor Casing Cover Duplex Stainless Steel, ASTM A890 CD 4MCU

Casing Cover Stainless Steel, ASTM A276 Type 316

O-Rings/Seals Viton (FPM)

Fasteners Stainless Steel, ASTM A276 Type 316Ti

Outer Seal Faces Silicon Carbide/Silicon Carbide

Inner Seal Faces Silicon Carbide/Silicon Carbide
Power Cable Jacket Chloroprene with non-wicking filters

Guide Rail (Mast) Stainless Steel, ASTM A276 Type 304 or 316
Support Frame Stainless Steel, ASTM A276 Type 316

Mast Mounting Brackets Stainless Steel, ASTM A276 Type 304 or 316
Lifting Cable Stainless Steel, ASTM A276 Type 316

Lifting Davit Stainless Steel, ASTM A276 Type 304 or 316 with marine-grade

winch

Oil (seal lubrication) Ecologically safe, mineral or paraffin base

### ACCESSORIES POWER CABLE

Provide 60 ft of power/control cable with each mixer, suitable for submersible application, sized in accordance with NEC requirements. Provide cable terminal box on side of motor housing, with cable entry sealed to insure that no entry of moisture is possible into the high-voltage motor/terminal area even if the cable is damaged or severed below water level. Cable entries providing only rubber grommet (external cable jacket) seals will not be accepted. Non-metallic snap-on fasteners shall be provided to fix the power/control cable to the static support cable to prevent movement of the cable. The mixer manufacturer shall provide a cable support bracket suitable for supporting the entire weight of the power/control cable from a hook near the upper mast bracket. A cable plug and receptacle shall be an integral design of the submersible mixer allowing the mechanics to easily replace or service the mixer without needing an electrician. The plug and receptacle eliminates re-wiring errors and ensures operator safety.

#### TEMPERATURE PROTECTION

Furnish temperature monitoring devices in motor windings for use in conjunction with and supplemental to external motor overload protection. Arrange controls to shut down pump should any of the monitors detect high temperature and automatically reset once motor temperature returns to normal. Set temperature monitors at levels recommended by mixer manufacturer.

#### **SEAL LEAK DETECTION**

Provide two (2) detectors in the motor's stator cavity, one at each end, which allows a control panel mounted relay to indicate leakage into the motor.

#### "PumpSafe" MOTOR SENSOR MONITORING RELAY

The pump supplier shall furnish all relays required for monitoring all motor sensors. The relays shall be installed by others in the motor control panel and properly wired in accordance with pump manufacturer's instructions. Relays shall mount in standard 12-pin socket bases (provided) and shall operate on available control voltage of 24-240 VAC. If relays require an input voltage that is not available in the motor control panel an adequate transformer (with fused input) shall be provided by the pump supplier. Relays shall have a power consumption of no more than 2.8 watt, and shall be UL approved. Relays shall be modular in design, with each relay monitoring no more than two motor sensor functions.

Each relay module shall include a dual color (red/green) LED to indicate the status of each monitored sensor. Green will indicate "status OK"; red will indicate a failure or alarm condition. A self-corrected fault will allow the relay output contacts to reset, and cause the LED to change from a steady alarm indication to a flashing signal. The LED shall continue to flash until locally cleared, providing the operator an indication of a potential intermittent fault. Each relay shall also include a power-on LED and both "test" and "reset" pushbuttons.

An independent fail-safe (switch on power loss) form-C output contact shall be included for each monitored sensor to provide a normally-open/normally-closed dry contact to initiate a remote alarm device or shut down the motor. Contacts shall be rated for 5 amps at 120 volt.

#### **FABRICATION**

#### **MAJOR COMPONENTS**

Furnish major components (motor housing, motor end caps) of solid thick cross section material as specified with smooth surfaces devoid of blow holes and other irregularities. Designs employing sheet-metal sheathing over cast or fabricated components and/or plastic end caps will be considered inferior and will not be acceptable.

#### PROPELLER (WITH EVERCLEAN BLADES)

To maximize back streaming, optimize mixing, and minimize fouling the propeller shall be completely open to the mixed media, and diffuser devices such as jet rings and shrouds shall not be used. Propeller shall be of material specified, with thick cross section to resist abrasion and to permit displacement of the stagnation point along the leading edge. Each blade shall be contoured such that the tangent line at any point on the leading edge is equal or less steep relative to the circumferential direction than the resulting force, causing fibrous materials to always slide toward the outer radius of the propeller.

#### **PROPELLER SHAFT SEALS**

The critical area where the propeller shaft enters the mixed media shall be sealed by two totally independent mechanical shaft seals, each with its own independent single spring system. An oil-filled chamber shall separate the seals and provide lubrication. Single mechanical seals or rotary lip seals shall not be considered adequate for this critical sealing area.

#### **BEARINGS**

The motor shaft shall be supported by two bearing sets sized to provide a B10 of 100,000 hours at all anticipated axial and radial loadings. Shaft bearings shall be sealed/shielded (permanently lubricated).

#### **MAINTENANCE INTERVAL**

The complete mixer unit shall be designed for operation with scheduled maintenance intervals not less than 16,000 running hours (or 2 years whichever occurs first). This scheduled maintenance interval shall be clearly stated in the mixer manufacturer's standard operation and maintenance manual supplied with the mixer.

#### **MOTOR**

Motor shall be squirrel cage, induction in design, housed in a completely watertight and air filled chamber, with a min 1.15 service factor. Insulate the motor stator with, at minimum, Class F insulation rated for 311 Degrees F. Provide temperature protection and seal leak detection as specified above. Motors shall be designed, rated and warranted for continuous operation and shall be capable of sustaining at least 20 evenly spaced starts per hour. Operating for extended periods in a dry mode shall not damage the motor or seals.

#### **FACTORY TESTS**

Prior to shipment the mixer manufacturer shall check each unit for proper balance and alignment, quiet vibration-free operation, proper electrical characteristics, and satisfactory performance.

This item will be paid for at the contract unit price per each for SUBMERSIBLE MIXER.

#### MAGNUM BREAKER

This work will consist of furnishing a magnum breaker.

#### POWER CIRCUIT BREAKERS - MAGNUM DS

- A. Protective devices shall be drawout low-voltage power air-circuit breakers, Cutler-Hammer type Magnum DS or approved equal. Frame ratings shall be 2000 amperes. The 800, 1600, 2000 and 3200 ampere frame power circuit breakers shall provided in the same physical frame size, while 4000, 5000, and 6000 ampere frame power circuit breakers shall be provided in a second physical frame size. Both physical frame sizes shall have a common height and depth. All breakers shall be UL listed for application in their intended enclosures for 100% of their continuous ampere rating.
- B. Breakers shall be electrically operated as indicated on the drawings.
- C. Electrically operated breakers shall be complete with 120 motor operators; the charging time of the motor shall not exceed 6 seconds. The ac source shall be taken from a control power transformer internal to the switchgear assembly.
- D. All circuit breakers shall have a minimum symmetrical interrupting capacity of 65,000 amperes. To ensure a fully selective system, all circuit breakers shall have 30-cycle short-time withstand ratings equal to their symmetrical interrupting ratings through 85,000 amperes, regardless of whether equipped with instantaneous trip protection or not.
- E. All power circuit breakers shall be constructed and tested in accordance with ANSI C37.13, C37.16, C37.17, C37.50, UL 1066 and NEMA SG-3 standards. The circuit breakers shall carry a UL label.

- F. The circuit breakers shall be provided with trip units as specified in Paragraph 2.02 A through \$\alpha^2 2.03 X.
- G. Provide a Digitrip 1150 Trip Unit.
- H. To facilitate lifting, the power circuit breaker shall have integral handles on the side of the breaker. The power circuit breaker shall have a closing time of not more than 3 cycles. The primary contacts shall have an easily accessible wear indicator to indicate contact erosion.
- I. The power circuit breaker shall have three windows in the front cover to clearly indicate any electrical accessories that are mounted in the breaker. The accessory shall have a label that will indicate its function and voltage. The accessories shall be plug and lock type and UL listed for easy field installation. They shall be modular in design and shall be common to all frame sizes and ratings.
- J. The breaker control interface shall have color-coded visual indicators to indicate contact open or closed positions as well as mechanism charged and discharged positions. Manual control pushbuttons on the breaker face shall be provided for opening and closing the breaker. The power circuit breaker shall have a "Positive On" feature. The breaker flag will read "Closed" if the contacts are welded and the breaker is attempted to be tripped or opened.
- K. The current sensors shall have a back cover window that will permit viewing the sensor rating on the back of the breaker. A rating plug will offer indication of the rating on the front of the trip unit.
- L. A position indicator shall be located on the faceplate of the breaker. This indicator shall provide color indication of the breaker position in the cell. These positions shall be Connect (Red), Test (Yellow), and Disconnect (Green). The levering door shall be interlocked so that when the breaker is in the closed position, the breaker levering-in door shall not open.
- M. Each power circuit breaker shall offer sixty (60) front mounted dedicated secondary wiring points. Each wiring point shall have finger safe contacts, which will accommodate #10 AWG maximum field connections with ring tongue or spade terminals or bare wire.
- N. For drawout applications the breaker cell shall be equipped with drawout rails and primary and secondary disconnecting contacts. The stationary part of the primary disconnecting devices for each power circuit breaker shall consist of a set of contacts extending to the rear through a glass polyester insulating support barrier; corresponding moving finger contacts suitably spaced shall be furnished on the power circuit breaker studs which engage in only the connected position. The assembly shall provide multiple silver-to-silver full floating high-pressure point contacts with uniform pressure on each finger maintained by springs.
  - The secondary disconnecting devices shall consist of plug-in connectors mounted on the removable unit and engaging floating plug-in connectors at the front of the compartment. The secondary disconnecting devices shall be goldplated and pin and socket contact engagement shall be maintained in the "connected" and "test" positions
  - 2. The removable power circuit breaker element shall be equipped with disconnecting contacts, wheels and interlocks for drawout application.

It shall have four (4) positions: CONNECTED, TEST, DISCONNECTED and REMOVED all of which permit closing the compartment door. The breaker drawout element shall contain a worm gear levering "in" and "out" mechanism with removable lever crank. Mechanical interlocking shall be provided so that the breaker is in the tripped position before levering "in" or "out" of the cell. The breaker shall include an optional provision for key locking open to prevent manual or electric closing. Padlocking shall secure the breaker in the connected, test or disconnected position by preventing levering.

#### 2.02 TRIP UNIT

- A. Each low-voltage power circuit breaker and insulated case circuit breaker shall be equipped with a solid-state tripping system consisting of three current sensors, microprocessor-based trip device and flux-transfer shunt trip. Current sensors shall provide operation and signal function. The trip unit shall use microprocessor-based technology to provide the basic adjustable time-current protection functions. True rms sensing circuit protection shall be achieved by analyzing the secondary current signals received from the circuit breaker current sensors and initiating trip signals to the circuit breaker trip actuators when predetermined trip levels and time delay settings are reached. Interchangeable current sensors with their associated rating plug shall establish the continuous trip rating of each circuit breaker. The trip unit shall be Cutler-Hammer type Digitrip RMS 1150+.
- B. The trip unit shall have an information system that provides LEDs to indicate mode of trip following an automatic trip operation. The indication of the mode of trip shall be retained after an automatic trip. A reset button shall be provided to turn off the LED indication after an automatic trip.
- C. The trip unit shall be provided with a display panel, including a representation of the time/current curve that will indicate the protection functions. The unit shall be continuously self-checking and provide a visual indication that the internal circuitry is being monitored and is fully operational.
- D. The trip unit shall be provided with a making-current release circuit. The circuit shall be armed for approximately two cycles after breaker closing and shall operate for all peak fault levels above 25 times the ampere value of the rating plug.
- E. Trip unit shall have selectable thermal memory for enhanced circuit protection.
- F. Complete system selective coordination shall be provided by the addition of the following individually adjustable time/current curve shaping solid-state elements:
  - 1. All circuit breakers shall have adjustments for long delay pickup and time
  - 2. All circuit breakers shall have individual adjustments for short delay pickup and time, and include l<sup>2</sup>t settings
  - 3. Breaker shall have an adjustable instantaneous pickup
  - 4. Breaker shall have individually adjustable ground fault current pickup and time, and include l<sup>2</sup>t settings or ground alarm only
- G. The trip unit shall have provisions for a single test kit to test each of the trip functions.
- H. The trip unit shall provide zone interlocking for the short-time delay and ground fault delay trip functions for improved system coordination.

The zone interlocking system shall restrain the tripping of an upstream breaker and allow the breaker closest to the fault to trip with no intentional time delay. In the event that the downstream breaker does not trip, the upstream breaker shall trip after a preset time delay.

- I. The trip unit shall have an information system that utilizes battery backup LEDs to indicate mode of trip following an automatic trip operation. The indication of the mode of trip shall be retained after an automatic trip operation. The indication of the mode of trip shall be retained after an automatic trip. A test pushbutton shall energize a LED to indicate the battery status.
- J. Breakers shall have individually adjustable ground fault alarm only.
- K. The trip unit shall have a 4-character LCD display showing phase, neutral, and ground current. The accuracy of these readings shall be +/- 2% of full scale.
- L. The trip unit shall be equipped to permit communication via a network twisted pair to the LAN system provided in the equipment for remote monitoring and control. All monitored parameters shall be transmitted.
- M. The trip unit shall include a power/relay module, which shall supply control power to the readout display. Following an automatic trip operation of the circuit breaker, the trip unit shall maintain the cause of trip history and the mode of trip LED indication as long as its internal power supply is available. An internal relay shall be programmable to provide contacts for remote ground alarm indication.
- N. The trip unit shall include a voltage transformer module, suitable for operation up to 600V, 50/60 Hz. The primary of the power relay module shall be connected internally to the line side of the circuit breaker through a dielectric test disconnect plug.
- O. The display for the trip units shall be a 24-character LED display.
- P. Metering display accuracy of the complete system, including current sensors, auxiliary CTs, and the trip unit, shall be +/- 1% of full scale for current values. Metering display accuracy of the complete system shall be +/- 2% of full scale for power and energy values.
- Q. The unit shall be capable of monitoring the following data:
  - 1. Instantaneous value of phase, neutral and ground current
  - 2. Instantaneous value of line-to-line voltage
  - 3. Minimum and maximum current values
  - 4. Watts, vars, VA, watthours, varhours, and VA hours, Peak demand, Present demand

Energy consumption.

- 5. Crest factor, power factor, percent total harmonic distortion, and harmonic values of all phases through the 31st harmonic.
- R. An adjustable high load alarm shall be provided, adjustable from 50 to 100% of the long delay pickup setting.
- S. The trip unit shall contain an integral test pushbutton. A keypad shall be provided to enable the user to select the values of test currents within a range of available settings.

The protection functions shall not be affected during test operations. The breaker may be tested in the TRIP or NO TRIP test mode.

- T. Programming may be done via a keypad at the faceplate of the unit or via the communication network.
- U. System coordination shall be provided by the following microprocessor-based programmable time-current curve shaping adjustments. The short-time pickup adjustment shall be dependent on the long delay setting.
  - 1. Programmable long-time setting
  - 2. Programmable long-time delay with selectable I<sup>2</sup>t or I<sup>4</sup>t curve shaping
  - 3. Programmable short-time setting
  - 4. Programmable short-time delay with selectable flat or I<sup>2</sup>t curve shaping, and zone selective interlocking
  - 5. Programmable instantaneous setting
  - 6. Programmable ground fault setting trip or ground fault setting alarm
  - 7. Programmable ground fault delay with selectable flat or l<sup>2</sup>t curve shaping and zone selective interlocking
- V. The trip unit shall offer a three-event trip log that will store the trip data, and shall time and date stamp the event.
- W. The trip unit shall have the following advanced features integral to the trip unit:
  - 1. Adjustable undervoltage release
  - 2. Adjustable overvoltage release
  - 3. Reverse load and fault current
  - 4. Reverse sequence voltage alarm
  - 5. Underfrequency
  - 6. Overfrequency
  - 7. Voltage phase unbalance and phase loss during current detection
- X. The proposed breaker must meet the current LV Switch gear requirements.

This item will be paid for at the contract unit price per each for MAGNUM BREAKER.

#### STATUS OF UTILITIES TO BE ADJUSTED

#### NO UTILITIES TO BE ADJUSTED

The above represents the best information of the Department and is only included for the convenience of the bidder. The applicable provisions of Sections 102, 103, and Articles 105.07 and 107.20 of the Standard Specifications for Road and Bridge Construction shall apply.

If any utility adjustment or removal has not been completed when required by the Contractor's operation, the Contractor should notify the Engineer in writing. A request for an extension of time will be considered to the extent the Contractor's operations were affected.

### APPROVAL OF PROPOSED BORROW AREAS, USE AREAS, AND/OR WASTE AREAS (BDE)

Effective: November 1, 2008 Revised: November 1, 2010

Replace the first paragraph of Article 107.22 of the Standard Specifications with the following:

"All proposed borrow areas, including commercial borrow areas; use areas, including, but not limited to temporary access roads, detours, runarounds, plant sites, and staging and storage areas; and/or waste areas are to be designated by the Contractor to the Engineer and approved prior to their use. Such areas outside the State of Illinois shall be evaluated, at no additional cost to the Department, according to the requirements of the state in which the area lies; and approval by the authority within that state having jurisdiction for such areas shall be forwarded to the Engineer. Such areas within Illinois shall be evaluated as described herein.

A location map delineating the proposed borrow area, use area, and/or waste area shall be submitted to the Engineer for approval along with an agreement from the property owner granting the Department permission to enter the property and conduct cultural and biological resource reconnaissance surveys of the site for archaeological resources, threatened or endangered species or their designated essential habitat, wetlands, prairies, and savannahs. The type of location map submitted shall be a topographic map, a plat map, or a 7.5 minute quadrangle map. Submittals shall include the intended use of the site and provide sufficient detail for the Engineer to determine the extent of impacts to the site. The Engineer will initiate cultural and biological resource reconnaissance surveys of the site, as necessary, at no cost to the Contractor. The Engineer will advise the Contractor of the expected time required to complete all surveys. If the proposed area is within 150 ft (45 m) of the highway right-of-way, a topographic map of the proposed site will be required as specified in Article 204.02."

#### **CONSTRUCTION AIR QUALITY – DIESEL RETROFIT (BDE)**

Effective: June 1, 2010

The reduction of emissions of particulate matter (PM) for off-road equipment shall be accomplished by installing retrofit emission control devices. The term "equipment" refers to diesel fuel powered devices rated at 50 hp and above, to be used on the jobsite in excess of seven calendar days over the course of the construction period on the jobsite (including rental equipment).

Contractor and subcontractor diesel powered off-road equipment assigned to the contract shall be retrofitted using the phased in approach shown below. Equipment that is of a model year older than the year given for that equipment's respective horsepower range shall be retrofitted:

Effective Dates	Horsepower Range	Model Year
June 1, 2010 1/	600-749	2002
	750 and up	2006
June 1, 2011 <sup>2/</sup>	100-299	2003
	300-599	2001
	600-749	2002
	750 and up	2006

June 1, 2012 <sup>2/</sup>	50-99	2004
	100-299	2003
	300-599	2001
	600-749	2002
	750 and up	2006

- 1/ Effective dates apply to Contractor diesel powered off-road equipment assigned to the contract.
- 2/ Effective dates apply to Contractor and subcontractor diesel powered off-road equipment assigned to the contract.

The retrofit emission control devices shall achieve a minimum PM emission reduction of 50 percent and shall be:

- a) Included on the U.S. Environmental Protection Agency (USEPA) Verified Retrofit
   Technology List (<a href="http://www.epa.gov/otag/retrofit/verif-list.htm">http://www.epa.gov/otag/retrofit/verif-list.htm</a>), or verified by the
   California Air Resources Board (CARB) (<a href="http://www.arb.ca.gov/diesel/verde/verdev.htm">http://www.arb.ca.gov/diesel/verde/verdev.htm</a>);
   or
- b) Retrofitted with a non-verified diesel retrofit emission control device if verified retrofit emission control devices are not available for equipment proposed to be used on the project, and if the Contractor has obtained a performance certification from the retrofit device manufacturer that the emission control device provides a minimum PM emission reduction of 50 percent.

Note: Large cranes (Crawler mounted cranes) which are responsible for critical lift operations are exempt from installing retrofit emission control devices if such devices adversely affect equipment operation.

Diesel powered off-road equipment with engine ratings of 50 hp and above, which are unable to be retrofitted with verified emission control devices or if performance certifications are not available which will achieve a minimum 50 percent PM reduction, may be granted a waiver by the Department if documentation is provided showing good faith efforts were made by the Contractor to retrofit the equipment.

Construction shall not proceed until the Contractor submits a certified list of the diesel powered off-road equipment that will be used, and as necessary, retrofitted with emission control devices. The list(s) shall include (1) the equipment number, type, make, Contractor/rental company name; and (2) the emission control devices make, model, USEPA or CARB verification number, or performance certification from the retrofit device manufacturer. Equipment reported as fitted with emissions control devices shall be made available to the Engineer for visual inspection of the device installation, prior to being used on the jobsite.

The Contractor shall submit an updated list of retrofitted off-road construction equipment as retrofitted equipment changes or comes on to the jobsite. The addition or deletion of any diesel powered equipment shall be included on the updated list.

If any diesel powered off-road equipment is found to be in non-compliance with any portion of this special provision, the Engineer will issue the Contractor a diesel retrofit deficiency deduction.

Any costs associated with retrofitting any diesel powered off-road equipment with emission control devices shall be considered as included in the contract unit prices bid for the various items of work involved and no additional compensation will be allowed. The Contractor's compliance with this notice and any associated regulations shall not be grounds for a claim.

#### **Diesel Retrofit Deficiency Deduction**

When the Engineer determines that a diesel retrofit deficiency exists, a daily monetary deduction will be imposed for each calendar day or fraction thereof the deficiency continues to exist. The calendar day(s) will begin when the time period for correction is exceeded and end with the Engineer's written acceptance of the correction. The daily monetary deduction will be \$1,000.00 for each deficiency identified.

The deficiency will be based on lack of diesel retrofit emissions control.

If a Contractor accumulates three diesel retrofit deficiency deductions for the same piece of equipment in a contract period, the Contractor will be shutdown until the deficiency is corrected. Such a shutdown will not be grounds for any extension of the contract time, waiver of penalties, or be grounds for any claim.

#### CONSTRUCTION AIR QUALITY - DIESEL VEHICLE EMISSIONS CONTROL (BDE)

Effective: April 1, 2009 Revised: July 1, 2009

<u>Diesel Vehicle Emissions Control</u>. The reduction of construction air emissions shall be accomplished by using cleaner burning diesel fuel. The term "equipment" refers to any and all diesel fuel powered devices rated at 50 hp and above, to be used on the project site in excess of seven calendar days over the course of the construction period on the project site (including any "rental" equipment).

All equipment on the jobsite, with engine ratings of 50 hp and above, shall be required to: use Ultra Low Sulfur Diesel fuel (ULSD) exclusively (15 ppm sulfur content or less).

Diesel powered equipment in non-compliance will not be allowed to be used on the project site, and is also subject to a notice of non-compliance as outlined below.

The Contractor shall submit copies of monthly summary reports and include certified copies of the ULSD diesel fuel delivery slips for diesel fuel delivered to the jobsite for the reporting time period, noting the quantity of diesel fuel used.

If any diesel powered equipment is found to be in non-compliance with any portion of this specification, the Engineer will issue the Contractor a notice of non-compliance and identify an appropriate period of time, as outlined below under environmental deficiency deduction, in which to bring the equipment into compliance or remove it from the project site.

Any costs associated with bringing any diesel powered equipment into compliance with these diesel vehicle emissions controls shall be considered as included in the contract unit prices bid for the various items of work involved and no additional compensation will be allowed. The Contractor's compliance with this notice and any associated regulations shall also not be grounds for a claim.

<u>Environmental Deficiency Deduction</u>. When the Engineer is notified, or determines that an environmental control deficiency exists, he/she will notify the Contractor in writing, and direct the Contractor to correct the deficiency within a specified time period. The specified time-period, which begins upon Contractor notification, will be from 1/2 hour to 24 hours long, based on the urgency of the situation and the nature of the deficiency. The Engineer shall be the sole judge regarding the time period.

The deficiency will be based on lack of repair, maintenance and diesel vehicle emissions control.

If the Contractor fails to correct the deficiency within the specified time frame, a daily monetary deduction will be imposed for each calendar day or fraction thereof the deficiency continues to exist. The calendar day(s) will begin when the time period for correction is exceeded and end with the Engineer's written acceptance of the correction. The daily monetary deduction will be \$1,000.00 for each deficiency identified.

If a Contractor or subcontractor accumulates three environmental deficiency deductions in a contract period, the Contractor will be shutdown until the deficiency is corrected. Such a shutdown will not be grounds for any extension of contract time, waiver of penalties, or be grounds for any claim.

#### **CONSTRUCTION AIR QUALITY - IDLING RESTRICTIONS (BDE)**

Effective: April 1, 2009

Idling Restrictions. The Contractor shall establish truck-staging areas for all diesel powered vehicles that are waiting to load or unload material at the jobsite. Staging areas shall be located where the diesel emissions from the equipment will have a minimum impact on adjacent sensitive receptors. The Department will review the selection of staging areas, whether within or outside the existing highway right-of-way, to avoid locations near sensitive areas or populations to the extent possible. Sensitive receptors include, but are not limited to, hospitals, schools, residences, motels, hotels, daycare facilities, elderly housing and convalescent facilities. Diesel powered engines shall also be located as far away as possible from fresh air intakes, air conditioners, and windows. The Engineer will approve staging areas before implementation.

Diesel powered vehicle operators may not cause or allow the motor vehicle, when it is not in motion, to idle for more than a total of 10 minutes within any 60 minute period, except under any of the following circumstances:

- 1) The motor vehicle has a gross vehicle weight rating of less than 8000 lb (3630 kg).
- 2) The motor vehicle idles while forced to remain motionless because of on-highway traffic, an official traffic control device or signal, or at the direction of a law enforcement official.
- 3) The motor vehicle idles when operating defrosters, heaters, air conditioners, or other equipment solely to prevent a safety or health emergency.
- 4) A police, fire, ambulance, public safety, other emergency or law enforcement motor vehicle, or any motor vehicle used in an emergency capacity, idles while in an emergency or training mode and not for the convenience of the vehicle operator.
- 5) The primary propulsion engine idles for maintenance, servicing, repairing, or diagnostic purposes if idling is necessary for such activity.
- 6) A motor vehicle idles as part of a government inspection to verify that all equipment is in good working order, provided idling is required as part of the inspection.

- 7) When idling of the motor vehicle is required to operate auxiliary equipment to accomplish the intended use of the vehicle (such as loading, unloading, mixing, or processing cargo; controlling cargo temperature; construction operations, lumbering operations; oil or gas well servicing; or farming operations), provided that this exemption does not apply when the vehicle is idling solely for cabin comfort or to operate non-essential equipment such as air conditioning, heating, microwave ovens, or televisions.
- 8) When the motor vehicle idles due to mechanical difficulties over which the operator has no control.
- 9) The outdoor temperature is less than 32 °F (0 °C) or greater than 80 °F (26 °C).

When the outdoor temperature is greater than or equal to 32 °F (0 °C) or less than or equal to 80 °F (26 °C), a person who operates a motor vehicle operating on diesel fuel shall not cause or allow the motor vehicle to idle for a period greater than 30 minutes in any 60 minute period while waiting to weigh, load, or unload cargo or freight, unless the vehicle is in a line of vehicles that regularly and periodically moves forward.

The above requirements do not prohibit the operation of an auxiliary power unit or generator set as an alternative to idling the main engine of a motor vehicle operating on diesel fuel.

<u>Environmental Deficiency Deduction</u>. When the Engineer is notified, or determines that an environmental control deficiency exists based on non-compliance with the idling restrictions, he/she will notify the Contractor, and direct the Contractor to correct the deficiency.

If the Contractor fails to correct the deficiency a monetary deduction will be imposed. The monetary deduction will be \$1,000.00 for each deficiency identified.

#### **DISADVANTAGED BUSINESS ENTERPRISE PARTICIPATION (BDE)**

Effective: September 1, 2000 Revised: January 1, 2011

<u>FEDERAL OBLIGATION</u>. The Department of Transportation, as a recipient of federal financial assistance, is required to take all necessary and reasonable steps to ensure nondiscrimination in the award and administration of contracts. Consequently, the federal regulatory provisions of 49 CFR part 26 apply to this contract concerning the utilization of disadvantaged business enterprises. For the purposes of this Special Provision, a disadvantaged business enterprise (DBE) means a business certified by the Department in accordance with the requirements of 49 CFR part 26 and listed in the Illinois Unified Certification Program (IL UCP) DBE Directory.

STATE OBLIGATION. This Special Provision will also be used by the Department to satisfy the requirements of the Business Enterprise for Minorities, Females, and Persons with Disabilities Act, 30 ILCS 575. When this Special Provision is used to satisfy state law requirements on 100 percent state-funded contracts, the federal government has no involvement in such contracts (not a federal-aid contract) and no responsibility to oversee the implementation of this Special Provision by the Department on those contracts. DBE participation on 100 percent state-funded contracts will not be credited toward fulfilling the Department's annual overall DBE goal required by the US Department of Transportation to comply with the federal DBE program requirements.

<u>CONTRACTOR ASSURANCE</u>. The Contractor makes the following assurance and agrees to include the assurance in each subcontract that the Contractor signs with a subcontractor:

The Contractor, subrecipient, or subcontractor shall not discriminate on the basis of race, color, national origin, or sex in the performance of this contract. The Contractor shall carry out applicable requirements of 49 CFR part 26 in the award and administration of contracts funded in whole or in part with federal or state funds. Failure by the Contractor to carry out these requirements is a material breach of this contract, which may result in the termination of this contract or such other remedy as the recipient deems appropriate.

OVERALL GOAL SET FOR THE DEPARTMENT. As a requirement of compliance with 49 CFR part 26, the Department has set an overall goal for DBE participation in its federally assisted contracts. That goal applies to all federal-aid funds the Department will expend in its federally assisted contracts for the subject reporting fiscal year. The Department is required to make a good faith effort to achieve the overall goal. The dollar amount paid to all approved DBE companies performing work called for in this contract is eligible to be credited toward fulfillment of the Department's overall goal.

CONTRACT GOAL TO BE ACHIEVED BY THE CONTRACTOR. This contract includes a specific DBE utilization goal established by the Department. The goal has been included because the Department has determined that the work of this contract has subcontracting opportunities that may be suitable for performance by DBE companies. This determination is based on an assessment of the type of work, the location of the work, and the availability of DBE companies to do a part of the work. The assessment indicates that, in the absence of unlawful discrimination, and in an arena of fair and open competition, DBE companies can be expected to perform **0.00%** of the work. This percentage is set as the DBE participation goal for this contract. Consequently, in addition to the other award criteria established for this contract, the Department will only award this contract to a bidder who makes a good faith effort to meet this goal of DBE participation in the performance of the work. A bidder makes a good faith effort for award consideration if either of the following is done in accordance with the procedures set forth in this Special Provision:

- (a) The bidder documents that enough DBE participation has been obtained to meet the goal; or
- (b) The bidder documents that a good faith effort has been made to meet the goal, even though the effort did not succeed in obtaining enough DBE participation to meet the goal.

<u>DBE LOCATOR REFERENCES</u>. Bidders may consult the IL UCP DBE Directory as a reference source for DBE-certified companies. In addition, the Department maintains a letting and item specific DBE locator information system whereby DBE companies can register their interest in providing quotes on particular bid items advertised for letting. Information concerning DBE companies willing to quote work for particular contracts may be obtained by contacting the Department's Bureau of Small Business Enterprises at telephone number (217)785-4611, or by visiting the Department's web site at www.dot.il.gov.

<u>BIDDING PROCEDURES</u>. Compliance with this Special Provision is a material bidding requirement. The failure of the bidder to comply will render the bid not responsive.

- (a) The bidder shall submit a Disadvantaged Business Utilization Plan on Department forms SBE 2025 and 2026 with the bid.
- (b) The Utilization Plan shall indicate that the bidder either has obtained sufficient DBE participation commitments to meet the contract goal or has not obtained enough DBE participation commitments in spite of a good faith effort to meet the goal.

The Utilization Plan shall further provide the name, telephone number, and telefax number of a responsible official of the bidder designated for purposes of notification of plan approval or disapproval under the procedures of this Special Provision.

- (c) The Utilization Plan shall include a DBE Participation Commitment Statement, Department form SBE 2025, for each DBE proposed for the performance of work to achieve the contract goal. For bidding purposes, submission of the completed SBE 2025 forms, signed by the DBEs and faxed to the bidder will be acceptable as long as the original is available and provided upon request. All elements of information indicated on the said form shall be provided, including but not limited to the following:
  - (1) The names and addresses of DBE firms that will participate in the contract;
  - (2) A description, including pay item numbers, of the work each DBE will perform;
  - (3) The dollar amount of the participation of each DBE firm participating. The dollar amount of participation for identified work shall specifically state the quantity, unit price, and total subcontract price for the work to be completed by the DBE. If partial pay items are to be performed by the DBE, indicate the portion of each item, a unit price where appropriate and the subcontract price amount;
  - (4) DBE Participation Commitment Statements, form SBE 2025, signed by the bidder and each participating DBE firm documenting the commitment to use the DBE subcontractors whose participation is submitted to meet the contract goal;
  - (5) If the bidder is a joint venture comprised of DBE companies and non-DBE companies, the plan must also include a clear identification of the portion of the work to be performed by the DBE partner(s); and,
  - (6) If the contract goal is not met, evidence of good faith efforts.

GOOD FAITH EFFORT PROCEDURES. The contract will not be awarded until the Utilization Plan submitted by the apparent successful bidder is approved. All information submitted by the bidder must be complete, accurate and adequately document that enough DBE participation has been obtained or document the good faith efforts of the bidder, in the event enough DBE participation has not been obtained, before the Department will commit to the performance of the contract by the bidder. The Utilization Plan will be approved by the Department if the Utilization Plan documents sufficient commercially useful DBE work performance to meet the contract goal or the bidder submits sufficient documentation of a good faith effort to meet the contract goal pursuant to 49 CFR part 26, Appendix A. The Utilization Plan will not be approved by the Department if the Utilization Plan does not document sufficient DBE participation to meet the contract goal unless the apparent successful bidder documented in the Utilization Plan that it made a good faith effort to meet the goal. This means that the bidder must show that all necessary and reasonable steps were taken to achieve the contract goal. Necessary and reasonable steps are those which, by their scope, intensity and appropriateness to the objective, could reasonably be expected to obtain sufficient DBE participation, even if they were not successful. The Department will consider the quality, quantity, and intensity of the kinds of efforts that the bidder has made. Mere pro forma efforts, in other words, efforts done as a matter of form, are not good faith efforts; rather, the bidder is expected to have taken genuine efforts that would be reasonably expected of a bidder actively and aggressively trying to obtain DBE participation sufficient to meet the contract goal.

- (a) The following is a list of types of action that the Department will consider as part of the evaluation of the bidder's good faith efforts to obtain participation. These listed factors are not intended to be a mandatory checklist and are not intended to be exhaustive. Other factors or efforts brought to the attention of the Department may be relevant in appropriate cases, and will be considered by the Department.
  - (1) Soliciting through all reasonable and available means (e.g. attendance at pre-bid meetings, advertising and/or written notices) the interest of all certified DBE companies that have the capability to perform the work of the contract. The bidder must solicit this interest within sufficient time to allow the DBE companies to respond to the solicitation. The bidder must determine with certainty if the DBE companies are interested by taking appropriate steps to follow up initial solicitations.
  - (2) Selecting portions of the work to be performed by DBE companies in order to increase the likelihood that the DBE goals will be achieved. This includes, where appropriate, breaking out contract work items into economically feasible units to facilitate DBE participation, even when the prime Contractor might otherwise prefer to perform these work items with its own forces.
  - (3) Providing interested DBE companies with adequate information about the plans, specifications, and requirements of the contract in a timely manner to assist them in responding to a solicitation.
  - (4) a. Negotiating in good faith with interested DBE companies. It is the bidder's responsibility to make a portion of the work available to DBE subcontractors and suppliers and to select those portions of the work or material needs consistent with the available DBE subcontractors and suppliers, so as to facilitate DBE participation. Evidence of such negotiation includes the names, addresses, and telephone numbers of DBE companies that were considered; a description of the information provided regarding the plans and specifications for the work selected for subcontracting; and evidence as to why additional agreements could not be reached for DBE companies to perform the work.
    - b. A bidder using good business judgment would consider a number of factors in negotiating with subcontractors, including DBE subcontractors, and would take a firm's price and capabilities as well as contract goals into consideration. However, the fact that there may be some additional costs involved in finding and using DBE companies is not in itself sufficient reason for a bidder's failure to meet the contract DBE goal, as long as such costs are reasonable. Also, the ability or desire of a bidder to perform the work of a contract with its own organization does not relieve the bidder of the responsibility to make good faith efforts. Bidders are not, however, required to accept higher quotes from DBE companies if the price difference is excessive or unreasonable.
  - (5) Not rejecting DBE companies as being unqualified without sound reasons based on a thorough investigation of their capabilities. The bidder's standing within its industry, membership in specific groups, organizations, or associations and political or social affiliations (for example union vs. non-union employee status) are not legitimate causes for the rejection or non-solicitation of bids in the bidder's efforts to meet the project goal.

- (6) Making efforts to assist interested DBE companies in obtaining bonding, lines of credit, or insurance as required by the recipient or Contractor.
- (7) Making efforts to assist interested DBE companies in obtaining necessary equipment, supplies, materials, or related assistance or services.
- (8) Effectively using the services of available minority/women community organizations; minority/women contractors' groups; local, state, and federal minority/women business assistance offices; and other organizations as allowed on a case-by-case basis to provide assistance in the recruitment and placement of DBE companies.
- (b) If the Department determines that the apparent successful bidder has made a good faith effort to secure the work commitment of DBE companies to meet the contract goal, the Department will award the contract provided that it is otherwise eligible for award. If the Department determines that the bidder has failed to meet the requirements of this Special Provision or that a good faith effort has not been made, the Department will notify the responsible company official designated in the Utilization Plan that the bid is not responsive. The notification shall include a statement of reasons for the determination.
- (c) The bidder may request administrative reconsideration of a determination adverse to the bidder within the five working days after receipt of the notification date of the determination by delivering the request to the Department of Transportation, Bureau of Small Business Enterprises, Contract Compliance Section, 2300 South Dirksen Parkway, Room 319, Springfield, Illinois 62764 (Telefax: (217)785-1524). Deposit of the request in the United States mail on or before the fifth business day shall not be deemed delivery. The determination shall become final if a request is not made and delivered. A request may provide additional written documentation and/or argument concerning the issues raised in the determination statement of reasons, provided the documentation and arguments address efforts made prior to submitting the bid. The request will be forwarded to the Department's Reconsideration Officer. The Reconsideration Officer will extend an opportunity to the bidder to meet in person in order to consider all issues of documentation and whether the bidder made a good faith effort to meet the goal. After the review by the Reconsideration Officer, the bidder will be sent a written decision within ten working days after receipt of the request for reconsideration, explaining the basis for finding that the bidder did or did not meet the goal or make adequate good faith efforts to do so. A final decision by the Reconsideration Officer that a good faith effort was made shall approve the Utilization Plan submitted by the bidder and shall clear the contract for award. A final decision that a good faith effort was not made shall render the bid not responsive.

CALCULATING DBE PARTICIPATION. The Utilization Plan values represent work anticipated to be performed and paid for upon satisfactory completion. The Department is only able to count toward the achievement of the overall goal and the contract goal the value of payments made for the work actually performed by DBE companies. In addition, a DBE must perform a commercially useful function on the contract to be counted. A commercially useful function is generally performed when the DBE is responsible for the work and is carrying out its responsibilities by actually performing, managing, and supervising the work involved. The Department and Contractor are governed by the provisions of 49 CFR part 26.55(c) on questions of commercially useful functions as it affects the work. Specific counting guidelines are provided in 49 CFR part 26.55, the provisions of which govern over the summary contained herein.

- (a) DBE as the Contractor: 100 percent goal credit for that portion of the work performed by the DBE's own forces, including the cost of materials and supplies. Work that a DBE subcontracts to a non-DBE does not count toward the DBE goals.
- (b) DBE as a joint venture Contractor: 100 percent goal credit for that portion of the total dollar value of the contract equal to the distinct, clearly defined portion of the work performed by the DBE's own forces.
- (c) DBE as a subcontractor: 100 percent goal credit for the work of the subcontract performed by the DBE's own forces, including the cost of materials and supplies, excluding the purchase of materials and supplies or the lease of equipment by the DBE subcontractor from the prime Contractor or its affiliates. Work that a DBE subcontractor in turn subcontracts to a non-DBE does not count toward the DBE goal.
- (d) DBE as a trucker: 100 percent goal credit for trucking participation provided the DBE is responsible for the management and supervision of the entire trucking operation for which it is responsible. At least one truck owned, operated, licensed, and insured by the DBE must be used on the contact. Credit will be given for the following:
  - (1) The DBE may lease trucks from another DBE firm, including an owner-operator who is certified as a DBE. The DBE who leases trucks from another DBE receives credit for the total value of the transportation services the lessee DBE provides on the contract.
  - (2) The DBE may also lease trucks from a non-DBE firm, including from an owneroperator. The DBE who leases trucks from a non-DBE is entitled to credit only for the fee or commission it receives as a result of the lease arrangement.
- (e) DBE as a material supplier:
  - (1) 60 percent goal credit for the cost of the materials or supplies purchased from a DBE regular dealer.
  - (2) 100 percent goal credit for the cost of materials or supplies obtained from a DBE manufacturer.
  - (3) 100 percent credit for the value of reasonable fees and commissions for the procurement of materials and supplies if not a regular dealer or manufacturer.

CONTRACT COMPLIANCE. Compliance with this Special Provision is an essential part of the contract. The Department is prohibited by federal regulations from crediting the participation of a DBE included in the Utilization Plan toward either the contract goal or the Department's overall goal until the amount to be applied toward the goals has been paid to the DBE. The following administrative procedures and remedies govern the compliance by the Contractor with the contractual obligations established by the Utilization Plan. After approval of the Utilization Plan and award of the contract, the Utilization Plan and individual DBE Participation Statements become part of the contract. If the Contractor did not succeed in obtaining enough DBE participation to achieve the advertised contract goal, and the Utilization Plan was approved and contract awarded based upon a determination of good faith, the total dollar value of DBE work calculated in the approved Utilization Plan as a percentage of the awarded contract value shall become the amended contract goal.

(a) No amendment to the Utilization Plan may be made without prior written approval from the Department's Bureau of Small Business Enterprises.

All requests for amendment to the Utilization Plan shall be submitted to the Department of Transportation, Bureau of Small Business Enterprises, Contract Compliance Section, 2300 South Dirksen Parkway, Room 319, Springfield, Illinois 62764. Telephone number (217) 785-4611. Telefax number (217) 785-1524.

- (b) The Contractor must notify and obtain written approval from the Department's Bureau of Small Business Enterprises prior to replacing a DBE or making any change in the participation of a DBE. Approval for replacement will be granted only if it is demonstrated that the DBE is unable or unwilling to perform. The Contractor must make every good faith effort to find another certified DBE subcontractor to substitute for the original DBE. The good faith efforts shall be directed at finding another DBE to perform at least the same amount of work under the contract as the original DBE, to the extent needed to meet the contract goal.
- (c) Any deviation from the DBE condition-of-award or contract specifications must be approved, in writing, by the Department. The Contractor shall notify affected DBEs in writing of any changes in the scope of work which result in a reduction in the dollar amount condition-of-award to the contract.
- (d) In addition to the above requirements for reductions in the condition of award, additional requirements apply to the two cases of Contractor-initiated work substitution proposals. Where the contract allows alternate work methods which serve to delete or create underruns in condition of award DBE work, and the Contractor selects that alternate method or, where the Contractor proposes a substitute work method or material that serves to diminish or delete work committed to a DBE and replace it with other work, then the Contractor must demonstrate one of the following:
  - (1) That the replacement work will be performed by the same DBE (as long as the DBE is certified in the respective item of work) in a modification of the condition of award; or
  - (2) That the DBE is aware that its work will be deleted or will experience underruns and has agreed in writing to the change. If this occurs, the Contractor shall substitute other work of equivalent value to a certified DBE or provide documentation of good faith efforts to do so; or
  - (3) That the DBE is not capable of performing the replacement work or has declined to perform the work at a reasonably competitive price. If this occurs, the Contractor shall substitute other work of equivalent value to a certified DBE or provide documentation of good faith efforts to do so.
- (e) Where the revision includes work committed to a new DBE subcontractor, not previously involved in the project, then a Request for Approval of Subcontractor, Department form BC 260A, must be signed and submitted.
- (f) If the commitment of work is in the form of additional tasks assigned to an existing subcontract, than a new Request for Approval of Subcontractor shall not be required. However, the Contractor must document efforts to assure that the existing DBE subcontractor is capable of performing the additional work and has agreed in writing to the change.
- (g) All work indicated for performance by an approved DBE shall be performed, managed, and supervised by the DBE executing the Participation Statement.

The Contractor shall not terminate for convenience a DBE listed in the Utilization Plan and then perform the work of the terminated DBE with its own forces, those of an affiliate or those of another subcontractor, whether DBE or not, without first obtaining the written consent of the Bureau of Small Business Enterprises to amend the Utilization Plan. The Contractor shall notify the Bureau of Small Business Enterprises of any termination for reasons other than convenience, and shall obtain approval for inclusion of the substitute DBE in the Utilization Plan. If good faith efforts following a termination of a DBE for cause are not successful, the Contractor shall contact the Bureau of Small Business Enterprises and provide a full accounting of the efforts undertaken to obtain substitute DBE participation. The Bureau of Small Business Enterprises will evaluate the good faith efforts in light of all circumstances surrounding the performance status of the contract, and determine whether the contract goal should be amended.

- (h) The Contractor shall maintain a record of payments for work performed to the DBE participants. The records shall be made available to the Department for inspection upon request. After the performance of the final item of work or delivery of material by a DBE and final payment therefore to the DBE by the Contractor, but not later than thirty calendar days after payment has been made by the Department to the Contractor for such work or material, the Contractor shall submit a DBE Payment Agreement on Department form SBE 2115 to the Regional Engineer. If full and final payment has not been made to the DBE, the DBE Payment Agreement shall indicate whether a disagreement as to the payment required exists between the Contractor and the DBE or if the Contractor believes that the work has not been satisfactorily completed. If the Contractor does not have the full amount of work indicated in the Utilization Plan performed by the DBE companies indicated in the Utilization Plan and after good faith efforts are reviewed, the Department may deduct from contract payments to the Contractor the amount of the goal not achieved as liquidated and ascertained damages. The Contractor may request an administrative reconsideration of any amount deducted as damages pursuant to subsection (i) of this part.
- (i) The Department reserves the right to withhold payment to the Contractor to enforce the provisions of this Special Provision. Final payment shall not be made on the contract until such time as the Contractor submits sufficient documentation demonstrating achievement of the goal in accordance with this Special Provision or after liquidated damages have been determined and collected.
- (j) Notwithstanding any other provision of the contract, including but not limited to Article 109.09 of the Standard Specifications, the Contractor may request administrative reconsideration of a decision to deduct the amount of the goal not achieved as liquidated damages. A request to reconsider shall be delivered to the Contract Compliance Section and shall be handled and considered in the same manner as set forth in paragraph (c) of "Good Faith Effort Procedures" of this Special Provision, except a final decision that a good faith effort was not made during contract performance to achieve the goal agreed to in the Utilization Plan shall be the final administrative decision of the Department.

#### **EQUIPMENT RENTAL RATES (BDE)**

Effective: August 2, 2007 Revised: January 2, 2008

Replace the second and third paragraphs of Article 105.07(b)(4)a. of the Standard Specifications with the following:

"Equipment idled which cannot be used on other work, and which is authorized to standby on the project site by the Engineer, will be paid for according to Article 109.04(b)(4)."

Replace Article 109.04(b)(4) of the Standard Specifications with the following:

- "(4) Equipment. Equipment used for extra work shall be authorized by the Engineer. The equipment shall be specifically described, be of suitable size and capacity for the work to be performed, and be in good operating condition. For such equipment, the Contractor will be paid as follows.
  - a. Contractor Owned Equipment. Contractor owned equipment will be paid for by the hour using the applicable FHWA hourly rate from the "Equipment Watch Rental Rate Blue Book" (Blue Book) in effect when the force account work begins. The FHWA hourly rate is calculated as follows.

FHWA hourly rate = (monthly rate/176) x (model year adj.) x (Illinois adj.) + EOC

Where: EOC = Estimated Operating Costs per hour (from the Blue Book)

The time allowed will be the actual time the equipment is operating on the extra work. For the time required to move the equipment to and from the site of the extra work and any authorized idle (standby) time, payment will be made at the following hourly rate: 0.5 x (FHWA hourly rate - EOC).

All time allowed shall fall within the working hours authorized for the extra work.

The rates above include the cost of fuel, oil, lubrication, supplies, small tools, necessary attachments, repairs, overhaul and maintenance of any kind, depreciation, storage, overhead, profits, insurance, and all incidentals. The rates do not include labor.

The Contractor shall submit to the Engineer sufficient information for each piece of equipment and its attachments to enable the Engineer to determine the proper equipment category. If a rate is not established in the Blue Book for a particular piece of equipment, the Engineer will establish a rate for that piece of equipment that is consistent with its cost and use in the industry.

b. Rented Equipment. Whenever it is necessary for the Contractor to rent equipment to perform extra work, the rental and transportation costs of the equipment plus five percent for overhead will be paid. In no case shall the rental rates exceed those of established distributors or equipment rental agencies.

All prices shall be agreed to in writing before the equipment is used."

#### LIQUIDATED DAMAGES (BDE)

Effective: April 1, 2009 Revised: April 1, 2011

Revise the table in Article 108.09 of the Standard Specifications to read:

"Schedule of Deductions for Each Day of Overrun in Contract Time								
Original Contr	act Amount	Daily Charges						
From More Than	To and Including	Calendar Day	Work Day					
\$ 0	\$ 100,000	\$ 475	\$ 675					
100,000	500,000	750	1,050					
500,000	1,000,000	1,025	1,425					
1,000,000	3,000,000	1,275	1,725					
3,000,000	6,000,000	1,425	2,000					
6,000,000	12,000,000	2,300	3,450					
12,000,000	And over	5,800	8,125"					

# NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM / EROSION AND SEDIMENT CONTROL DEFICIENCY DEDUCTION (BDE)

Effective: April 1, 2007 Revised: November 1, 2009

Revise Article 105.03(a) of the Standard Specifications to read:

"(a) National Pollutant Discharge Elimination System (NPDES) / Erosion and Sediment Control Deficiency Deduction When the Engineer is notified or determines an erosion and/or sediment control deficiency(s) exists, or the Contractor's activities represents a violation of the Department's NPDES permits, the Engineer will notify and direct the Contractor to correct the deficiency within a specified time. The specified time, which begins upon notification to the Contractor, will be from 1/2 hour to 1 week based on the urgency of the situation and the nature of the work effort required. The Engineer will be the sole judge.

A deficiency may be any lack of repair, maintenance, or implementation of erosion and/or sediment control devices included in the contract, or any failure to comply with the conditions of the Department's NPDES permits. A deficiency may also be applied to situations where corrective action is not an option such as the failure to participate in a jobsite inspection of the project, failure to install required measures prior to initiating earth moving operations, disregard of concrete washout requirements, or other disregard of the NPDES permit.

If the Contractor fails to correct a deficiency within the specified time, a daily monetary deduction will be imposed for each calendar day or portion of a calendar day until the deficiency is corrected to the satisfaction of the Engineer. The calendar day(s) will begin with notification to the Contractor and end with the Engineer's acceptance of the correction. The base value of the daily monetary deduction is \$1000.00 and will be applied to each location for which a deficiency exists. The value of the deficiency deduction assessed for each infraction will be determined by multiplying the base value by a Gravity Adjustment Factor provided in Table A. Except for failure to participate in a required jobsite inspection of the project prior to initiating earthmoving operations which will be based on the total acreage of planned disturbance at the following multipliers: <5 Acres: 1; 5-10 Acres: 2; >10-25 Acres: 3; >25 Acres: 5. For those deficiencies where corrective action was not an option, the monetary deduction will be immediate and will be valued at one calendar day multiplied by a Gravity Adjustment Factor.

Table A Deficiency Deduction Gravity Adjustment Factors										
Types of Violations	Soil Disturbed and Not Permanently Stabilized At Time of Violation									
	< 5 Acres	5 - 10 Acres	>10 - 25 Acres	> 25 Acres						
Failure to Install or Properly Maintain BMP	0.1 - 0.5	0.2 - 1.0	0.5 - 2.5	1.0 - 5						
Careless Destruction of BMP	0.2 - 1	0.5 - 2.5	1.0 - 5.	1.0 - 5						
Intrusion into Protected Resource	1.0 - 5	1.0 - 5	2.0 - 10	2.0 - 10						
Failure to properly manage Chemicals, Concrete Washouts or Residuals, Litter or other Wastes	0.2 - 1	0.2 - 1	0.5 - 2.5	1.0 - 5						
Improper Vehicle and Equipment Maintenance, Fueling or Cleaning	0.1 - 0.5	0.2 - 1	0.2 - 1	0.5 - 2.5						
Failure to Provide or Update Written or Graphic Plans Required by SWPPP	0.2 - 1	0.5 - 2.5	1.0 - 5	1.0 - 5						
Failure to comply with Other Provisions of the NPDES Permit	0.1 - 0.5	0.2 - 1	0.2 - 1	0.5 - 2.5"						

# PAYMENTS TO SUBCONTRACTORS (BDE)

Effective: June 1, 2000 Revised: January 1, 2006

Federal regulations found at 49 CFR §26.29 mandate the Department to establish a contract clause to require Contractors to pay subcontractors for satisfactory performance of their subcontracts and to set the time for such payments.

State law also addresses the timing of payments to be made to subcontractors and material suppliers. Section 7 of the Prompt Payment Act, 30 ILCS 540/7, requires that when a Contractor receives any payment from the Department, the Contractor shall make corresponding, proportional payments to each subcontractor and material supplier performing work or supplying material within 15 calendar days after receipt of the Department payment. Section 7 of the Act further provides that interest in the amount of two percent per month, in addition to the payment due, shall be paid to any subcontractor or material supplier by the Contractor if the payment required by the Act is withheld or delayed without reasonable cause. The Act also provides that the time for payment required and the calculation of any interest due applies to transactions between subcontractors and lower-tier subcontractors and material suppliers throughout the contracting chain.

This Special Provision establishes the required federal contract clause, and adopts the 15 calendar day requirement of the State Prompt Payment Act for purposes of compliance with the federal regulation regarding payments to subcontractors. This contract is subject to the following payment obligations.

When progress payments are made to the Contractor according to Article 109.07 of the Standard Specifications, the Contractor shall make a corresponding payment to each subcontractor and material supplier in proportion to the work satisfactorily completed by each subcontractor and for the material supplied to perform any work of the contract. The proportionate amount of partial payment due to each subcontractor and material supplier throughout the contracting chain shall be determined by the quantities measured or otherwise determined as eligible for payment by the Department and included in the progress payment to the Contractor.

Subcontractors and material suppliers shall be paid by the Contractor within 15 calendar days after the receipt of payment from the Department. The Contractor shall not hold retainage from the subcontractors. These obligations shall also apply to any payments made by subcontractors and material suppliers to their subcontractors and material suppliers; and to all payments made to lower tier subcontractors and material suppliers throughout the contracting chain. Any payment or portion of a payment subject to this provision may only be withheld from the subcontractor or material supplier to whom it is due for reasonable cause.

This Special Provision does not create any rights in favor of any subcontractor or material supplier against the State or authorize any cause of action against the State on account of any payment, nonpayment, delayed payment, or interest claimed by application of the State Prompt Payment Act. The Department will not approve any delay or postponement of the 15 day requirement except for reasonable cause shown after notice and hearing pursuant to Section 7(b) of the State Prompt Payment Act. State law creates other and additional remedies available to any subcontractor or material supplier, regardless of tier, who has not been paid for work properly performed or material furnished. These remedies are a lien against public funds set forth in Section 23(c) of the Mechanics Lien Act, 770 ILCS 60/23(c), and a recovery on the Contractor's payment bond according to the Public Construction Bond Act, 30 ILCS 550.

## POST MOUNTING OF SIGNS (BDE)

Effective: January 1, 2011

Revise the second paragraph of Article 701.14 of the Standard Specifications to read:

"Post mounted signs shall be a breakaway design. The sign shall be within five degrees of vertical. Two posts shall be used for signs greater than 16 sq ft (1.5 sq m) in area or where the height between the sign and the ground exceeds 7 ft (2.1 m)."

### **SELECTION OF LABOR (BDE)**

Effective: July 2, 2010

Revise Section I of Check Sheet #5 of the Recurring Special Provisions to read:

### "I. SELECTION OF LABOR

The Contractor shall comply with all Illinois statutes pertaining to the selection of labor.

# EMPLOYMENT OF ILLINOIS WORKERS DURING PERIODS OF EXCESSIVE UNEMPLOYMENT

Whenever there is a period of excessive unemployment in Illinois, which is defined herein as any month immediately following two consecutive calendar months during which the level of unemployment in the State of Illinois has exceeded five percent as measured by the United States Bureau of Labor Statistics in its monthly publication of employment and unemployment figures, the Contractor shall employ at least 90 percent Illinois laborers. "Illinois laborer" means any person who has resided in Illinois for at least 30 days and intends to become or remain an Illinois resident.

Other laborers may be used when Illinois laborers as defined herein are not available, or are incapable of performing the particular type of work involved, if so certified by the Contractor and approved by the Engineer. The Contractor may place no more than three of his/her regularly employed non-resident executive and technical experts, who do not qualify as Illinois laborers, to do work encompassed by this contract during period of excessive unemployment.

This provision applies to all labor, whether skilled, semi-skilled, or unskilled, whether manual or non-manual."

### SUBCONTRACTOR MOBILIZATION PAYMENTS (BDE)

Effective: April 2, 2005 Revised: April 1, 2011

To account for the preparatory work and operations necessary for the movement of subcontractor personnel, equipment, supplies, and incidentals to the project site and for all other work or operations that must be performed or costs incurred when beginning work approved for subcontracting according to Article 108.01 of the Standard Specifications, the Contractor shall make a mobilization payment to each subcontractor.

This mobilization payment shall be made at least 14 days prior to the subcontractor starting work. The amount paid shall be equal to 3 percent of the amount of the subcontract reported on form BC 260A submitted for the approval of the subcontractor's work.

The mobilization payment to the subcontractor is an advance payment of the reported amount of the subcontract and is not a payment in addition to the amount of the subcontract; therefore, the amount of the advance payment will be deducted from future progress payments.

This provision shall be incorporated directly or by reference into each subcontract approved by the Department.

### **UTILITY COORDINATION AND CONFLICTS (BDE)**

Effective: April 1, 2011

Revise Article 105.07 of the Standard Specifications to read:

"105.07 Cooperation with Utilities. The Department reserves the right at any time to allow work by utilities on or near the work covered by the contract. The Contractor shall conduct his/her work so as not to interfere with or hinder the progress or completion of the work being performed by utilities. The Contractor shall also arrange the work and shall place and dispose of the materials being used so as not to interfere with the operations of utility work in the area.

The Contractor shall cooperate with the owners of utilities in their removal and rearrangement operations so work may progress in a reasonable manner, duplication or rearrangement of work may be reduced to a minimum, and services rendered by those parties will not be unnecessarily interrupted.

The Contractor shall coordinate with any planned utility adjustment or new installation and the Contractor shall take all precautions to prevent disturbance or damage to utility facilities. Any failure on the part of the utility owner, or their representative, to proceed with any planned utility adjustment or new installation shall be reported promptly by the Contractor to the Engineer."

Revise the first sentence of the last paragraph of Article 107.19 of the Standard Specifications to read:

"When the Contractor encounters unexpected regulated substances due to the presence of utilities in unanticipated locations, the provisions of Article 107.40 shall apply; otherwise, if the Engineer does not direct a resumption of operations, the provisions of Article 108.07 shall apply."

Revise Article107.31 of the Standard Specification to read:

### "107.31 Reserved."

Add the following four Articles to Section 107 of the Standard Specifications:

"107.37 Locations of Utilities within the Project Limits. All known utilities existing within the limits of construction are either indicated on the plans or visible above ground. For the purpose of this Article, the limits of proposed construction are defined as follows:

- (a) Limits of Proposed Construction for Utilities Paralleling the Roadway.
  - (1) The horizontal limits shall be a vertical plane, outside of, parallel to, and 2 ft (600 mm) distant at right angles from the plan or revised slope limits.
    - In cases where the limits of excavation for structures are not shown on the plans, the horizontal limits shall be a vertical plane 4 ft (1.2 m) outside the edges of structure footings or the structure where no footings are required.
  - (2) The upper vertical limits shall be the regulations governing the roadbed clearance for the specific utility involved.
  - (3) The lower vertical limits shall be either the top of the utility at the depth below the proposed grade as prescribed by the governing agency or the limits of excavation, whichever is less.
- (b) Limits of Proposed Construction for Utilities Crossing the Roadway in a Generally Transverse Direction.
  - (1) Utilities crossing excavations for structures that are normally made by trenching such as sewers, underdrains, etc. and all minor structures such as manholes, inlets, foundations for signs, foundations for traffic signals, etc., the limits shall be the space to be occupied by the proposed permanent construction, unless otherwise required by the regulations governing the specific utility involved.
  - (2) For utilities crossing the proposed site of major structures such as bridges, sign trusses, etc., the limits shall be as defined above for utilities extending in the same general direction as the roadway.

It is understood and agreed that the Contractor has considered in the bid all of the permanent and temporary utilities in their present and/or adjusted positions as indicated in the contract. It is further understood the actual location of the utilities may be located anywhere within the tolerances provided in 220 ILCS 50/2.8 or Administrative Code Title 92 Part 530.40(c), and the proximity of some utilities to construction may require extraordinary measures by the Contractor to protect those utilities.

No additional compensation will be allowed for any delays, inconveniences, or damages sustained by the Contractor due to the presence of or any claimed interference from known utility facilities or any adjustment of them, except as specifically provided in the contract.

**107.38 Adjustments of Utilities within the Project Limits.** The adjustment of utilities consists of the relocation, removal, replacement, rearrangements, reconstruction, improvement, disconnection, connection, shifting, new installation, or altering of an existing utility facility in any manner.

Utilities which are to be adjusted shall be adjusted by the utility owner or the owner's representative or by the Contractor as a contract item. Generally, arrangements for adjusting known utilities will be made by the Department prior to project construction; however, utilities will not necessarily be adjusted in advance of project construction and, in some cases, utilities will not be removed from the proposed construction limits as described in Article 107.37. When utility adjustments must be performed in conjunction with construction, the utility adjustment work will be indicated in the contract.

The Contractor may make arrangements for adjustment of utilities indicated in the contract, but not scheduled by the Department for adjustment, provided the Contractor furnishes the Department with a signed agreement with the utility owner covering the adjustments to be made. The cost of any such adjustments shall be the responsibility of the Contractor.

107.39 Contractor's Responsibility for Locating and Protecting Utility Property and Services. At points where the Contractor's operations are adjacent to properties or facilities of utility companies, or are adjacent to other property, damage to which might result in considerable expense, loss, or inconvenience, work shall not be commenced until all arrangements necessary for the protection thereof have been made.

Within the State of Illinois, a State-Wide One Call Notice System has been established for notifying utilities. Outside the city limits of the City of Chicago, the system is known as the Joint Utility Locating Information for Excavators (JULIE) System. Within the city limits of the City of Chicago the system is known as DIGGER. All utility companies and municipalities which have buried utility facilities in the State of Illinois are a part of this system.

The Contractor shall call JULIE (800-892-0123) or DIGGER (312-744-7000), a minimum of 48 hours in advance of work being done in the area, and they will notify all member utility companies involved their respective utility should be located.

For utilities which are not members of JULIE or DIGGER, the Contractor shall contact the owners directly. The plan general notes will indicate which utilities are not members of JULIE or DIGGER.

The following table indicates the color of markings required of the State-Wide One Call Notification System.

Utility Service	Color
Electric Power, Distribution and Transmission	Safety Red
Municipal Electric Systems	Safety Red
Gas Distribution and Transmission	High Visibility Safety Yellow
Oil Distribution and Transmission	High Visibility Safety Yellow
Telephone and Telegraph System	Safety Alert Orange
Community Antenna Television Systems	Safety Alert Orange
Water Systems	Safety Precaution Blue
Sewer Systems	Safety Green
Non-Potable Water and Slurry Lines	Safety Purple
Temporary Survey	Safety Pink
Proposed Excavation	Safety White (Black when snow is on the ground)

The State-Wide One Call Notification System will provide for horizontal locations of utilities. When it is determined that the vertical location of the utility is necessary to facilitate construction, the Engineer may make the request for location from the utility after receipt of notice from the Contractor. If the utility owner does not field locate their facilities to the satisfaction of the Engineer, the Engineer will authorize the Contractor in writing to proceed to locate the facilities in the most economical and reasonable manner, subject to the approval of the Engineer, and be paid according to Article 109.04.

The Contractor shall be responsible for maintaining the excavations or markers provided by the utility owners.

The Contractor shall take all necessary precautions for the protection of the utility facilities. The Contractor shall be responsible for any damage or destruction of utility facilities resulting from neglect, misconduct, or omission in the Contractor's manner or method of execution or nonexecution of the work, or caused by defective work or the use of unsatisfactory materials. Whenever any damage or destruction of a utility facility occurs as a result of work performed by the Contractor, the utility company will be immediately notified. The utility company will make arrangements to restore such facility to a condition equal to that existing before any such damage or destruction was done.

In the event of interruption of utility services as a result of accidental breakage or as a result of being exposed or unsupported, the Contractor shall promptly notify the proper authority and shall cooperate with the said authority in the restoration of service. If water service is interrupted, repair work shall be continuous until the service is restored. No work shall be undertaken around fire hydrants until provisions for continued service have been approved by the local fire authority.

**107.40 Conflicts with Utilities.** Except as provided hereinafter, the discovery of a utility in an unanticipated location will be evaluated according to Article 104.03. It is understood and agreed that the Contractor has considered in the bid all facilities not meeting the definition of a utility in an unanticipated location and no additional compensation will be allowed for any delays, inconveniences, or damages sustained by the Contractor due to the presence of or any claimed interference from such facilities.

When the Contractor discovers a utility in an unanticipated location, the Contractor shall not interfere with said utility, shall take proper precautions to prevent damage or interruption of the utility, and shall promptly notify the Engineer of the nature and location of said utility.

- (a) Definition. A utility in an unanticipated location is defined as an active or inactive utility, which is either:
  - (1) Located underground and (a) not shown in any way in any location on the contract documents; (b) not identified in writing by the Department to the Contractor prior to the letting; or (c) not located relative to the location shown in the contract within the tolerances provided in 220 ILCS 50/2.8 or Administrative Code Title 92 Part 530.40(c); or
  - (2) Located above ground or underground and not relocated as provided in the contract.

Service connections shall not be considered to be utilities in unanticipated locations.

- (b) Compensation. Compensation will not be allowed for delays, inconveniences, or damages sustained by the Contractor from conflicts with facilities not meeting the above definition; or if a conflict with a utility in an unanticipated location does not cause a shutdown of the work applicable to the utility or a documentable reduction in the rate of progress exceeding the limits set herein. The provisions of Article 104.03 notwithstanding, compensation for delays caused by a utility in an unanticipated location will be paid according to the provisions of this Article governing minor and major delays or reduced rate of production which are defined as follows:
  - (1) Minor Delay. A minor delay occurs when the Contractor's operation is completely stopped by a utility in an unanticipated location for more than two hours, but not to exceed three weeks.
  - (2) Major Delay. A major delay occurs when the Contractor's operation is completely stopped by a utility in an unanticipated location for more than three weeks.
  - (3) Reduced Rate of Production Delay. A reduced rate of production delay occurs when the contractor's rate of production decreases by more than 25 percent and lasts longer than seven days.
- (c) Payment. Payment for Minor, Major and Reduced Rate of Production Delays will be made as follows.
  - (1) Minor Delay. Labor idled which cannot be used on other work will be paid for according to Article 109.04(b)(1) and (2) for the time between start of the delay and the minimum remaining hours in the work shift required by the prevailing practice in the area.

Equipment idled which cannot be used on other work will be paid for according to Article 109.04(b)(4). The length of time paid for will be the time between start of delay and eight hours working time from start of shift being worked.

For delays exceeding the initial shift, excluding Saturdays, Sundays, and holidays, Contractor-owned equipment idled by the delay which cannot be used on other work and remaining at the work site, will be paid at one-half the rate permitted in Article 109.04(b)(4) using a maximum eight hours per day for computation purposes.

Equipment rented from an independent source will be paid at rates being paid by the Contractor plus move-in move-out costs, but the total amount paid will not exceed three weeks rental.

(2) Major Delay. Labor will be the same as for a minor delay.

Equipment will be the same as for a minor delay, except Contractor-owned equipment will be limited to three weeks plus the cost of move-out to either the Contractor's yard or another job, whichever is less. Rental equipment may be paid for longer than three weeks provided the Contractor presents adequate support to the Department (including lease agreement) to show retaining equipment on the job is the most economical course to follow and in the public interest.

(3) Reduced Rate of Production Delay. The Contractor will be compensated for the reduced productivity for labor and equipment time in excess of the 25 percent threshold for that portion of the delay in excess of seven days. Determination of compensation will be in accordance with Article 104.02, except labor and material additives will not be permitted.

Whether covered by (1), (2) or (3) above, additional traffic control required as a result of the operation(s) delayed will be paid for according to Article 109.04 for the total length of the delay.

If the delay is clearly shown to have caused work, which would have otherwise been completed, to be done after material or labor costs have increased, such increases may be paid. Payment for materials will be limited to increased cost substantiated by documentation furnished by the Contractor. Payment for increased labor rates will include those items in Article 109.04(b)(1) and (2), except the 35 percent and ten percent additives will not be permitted. On a working day contract, a delay occurring between November 30 and May 1, when work has not started, will not be considered as eligible for payment of measured labor and material costs.

Project overhead (not including interest) will be allowed when all progress on the contract has been delayed, and will be calculated as 15 percent of the delay claim.

(d) Other Obligations of Contractor. Upon payment of a claim under this provision, the Contractor shall assign subrogation rights to the Department for the Department's efforts of recovery from any other party for monies paid by the Department as a result of any claim under this Provision. The Contractor shall fully cooperate with the Department in its efforts to recover from another party any money paid to the Contractor for delay damages under this Provision."

# WORKING DAYS (BDE)

Effective: January 1, 2002

The Contractor shall complete the work within **15** working days.

## ILLINOIS DEPARTMENT OF LABOR

# PREVAILING WAGES FOR ST. CLAIR COUNTY EFFECTIVE APRIL 2011

The Prevailing rates of wages are included in the Contract proposals which are subject to Check Sheet #5 of the Supplemental Specifications and Recurring Special Provisions. The rates have been ascertained and certified by the Illinois Department of Labor for the locality in which the work is to be performed and for each craft or type of work or mechanic needed to execute the work of the Contract. As required by Prevailing Wage Act (820 ILCS 130/0.01, et seq.) and Check Sheet #5 of the Contract, not less than the rates of wages ascertained by the Illinois Department of Labor and as revised during the performance of a Contract shall be paid to all laborers, workers and mechanics performing work under the Contract. Post the scale of wages in a prominent and easily accessible place at the site of work.

If the Illinois Department of Labor revises the prevailing rates of wages to be paid as listed in the specification of rates, the contractor shall post the revised rates of wages and shall pay not less than the revised rates of wages. Current wage rate information shall be obtained by visiting the Illinois Department of Labor web site at <a href="http://www.state.il.us/agency/idol/">http://www.state.il.us/agency/idol/</a> or by calling 312-793-2814. It is the responsibility of the contractor to review the rates applicable to the work of the contract at regular intervals in order to insure the timely payment of current rates. Provision of this information to the contractor by means of the Illinois Department of Labor web site satisfies the notification of revisions by the Department to the contractor pursuant to the Act, and the contractor agrees that no additional notice is required. The contractor shall notify each of its subcontractors of the revised rates of wages.

# **Saint Clair County Prevailing Wage for April 2011**

Trade Name	RG	TYP	С	Base	FRMAN	*M-F>8	OSA	OSH	H/W	Pensn	Vac
Trng	==	===	=	=====	=====	=====	===	===	====	====	=====
===== AGDEGEOG ADE GEN		DI D		27 000	20 200	1 -	1 -	2 0	F 2F0	0 050	0 000
ASBESTOS ABT-GEN 0.800		BLD		27.800	28.300	1.5	1.5	2.0	5.350	9.850	0.000
ASBESTOS ABT-MEC		BLD		28.710	29.710	1.5	1.5	2.0	6.400	2.500	0.000
0.000 BOILERMAKER 0.350		BLD		31.500	34.000	1.5	1.5	2.0	6.820	11.43	1.500
BRICK MASON		BLD		28.290	30.110	1.5	1.5	2.0	7.250	9.430	2.000
CARPENTER		ALL		33.230	34.730	1.5	1.5	2.0	6.050	5.750	0.000
0.350 CEMENT MASON 0.200		ALL		30.250	31.250	1.5	1.5	2.0	8.000	10.35	0.000
CERAMIC TILE FNSHER 0.440		BLD		25.390	0.000	1.5	1.5	2.0	5.650	5.110	0.000
ELECTRIC PWR EQMT OP		ALL		34.000	0.000	1.5	2.0	2.0	5.170	9.520	0.000
0.260 ELECTRIC PWR GRNDMAN		ALL		25.380	0.000	1.5	2.0	2.0	3.860	7.110	0.000
0.190 ELECTRIC PWR LINEMAN		ALL		39.090	40.980	1.5	2.0	2.0	5.940	10.95	0.000
0.290 ELECTRIC PWR TRK DRV		ALL		27.750	0.000	1.5	2.0	2.0	4.220	7.770	0.000
0.210 ELECTRICIAN 0.540		ALL		36.300	38.480	1.5	1.5	2.0	6.720	7.440	0.000
ELECTRONIC SYS TECH		BLD		29.920	31.670	1.5	1.5	2.0	3.200	7.400	0.000
ELEVATOR CONSTRUCTOR 0.000		BLD		42.195	47.470	2.0	2.0	2.0	10.53	10.71	2.530
FLOOR LAYER		BLD		28.930	29.680	1.5	1.5	2.0	6.050	5.750	0.000
0.350 GLAZIER		BLD		31.680	0.000	2.0	2.0	2.0	9.020	10.30	2.540
0.310 HT/FROST INSULATOR		BLD		36.260	37.260	1.5	1.5	2.0	7.150	10.46	0.000
0.500 IRON WORKER		ALL		30.350	32.350	1.5	1.5	2.0	6.360	11.85	0.000
0.420 LABORER	N	ALL		27.300	27.800	1.5	1.5	2.0	5.350	9.850	0.000
0.800 LABORER	S	ALL		25.650	26 150	1 5	1 5	2 0	E 1E0	11.40	0 000
0.800	B	АПП									
MACHINIST 0.000		BLD		43.160	45.160	1.5	1.5	2.0	7.640	8.700	0.000
MARBLE FINISHERS		BLD		25.390	0.000	1.5	1.5	2.0	5.650	5.110	0.000
MARBLE MASON 0.500		BLD		28.290	30.110	1.5	1.5	2.0	7.250	9.430	2.000
MILLWRIGHT		ALL		33.230	34.730	1.5	1.5	2.0	6.050	5.750	0.000
OPERATING ENGINEER		BLD	1	32.000	35.000	1.5	1.5	2.0	8.050	15.50	0.000
OPERATING ENGINEER		BLD	2	30.870	35.000	1.5	1.5	2.0	8.050	15.50	0.000
OPERATING ENGINEER		BLD	3	26.390	35.000	1.5	1.5	2.0	8.050	15.50	0.000
1.000 OPERATING ENGINEER		BLD	4	26.450	35.000	1.5	1.5	2.0	8.050	15.50	0.000

1.000	DID E 26 120	35.000 1.5	1.5 2.0 8.050 15.50 0.000
OPERATING ENGINEER 1.000	BLD 5 20.120	35.000 1.5	1.5 2.0 8.050 15.50 0.000
OPERATING ENGINEER	BLD 6 32.550	35.000 1.5	1.5 2.0 8.050 15.50 0.000
1.000			
OPERATING ENGINEER	BLD 7 32.850	35.000 1.5	1.5 2.0 8.050 15.50 0.000
1.000	0 00 100	25 000 1 5	1 5 0 0 0 050 15 50 0 000
OPERATING ENGINEER 1.000	BLD 8 33.130	35.000 1.5	1.5 2.0 8.050 15.50 0.000
OPERATING ENGINEER	BLD 9 34.000	35 000 1 5	1.5 2.0 8.050 15.50 0.000
1.000	שם אין אין אין אין	33.000 1.3	1.5 2.0 0.050 15.50 0.000
OPERATING ENGINEER	HWY 1 30.500	33.500 1.5	1.5 2.0 8.050 15.50 0.000
1.000			
OPERATING ENGINEER	HWY 2 29.370	33.500 1.5	1.5 2.0 8.050 15.50 0.000
1.000	HWY 3 24.890	22 500 1 5	1.5 2.0 8.050 15.50 0.000
OPERATING ENGINEER 1.000	HWY 3 24.890	33.500 1.5	1.5 2.0 8.050 15.50 0.000
OPERATING ENGINEER	HWY 4 24.950	33.500 1.5	1.5 2.0 8.050 15.50 0.000
1.000			
OPERATING ENGINEER	HWY 5 24.620	33.500 1.5	1.5 2.0 8.050 15.50 0.000
1.000	6 21 050	22 500 1 5	1 5 0 0 0 050 15 50 0 000
OPERATING ENGINEER 1.000	HWY 6 31.050	33.500 1.5	1.5 2.0 8.050 15.50 0.000
OPERATING ENGINEER	HWY 7 31.350	33.500 1.5	1.5 2.0 8.050 15.50 0.000
1.000			
OPERATING ENGINEER	HWY 8 31.630	33.500 1.5	1.5 2.0 8.050 15.50 0.000
1.000	0 20 500	22 500 1 5	1 5 0 0 0 050 15 50 0 000
OPERATING ENGINEER 1.000	HWY 9 32.500	33.500 1.5	1.5 2.0 8.050 15.50 0.000
PAINTER	BLD 29.250	30.750 1.5	1.5 2.0 4.950 7.920 0.000
0.550			
PAINTER	HWY 30.450	31.950 1.5	1.5 2.0 4.950 7.920 0.000
0.550	DID 20 0E0	21 750 1 5	1 5 2 2 4 252 7 222 2 222
PAINTER OVER 30FT 0.550	BLD 30.250	31.750 1.5	1.5 2.0 4.950 7.920 0.000
PAINTER PWR EQMT	BLD 30.250	31.750 1.5	1.5 2.0 4.950 7.920 0.000
0.550			
PAINTER PWR EQMT	HWY 31.450	32.950 1.5	1.5 2.0 4.950 7.920 0.000
0.550	377 22 020	24 520 1 5	1 5 0 0 6 050 5 750 0 000
PILEDRIVER 0.350	ALL 33.230	34.730 1.5	1.5 2.0 6.050 5.750 0.000
	BLD 33.350	35.350 1.5	1.5 2.0 6.440 7.750 0.000
0.600			
	BLD 34.500	37.000 1.5	1.5 2.0 7.200 5.300 0.000
0.575	DID 30 0E0	21 250 1 5	1.5 2.0 8.000 8.250 0.000
PLASTERER 0.050	BLD 30.250	31.250 1.5	1.5 2.0 8.000 8.250 0.000
	BLD 34.650	37.150 1.5	1.5 2.0 5.900 6.100 0.000
0.400			
	BLD 34.500	37.000 1.5	1.5 2.0 7.200 5.300 0.000
0.575 ROOFER	DID 20 6E0	30.650 1.5	1.5 2.0 7.650 6.650 0.000
0.200	BLD 28.650	30.030 1.3	1.5 2.0 7.850 8.850 0.000
SHEETMETAL WORKER	ALL 31.390	32.890 1.5	1.5 2.0 6.430 6.490 1.890
0.360			
SPRINKLER FITTER	BLD 37.230	40.230 2.0	2.0 2.0 8.050 9.700 0.000
0.850	DID 21 040	0 000 1 5	1 5 2 0 5 650 1 040 0 000
TERRAZZO FINISHER 0.070	BLD 31.240	0.000 1.5	1.5 2.0 5.650 1.940 0.000
TERRAZZO MASON	BLD 32.530	32.830 1.5	1.5 2.0 5.650 4.980 0.000
0.070			
TRUCK DRIVER	ALL 1 29.600	0.000 1.5	1.5 2.0 9.050 4.500 0.000

0.250											
TRUCK 0.250	DRIVER	ALL :	2	30.020	0.000	1.5	1.5	2.0	9.050	4.500	0.000
	DRIVER	ALL :	3	30.230	0.000	1.5	1.5	2.0	9.050	4.500	0.000
0.250											
	DRIVER	ALL	4	30.490	0.000	1.5	1.5	2.0	9.050	4.500	0.000
0.250											
TRUCK	DRIVER	ALL !	5	31.280	0.000	1.5	1.5	2.0	9.050	4.500	0.000
0.250											
TRUCK	DRIVER	0&C	1	23.680	0.000	1.5	1.5	2.0	9.050	4.500	0.000
0.250											
TRUCK	DRIVER	0&C	2	24.020	0.000	1.5	1.5	2.0	9.050	4.500	0.000
0.250											
TRUCK	DRIVER	0&C	3	24.180	0.000	1.5	1.5	2.0	9.050	4.500	0.000
0.250											
TRUCK	DRIVER	0&C	4	24.390	0.000	1.5	1.5	2.0	9.050	4.500	0.000
0.250											
TRUCK	DRIVER	O&C	5	25.020	0.000	1.5	1.5	2.0	9.050	4.500	0.000
0.250											

### Legend:

M-F>8 (Overtime is required for any hour greater than 8 worked each day, Monday through Friday.

OSA (Overtime is required for every hour worked on Saturday)

OSH (Overtime is required for every hour worked on Sunday and Holidays)

H/W (Health & Welfare Insurance)

Pensn (Pension)

Vac (Vacation)

Trng (Training)

# **Explanations**

ST. CLAIR COUNTY

LABORERS (NORTH) - The area bounded by Route 159 to a point south of Fairview Heights and west-southwest to Route 3 at Monroe County line.

PLUMBERS & PIPEFITTERS (SOUTHEAST) - That part of the county bordered by Rt. 50 on the North and West including Belleville.

PLUMBERS (NORTHWEST) - Towns of Aloraton, Brooklyn, Cahokia, Caseyville, Centreville, Dupo, East Carondelet, E. St. Louis, Fairview Heights, French Village, National City, O'Fallon, Sauget, and Washington Park.

The following list is considered as those days for which holiday rates of wages for work performed apply: New Years Day, Memorial Day, Fourth of July, Labor Day, Thanksgiving Day, Christmas Day and Veterans Day in some classifications/counties. Generally, any of these holidays which fall on a Sunday is celebrated on the following Monday. This then makes work performed on that Monday payable at the appropriate overtime rate for holiday pay. Common practice in a given

local may alter certain days of celebration. If in doubt, please check with IDOL.

Oil and chip resealing (O&C) means the application of road oils and liquid asphalt to coat an existing road surface, followed by application of aggregate chips or gravel to coated surface, and subsequent rolling of material to seal the surface.

#### EXPLANATION OF CLASSES

ASBESTOS - GENERAL - removal of asbestos material/mold and hazardous materials from any place in a building, including mechanical systems where those mechanical systems are to be removed. This includes the removal of asbestos materials/mold and hazardous materials from ductwork or pipes in a building when the building is to be demolished at the time or at some close future date.

ASBESTOS - MECHANICAL - removal of asbestos material from mechanical systems, such as pipes, ducts, and boilers, where the mechanical systems are to remain.

### CERAMIC TILE FINISHER AND MARBLE FINISHER

The handling, at the building site, of all sand, cement, tile, marble or stone and all other materials that may be used and installed by [a] tile layer or marble mason. In addition, the grouting, cleaning, sealing, and mixing on the job site, and all other work as required in assisting the setter. The term "Ceramic" is used for naming the classification only and is in no way a limitation of the product handled. Ceramic takes into consideration most hard tiles.

### ELECTRONIC SYSTEMS TECHNICIAN

Installation, service and maintenance of low-voltage systems which utilizes the transmission and/or transference of voice, sound, vision, or digital for commercial, education, security and entertainment purposes for the following: TV monitoring and surveillance, background/foreground music, intercom and telephone interconnect, field programming, inventory control systems, microwave transmission, multi-media, multiplex, radio page, school, intercom and sound burglar alarms and low voltage master clock systems.

Excluded from this classification are energy management systems, life safety systems, supervisory controls and data acquisition systems not intrinsic with the above listed systems, fire alarm systems, nurse call systems and raceways exceeding fifteen feet in length.

### OPERATING ENGINEER - BUILDING

GROUP I. Cranes, Dragline, Shovels, Skimmer Scoops, Clamshells or Derrick Boats, Pile Drivers, Crane-Type Backhoes, Asphalt Plant Operators, Concrete Plant Operators, Dredges, Asphalt Spreading Machines, All Locomotives, Cable Ways or Tower Machines, Hoists, Hydraulic Backhoes, Ditching Machines or Backfiller, Cherrypickers, Overhead Cranes, Roller - Steam or Gas, Concrete Pavers, Excavators, Concrete Breakers, Concrete Pumps, Bulk Cement Plants, Cement Pumps, Derrick-Type Drills, Boat Operators, Motor Graders or Pushcats, Scoops or Tournapulls, Bulldozers, Endloaders or Fork Lifts, Power Blade or Elevating Graders, Winch Cats, Boom or Winch Trucks or Boom Tractors, Pipe Wrapping or Painting Machines, Asphalt Plant Engineer, Journeyman Lubricating Engineer, Drills (other than Derrick Type), Mud Jacks, or

Well Drilling Machines, Boring Machines or Track Jacks, Mixers, Conveyors (Two), Air Compressors (Two), Water Pumps regardless of size (Two), Welding Machines (Two), Siphons or Jets (Two), Winch Heads or Apparatuses (Two), Light Plants (Two), All Tractors regardless of size (straight tractor only), Fireman on Stationary Boilers, Automatic Elevators, Form Grading Machines, Finishing Machines, Power Sub-Grader or Ribbon Machines, Longitudinal Floats, Distributor Operators on Trucks, Winch Heads or Apparatuses (One), Mobil Track air and heaters (two to five), Heavy Equipment Greaser, Relief Operator, Assistant Master Mechanic and Heavy Duty Mechanic, self-propelled concrete saws of all types and sizes with their attachments, gob-hoppers, excavators all sizes, the repair and greasing of all diesel hammers, the operation and set-up of bidwells, water blasters of all sizes and their clutches, hydraulic jacks where used for hoisting, operation of log skidders, iceolators used on and off of pipeline, condor cranes, bow boats, survey boats, bobcats and all their attachments, skid steer loaders and all their attachments, creter cranes, batch plants, operator (all sizes), self propelled roto mills, operation of conveyor systems of any size and any configuration, operation, repair and service of all vibratory hammers, all power pacs and their controls regardless of location, curtains or brush burning machines, stump cutter machines, Nail launchers when mounted on a machine or self-propelled, operation of con-cover machines, and all Operators except those listed below).

#### GROUP II. Assistant Operators.

GROUP III. Air Compressors (One), Water Pumps, regardless of Size (One), Waterblasters (one), Welding Machine (One), Mixers (One Bag), Conveyor (One), Siphon or Jet (One), Light Plant (One), Heater (One), Immobile Track Air (One), and Self Propelled Walk-Behind Rollers.

GROUP IV. Asphalt Spreader Oilers, Fireman on Whirlies and Heavy Equipment Oilers, Truck Cranes, Dredges, Monigans, Large Cranes - (Over 65-ton rated capacity) Concrete Plant Oiler, Blacktop Plant Oiler, and Creter Crane Oiler (when required).

GROUP V. Oiler.

GROUP VI. Operators on equipment with Booms, including jibs, 100 feet and over, and less than 150 feet long.

GROUP VII. Operators on equipment with Booms, including jibs, 150 feet and over, and less than 200 feet long.

GROUP VIII. Operators on Equipment with Booms, including jibs, 200 feet and over; Tower Cranes; and Whirlie Cranes.

GROUP IX. Master Mechanic

OPERATING ENGINEERS - Highway

GROUP I. Cranes, Dragline, Shovels, Skimmer Scoops, Clamshells or Derrick Boats, Pile Drivers, Crane-Type Backhoes, Asphalt Plant Operators, Concrete Plant Operators, Dredges, Asphalt Spreading Machines, All Locomotives, Cable Ways or Tower Machines, Hoists, Hydraulic Backhoes, Ditching Machines or Backfiller, Cherrypickers, Overhead Cranes, Roller - Steam or Gas, Concrete Pavers, Excavators, Concrete Breakers, Concrete Pumps, Bulk Cement Plants, Cement Pumps, Derrick-Type Drills, Boat Operators, Motor Graders or Pushcats, Scoops or Tournapulls, Bulldozers, Endloaders or Fork Lifts, Power Blade or Elevating Graders, Winch Cats, Boom or Winch Trucks or Boom Tractors,

Pipe Wrapping or Painting Machines, Asphalt Plant Engineer, Journeyman Lubricating Engineer, Drills (other than Derrick Type), Mud Jacks, Well Drilling Machines, Boring Machines, Track Jacks, Mixers, Conveyors (Two), Air Compressors (Two), Water Pumps regardless of size (Two), Welding Machines (Two), Siphons or Jets (Two), Winch Heads or Apparatuses (Two), Light Plants (Two), All Tractors regardless of size (straight tractor only), Fireman on Stationary Boilers, Automatic Elevators, Form Grading Machines, Finishing Machines, Power Sub-Grader or Ribbon Machines, Longitudinal Floats, Distributor Operators on Trucks, Winch Heads or Apparatuses (One), Mobil Track air and heaters (two to five), Heavy Equipment Greaser, Relief Operator, Assistant Master Mechanic and Heavy Duty Mechanic, self-propelled concrete saws of all types and sizes with their attachments, gob-hoppers, excavators all sizes, the repair and greasing of all diesel hammers, the operation and set-up of bidwells, water blasters of all sizes and their clutches, hydraulic jacks where used for hoisting, operation of log skidders, iceolators used on and off of pipeline, condor cranes, bow boats, survey boats, bobcats and all their attachments, skid steer loaders and all their attachments, creter cranes, batch plants, operator (all sizes), self propelled roto mills, operation of conveyor systems of any size and any configuration, operation, repair and service of all vibratory hammers, all power pacs and their controls regardless of location, curtains or brush burning machines, stump cutter machines, Nail launchers when mounted on a machine or self-propelled, operation of con-cover machines, and all Operators (except those listed below).

GROUP II. Assistant Operators.

GROUP III. Air Compressors (One), Water Pumps, regardless of Size (One), Waterblasters (one), Welding Machine (One), Mixers (One Bag), Conveyor (One), Siphon or Jet (One), Light Plant (One), Heater (One), Immobile Track Air (One), and Self Propelled Walk-Behind Rollers.

GROUP IV. Asphalt Spreader Oilers, Fireman on Whirlies and Heavy Equipment Oilers, Truck Cranes, Dredges, Monigans, Large Cranes - (Over 65-ton rated capacity) Concrete Plant Oiler, Blacktop Plant Oiler, and Creter Crane Oiler (when required).

GROUP V. Oiler.

GROUP VI. Operators on equipment with Booms, including jibs, 100 feet and over, and less than 150 feet long.

GROUP VII. Operators on equipment with Booms, including jibs, 150 feet and over, and less than 200 feet long.

GROUP VIII. Operators on Equipment with Booms, including jibs, 200 feet and over; Tower Cranes; and Whirlie Cranes.

GROUP IX. Mechanic

TRUCK DRIVER - BUILDING, HEAVY AND HIGHWAY CONSTRUCTION Class 1. Drivers on 2 axle trucks hauling less than 9 ton. Air compressor and welding machines and brooms, including those pulled by separate units, truck driver helpers, warehouse employees, mechanic helpers, greasers and tiremen, pickup trucks when hauling materials, tools, or workers to and from and on-the-job site, and fork lifts up to 6,000 lb. capacity.

Class 2. Two or three axle trucks hauling more than 9 ton but hauling less than 16 ton. A-frame winch trucks, hydrolift trucks, vactor trucks or similar equipment when used for transportation purposes. Fork lifts over 6,000 lb. capacity, winch trucks, four axle combination units, and ticket writers.

Class 3. Two, three or four axle trucks hauling 16 ton or more. Drivers on water pulls, articulated dump trucks, mechanics and working forepersons, and dispatchers. Five axle or more combination units.

Class 4. Low Boy and Oil Distributors.

Class 5. Drivers who require special protective clothing while employed on hazardous waste work.

TRUCK DRIVER - OIL AND CHIP RESEALING ONLY.

This shall encompass laborers, workers and mechanics who drive contractor or subcontractor owned, leased, or hired pickup, dump, service, or oil distributor trucks. The work includes transporting materials and equipment (including but not limited to, oils, aggregate supplies, parts, machinery and tools) to or from the job site; distributing oil or liquid asphalt and aggregate; stock piling material when in connection with the actual oil and chip contract. The Truck Driver (Oil & Chip Resealing) wage classification does not include supplier delivered materials.

#### TERRAZZO FINISHER

The handling of all materials used for Mosaic and Terrazzo work including preparing, mixing by hand, by mixing machine or transporting of pre-mixed materials and distributing with shovel, rake, hoe, or pail, all kinds of concrete foundations necessary for Mosaic and Terrazzo work, all cement terrazzo, magnesite terrazzo, Do-O-Tex terrazzo, epoxy matrix ter-razzo, exposed aggregate, rustic or rough washed for exterior or interior of buildings placed either by machine or by hand, and any other kind of mixture of plastics composed of chips or granules when mixed with cement, rubber, neoprene, vinyl, magnesium chloride or any other resinous or chemical substances used for seamless flooring systems, and all other building materials, all similar materials and all precast terrazzo work on jobs, all scratch coat used for Mosaic and Terrazzo work and sub-bed, tar paper and wire mesh (2x2 etc.) or lath. The rubbing, grinding, cleaning and finishing of same either by hand or by machine or by terrazzo resurfacing equipment on new or existing floors. When necessary finishers shall be allowed to assist the mechanics to spread sand bed, lay tarpaper and wire mesh (2x2 etc.) or lath. The finishing of cement floors where additional aggregate of stone is added by spreading or sprinkling on top of the finished base, and troweled or rolled into the finish and then the surface is ground by grinding machines.

### Other Classifications of Work:

For definitions of classifications not otherwise set out, the Department generally has on file such definitions which are available. If a task to be performed is not subject to one of the classifications of pay set out, the Department will upon being contacted state which neighboring county has such a classification and provide such rate, such rate being deemed to exist by reference in

this document. If no neighboring county rate applies to the task, the Department shall undertake a special determination, such special determination being then deemed to have existed under this determination. If a project requires these, or any classification not listed, please contact IDOL at 217-782-1710 for wage rates or clarifications.

### LANDSCAPING

Landscaping work falls under the existing classifications for laborer, operating engineer and truck driver. The work performed by landscape plantsman and landscape laborer is covered by the existing classification of laborer. The work performed by landscape operators (regardless of equipment used or its size) is covered by the classifications of operating engineer. The work performed by landscape truck drivers (regardless of size of truck driven) is covered by the classifications of truck driver.