STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

UTILITY COMPANY INFORMATION

NOTES

- 1. ALL ELECTRICAL SERVICE SUPPLIED SHALL BE:
 60 HERTZ ALTERNATING CURRENT
 1 PHASE 120/240 VOLT,
 3 WIRE,
 100 AMP OR 200 AMP (AS SPECIFIED)
- 2. DETAILS OF POWER SERVICE SHALL BE COORDINATED WITH THE ILLINOIS DOT CONTACT AND THE UTILITY COMPANY.
- 3. THE CONTRACTOR SHALL MAKE EACH DMS AVAILABLE TO THE IOWA DOT FOR TESTING 48 HOURS AFTER INSTALLING THE DMS ON ITS SUPPORT STRUCTURE THUS, THE FINAL POWER CONNECTIONS SHALL BE COMPLETED WITHIN 48 HOURS OF INSTALLING THE DMS.
- 4. THE FINAL SERVICE CONNECTIONS BY THE UTILITY COMPANY SHALL BE COMPLETED PRIOR TO INSTALLING THE DMS.
- 5. THE CONTRACTOR SHALL NOTIFY THE UTILITY COMPANY 60 DAYS PRIOR TO THE DATE POWER SERVICE IS REQUIRED AT A SITE. AT THE TIME OF NOTIFICATION, THE CONTRACTOR SHALL HAVE COMPLETED ALL WORK REQUIRED BY THE UTILITY COMPANY IN ORDER TO MAKE FINAL SERVICE CONNECTIONS, AND SHALL MAKE THE SITE AVAILABLE TO INSPECTION BY THE UTILITY COMPANY.
- 6. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROTECTING UTILITY PROPERTY DURING CONSTRUCTION OPERATIONS AS OUTLINED IN ARTICLE 107.31 OF THE STANDARD SPECIFICATIONS. A MINIMUM OF 48 HOURS ADVANCE NOTICE IS REQUIRED FOR NON-EMERGENCY WORK. THE JULIE NUMBER IS 800-892-0123. THE TABLE ON THIS SHEET PROVIDES UTILITIES LOCATED WITHIN THE PROJECT LIMITS OR IMMEDIATELY ADJACENT TO THE PROJECT CONSTRUCTION LIMITS. UTILITIES THAT ARE NOT MEMBERS OF JULIE SHOULD BE NOTIFIED BY THE CONTRACTOR.
- 7. ALL UTILITIES SHALL BE LOCATED IN FIELD. ILLINOIS STATE LAW REQUIRES A 48-HOUR NOTICE BE GIVEN TO UTILITIES BEFORE DIGGING. FIELD MARKINGS OF FACILITIES MAY BE OBTAINED BY PROVIDING A MINIMUM OF 96-HOURS ADVANCE NOTICE TO THE RESIDENT ENGINEER SO THAT THE UTILITY COMPANIES CAN BE NOTIFIED.

UTILITY COMPANY INFORMATION							
NAME OF UTILITY	CONTACT	TELEPHONE	JULIE MEMBER				
AT&T DISTRIBUTION	N/A	630-573-5450	YES 800-892-0123				
CONSOLIDATED UTILITY SERVICES	N/A	N/A	YES 800-892-0123				
IOWA HEALTH SYSTEMS	OSP ENGINEERING GROUP	319-364-3200	YES 800-892-0123				
MIDAMERICAN ENERGY	SCOTT BULL	309-793-3870	YES 800-892-0123				
CITY OF MOLINE	TONY LOETE	309-787-0489	YES 800-892-0123				
QUEST COMMUNICATIONS	KIM JORDAN	800-283-4237	YES 800-892-0123				
MEDIACOM	DENNIS JARDING TERRY PETERSON	309-743-4750 309-944-0139	YES 800-892-0123				
IL DOT ELECTRIC FACILITIES	KYLE LORENZ	815-284-5469	NO				



DESIGNED S. POSKA	2010
CHECKED - G. STUEMPFIG	EXAMINED
DRAWN - M. BRESSLER	ENGINEER OF BRIDGE DESIGN PASSED
CHECKED - G. STUEMPFIG	ENGINEER OF BRIDGES AND STRUCTURES

SHEET NO. 5 SHEETS 23	F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.			
	74+280	D2.IT MESSAGE SIGN	ROCK ISLAND	2_3	5			
		CONTRACT NO. 64F86						
		TILL TNOTS FED. A	AID PROJECT (C-92-061-1	0			