

SOIL REPORT AVAILABILITY

All soils data collected and processed for the Soils Report made in conjunction with the design of this improvement is on file at the District Office where it is available for the inspection of Contractors or prospective bidders. By submitting a bid, the Contractor acknowledges that the Soils Report has been made available and is aware of the report contents and appendices.

UTILITIES – LOCATIONS /INFORMATION ON PLANS

The locations of existing water mains, gas mains, sewers, electric power lines, telephone lines and other utilities as shown on the plans are based on careful field investigation and the best information available, but they are not guaranteed. Unless elevations are shown — all utility locations shown on the cross sections are based on the approximate depth supplied by the utility company. It shall be the Contractor's responsibility to ascertain their exact location from the utility companies and by field inspection.

CLEARING

At locations where clearing is indicated on the plans beyond the limits of the proposed excavation or embankment, the Contractor shall restore the disturbed earth by blading and shaping to blend with the adjacent ground. The clearing will not be paid for separately but shall be included in the cost of excavation pay items in the plans. Payment for reseeding or resodding will be as provided in the plans.

EXISTING DRAINAGE PIPES CONNECTED TO NEW STRUCTURES

In accordance with Section 602 of the Standard Specifications, the connecting of existing drain tiles, pipe culverts, or storm sewers to the proposed drainage system structures will not be paid for separately but shall be considered as included in the pay items provided.

EARTHWORK QUANTITIES (TYPICAL SECTIONS VS CROSS SECTIONS)

The earthwork quantities shown on the plans have been computed to agree with the details as shown on the typical sections and not to the limits shown on the cross sections.

ORDERING LENGTH CONFIRMATION – DRAINAGE ITEMS

The Contractor shall consult with the Engineer in regard to the exact length of the box/pipe culverts, storm sewers, and/or pipe drains required prior to ordering these items.

ENGINEERS FIELD OFFICE

Add the following sentence to the end of paragraph 670.02 (i) and 670.04 (e):
All of the telephone lines provided shall have unpublished numbers.

TEMPORARY BENCHMARK INFORMATION

Temporary Benchmark #1:

Apex R.O.W. marker, N. side of IL 17, 40' LT. Sta 1079 + 00

Temporary Benchmark #2:

Chiseled "X" ζ top of 15" Dia. CMP, N. side of IL 17, W. side of F.E., Sta 1089 + 64 +/-

FILE NAME * D468704-ah-t-plenudgn	USER NAME * Iongsr	DESIGNED - ---	REVISED - ---	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	COMMITMENTS/GENERAL NOTES/JOB SPECIFIC NOTES	F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	PLOT SCALE = 40.0000' / IN.	CHECKED - ---	REVISED - ---			639	D4 CULVERT REPAIR	MERCER	33	2
	PLOT DATE = 4/8/2010	DATE - ---	REVISED - ---			CONTRACT NO. 68929			ILLINOIS FED. AID PROJECT	
	SCALE: -----		SHEET NO. 1 OF 1 SHEETS			STA. ----- TO STA. -----				