

PAVEMENT MARKING SCHEDULE											
LOCATION			SEGMENT LENGTH	TYPE	PAINT PAVEMENT MARKING SOLID WHITE LINE, 5"	PAINT PAVEMENT MARKING SOLID YELLOW LINE LEFT, 5"	PAINT PAVEMENT MARKING SOLID YELLOW LINE RIGHT, 5"	PAINT PAVEMENT MARKING DASHED YELLOW CENTER LINE, 10' / 30' 5"	THERMOPLASTIC PAVEMENT MARKING LINE 5"	SHORT TERM PAVEMENT MARKING YELLOW, 5" (3 APPLICATIONS)	WORK ZONE PAVEMENT MARKING REMOVAL
STATION	TO	STATION	FOOT	(PZ/NPZ) (LT/RT/BOTH)	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	SQ. FT.
630+70.00	-	633+00.00	230	NPZ	460	230	230			60	8.3
633+00.00	-	639+50.00	650	PZ / RT	1300	650		160		180	25.0
639+50.00	-	640+50.00	100	NPZ	200	100	100			24	3.3
640+50.00	-	649+50.00	900	PZ / LT	1800		900	230		240	33.3
649+50.00	-	701+00.00	5150	NPZ	10300	5150	5150			1404	195.0
701+00.00	-	712+50.00	1150	PZ / RT	2300	1150		290		312	43.3
712+50.00	-	713+50.00	100	NPZ	200	100	100			24	3.3
713+50.00	-	717+50.00	400	PZ / LT	800		400	100		108	15.0
717+50.00	-	721+00.00	350	PZ / BOTH	700			90		96	13.3
721+00.00	-	726+00.00	500	PZ / RT	1000	500		130		132	18.3
726+00.00	-	737+00.00	1100	PZ / BOTH	2200			280		300	41.7
737+00.00	-	744+00.00	700	PZ / RT	1400	700		180		192	26.7
744+00.00	-	744+50.00	50	NPZ	100	50	50			12	1.7
744+50.00	-	751+00.00	650	PZ / LT	1300		650	160		180	25.0
751+00.00	-	762+50.00	1150	NPZ	2300	1150	1150			312	43.3
762+50.00	-	770+50.00	800	PZ / LT	1600		800	200		216	30.0
770+50.00	-	771+50.00	100	NPZ	200	100	100			24	3.3
771+50.00	-	781+00.00	950	PZ / RT	1900	950		240		264	36.7
781+00.00	-	839+00.00	5800	PZ / BOTH	11600			1450		1584	220.0
839+00.00	-	856+00.00	1700	PZ / BOTH	3400			430	4058	468	65.0
856+00.00	-	858+50.00	250	PZ / LT	500		250	60	379	72	10.0
858+50.00	-	875+50.00	1700	NPZ	3400	1700	1700			468	65.0
TOTALS =					48960	12530	11580	4000	4437	6672	927

REFLECTOR SCHEDULE							
LOCATION			LENGTH	RAISED REFLECTIVE PAVEMENT MARKER	RAISED REFLECTIVE PAVEMENT MARKER REMOVAL	GUARDRAIL MARKERS, TYPE A	REMARKS
STATION	TO	STATION	FEET	EACH	EACH	EACH	
630+70.00	-	633+09.00	239.00	3	3		
633+09.00	-	635+83.00	274.00	4	4		
635+83.00	-	638+71.00	288.00	4	4		
638+71.00	-	643+03.00	432.00	6	6		
643+03.00	-	649+22.00	619.00	8	8		
649+22.00	-	662+92.86	1370.86	18	18	16	GUARDRAIL MARKERS @ 40' SPACING
STATION EQUATION							
662+92.86 BK	-	662+46.40 AH					
662+46.40	-	710+66.00	4819.60	61	61	21	GUARDRAIL MARKERS @ 40' SPACING
710+66.00	-	716+69.00	603.00	8	8		
716+69.00	-	747+73.00	3104.00	39	39		
747+73.00	-	752+02.00	429.00	6	6		
752+02.00	-	765+91.00	1389.00	18	18		
765+91.00	-	775+06.00	915.00	12	12		
775+06.00	-	829+11.00	5405.00	68	68		
829+11.00	-	839+67.00	1056.00	14	14		
839+67.00	-	855+44.40	1577.40	20	20		
STATION EQUATION							
855+44.40 BK	-	855+50.00 AH					
855+50.00	-	857+00.00	150.00	2	2		
857+00.00	-	872+00.00	1500.00	38	38		MARKERS @ 40' SPACING AROUND CURVE
872+00.00	-	875+50.00	350.00	5	5		
TOTAL =				334	334	37	

GUTTER SCHEDULE									
LOCATION			LENGTH	GUTTER REMOVAL	CONCRETE GUTTER, TYPE A	GUTTER OUTLET REMOVAL	GUTTER OUTLET	PIPE UNDERDRAIN, 4"	CONCRETE HEADWALL FOR PIPE DRAIN
STATION	TO	STATION	FEET	FEET	FEET	EACH	EACH	FEET	EACH
RT 766+00.00	-		12			1	1		
857+00.00	-	874+80.00	1780	1780	1780		3	1800	3
TOTAL =				1780	1780	1	4	1800	3

CULVERT IMPROVEMENT SCHEDULE			
LOCATION	STRUCTURE NUMBER	STONE DUMPED RIPRAP CLASS A4	FILTER FABRIC
STATION		TON	SQ YD
640+30.00	001-7085	20	17
709+40.00	001-7086	26	22
763+90.00	001-7088	26	22
TOTAL =		72	61