

ENTRANCE IMPROVEMENT SCHEDULE FOR RURAL / URBAN "PPP" PROJECTS																				
LOCATION	TYPE OF ENTRANCE	EX MATERIAL TYPE	WIDTH (Mainline)	RT OFFSET	LT OFFSET	LENGTH (FROM EDGE OF PVT / BIT SHLD TO LIMITS OF IMPROVEMENT)	PR BIT. CONCRETE THICKNESS	BIT. SURF. REM. -BUTT JOINT	P. C. C. SURF. REM. -BUTT JOINT	PREP OF BASE	AGG. BASE REPAIR	AGG. SURF. CSE. TY-B	BIT (P. C.)	AGG (P. C.)	INCIDENTAL BIT. SURF.	Left Wedge Width	Right Wedge Width	Area	AGG WEDGE AVG. THICKNESS	AGG WEDGE Length
			FOOT	FOOT	FOOT	FOOT	INCH	SQ. YD.	SQ. YD.	SQ. YD.	TON	TON	TON	TON	TON	FT	FT	SQ YD	INCH	FOOT
STA 533+83.14	LT	PE/RURAL	AGG	20.0		8.0	1.5	31.1				0.7	0.1	0.1	2.6	15.0	15.0	31.1	0.75	7.0
STA 547+46.73	LT	SD RD/RURAL	AGG	30.0		10.0	1.5	50.0					0.1	0.1	4.2	15.0	15.0	50.0		
STA 547+46.73	RT	SD RD/RURAL	AGG	30.0		10.0	1.5	50.0					0.1	0.1	4.2	15.0	15.0	50.0		
STA 571+84.74	LT	PE/RURAL	BIT	20.0		8.0	1.5	31.1				0.7	0.1	0.1	2.6	15.0	15.0	31.1	0.75	7.0
STA 573+95.94	LT	PE/RURAL	BIT	20.0		8.0	1.5	31.1				0.7	0.1	0.1	2.6	15.0	15.0	31.1	0.75	7.0
STA 577+12.74	LT	PE/RURAL	BIT	20.0		8.0	1.5	31.1					0.1	0.1	2.6	15.0	15.0	31.1		
STA 580+29.54	LT	CE/RURAL	AGG	30.0		10.0	1.5	50.0					0.1	0.1	4.2	15.0	15.0	50.0		
STA 585+57.54	LT	CE/RURAL	BIT	40.0		10.0	1.5	61.1				0.9	0.1	0.2	5.1	15.0	15.0	61.1	0.75	5.0
STA 589+27.14	LT	CE/W-CONNECTOR	BIT	40.0		10.0	1.5	61.1					0.1	0.2	5.1	15.0	15.0	61.1		
STA 602+47.14	LT	CE/E-CONNECTOR	BIT	40.0		10.0	1.5	61.1				0.9	0.1	0.2	5.1	15.0	15.0	61.1	0.75	5.0
STA 602+47.14	RT	SD RD/RURAL	BIT	40.0		10.0	1.5	61.1				0.9	0.1	0.2	5.1	15.0	15.0	61.1	0.75	5.0
STA 609 86.34	RT	SD RD/RURAL	BIT	75.0		10.0	1.5	100.0				1.8	0.1	0.2	8.4	15.0	15.0	100.0	0.75	5.0
STA 615+67.14		END OF JOB						0.0				0.0	0.0	0.0	0.0	15.0	15.0	0.0	0.75	
								0.0					0.0	0.0	0.0	15.0	15.0	0.0		
SUB-TOTAL =								618.9	0.0			6.6	1.2	1.7	52.0			618.9		
TOTALS =								2606.7	50.0			22.4	6.7	7.3	223.2			2656.7		