

|          |                                      |       |
|----------|--------------------------------------|-------|
| 44200164 | PAVEMENT PATCHING, TYPE I, 14 INCH   | SQ YD |
| 44200168 | PAVEMENT PATCHING, TYPE II, 14 INCH  | SQ YD |
| 44200172 | PAVEMENT PATCHING, TYPE III, 14 INCH | SQ YD |
| 44200174 | PAVEMENT PATCHING, TYPE IV, 14 INCH  | SQ YD |
| 44200537 | CLASS A PATCHES, TYPE I, 9 INCH      | SQ YD |
| 44200541 | CLASS A PATCHES, TYPE II, 9 INCH     | SQ YD |
| 44200545 | CLASS A PATCHES, TYPE III, 9 INCH    | SQ YD |
| 44200547 | CLASS A PATCHES, TYPE IV, 9 INCH     | SQ YD |
| 44213000 | PATCHING REINFORCEMENT               | SQ YD |
| 44213200 | SAW CUTS                             | FOOT  |

| LOCATION                              | DIRECTION | STATION | DRIVING LANE  |              |              |              | PASSING LANE  |              |              |              | CLASS A                |                          | PAVEMENT PATCHING      |                          | DEPTH (IN) | SAW CUTS (FOOT) | REMARKS |  |
|---------------------------------------|-----------|---------|---------------|--------------|--------------|--------------|---------------|--------------|--------------|--------------|------------------------|--------------------------|------------------------|--------------------------|------------|-----------------|---------|--|
|                                       |           |         | LENGTH (FOOT) | WIDTH (FOOT) | AREA (SQ FT) | AREA (SQ YD) | LENGTH (FOOT) | WIDTH (FOOT) | AREA (SQ FT) | AREA (SQ YD) | Ty II (SQ YD) (5 - 15) | Ty III (SQ YD) (15 - 25) | Ty II (SQ YD) (5 - 15) | Ty III (SQ YD) (15 - 25) |            |                 |         |  |
| ML                                    | WB        | 38+57   | 5             | 12           | 60.0         | 6.7          | 5             | 12           | 60.0         | 6.7          | -                      | -                        | 13.3                   | -                        | 14.5       |                 |         |  |
| ML                                    | WB        | 38+57   | 5             | 16           | 80.0         | 8.9          |               |              |              |              | -                      | -                        | 8.9                    | -                        | 14.5       |                 |         |  |
| STATION EQ. 66+50.58BK = 49+55.50AH   |           |         |               |              |              |              |               |              |              |              |                        |                          |                        |                          |            |                 |         |  |
| ML                                    | WB        | 52+42   | 5             | 12           | 60.0         | 6.7          | 5             | 12           | 60.0         | 6.7          | -                      | -                        | 13.3                   | -                        | 14.5       |                 |         |  |
| ML                                    | WB        | 72+50   |               |              |              |              | 5             | 12           | 60.0         | 6.7          | 6.7                    | -                        | -                      | -                        | -          | 9.5             | 58      |  |
| STATION EQ. 113+89.34BK = 114+08.37AH |           |         |               |              |              |              |               |              |              |              |                        |                          |                        |                          |            |                 |         |  |
| ML                                    | WB        | 146+22  | 10            | 12           | 120.0        | 13.3         | 10            | 12           | 120.0        | 13.3         | -                      | -                        | 26.7                   | -                        | 14         |                 |         |  |
| ML                                    | WB        | 183+97  | 5             | 12           | 60.0         | 6.7          | 5             | 12           | 60.0         | 6.7          | -                      | -                        | 13.3                   | -                        | 14         |                 |         |  |
| ML                                    | WB        | 196+92  | 6             | 12           | 72.0         | 8.0          | 6             | 12           | 72.0         | 8.0          | -                      | -                        | 16.0                   | -                        | 14         |                 |         |  |
| ML                                    | WB        | 203+42  | 5             | 12           | 60.0         | 6.7          |               |              |              |              | -                      | -                        | 6.7                    | -                        | 14         |                 |         |  |
| STATION EQ. 209+59.65BK = 209+44.28AH |           |         |               |              |              |              |               |              |              |              |                        |                          |                        |                          |            |                 |         |  |
| ML                                    | WB        | 211+76  | 5             | 12           | 60.0         | 6.7          | 5             | 12           | 60.0         | 6.7          | -                      | -                        | 13.3                   | -                        | 14.25      |                 |         |  |
| ML                                    | WB        | 213+41  | 5             | 12           | 60.0         | 6.7          |               |              |              |              | -                      | -                        | 6.7                    | -                        | 14.25      |                 |         |  |
| ML                                    | WB        | 213+81  | 5             | 12           | 60.0         | 6.7          | 5             | 12           | 60.0         | 6.7          | -                      | -                        | 13.3                   | -                        | 14.25      |                 |         |  |
| ML                                    | WB        | 216+01  | 5             | 12           | 60.0         | 6.7          | 5             | 12           | 60.0         | 6.7          | -                      | -                        | 13.3                   | -                        | 14.25      |                 |         |  |
| ML                                    | WB        | 216+26  | 5             | 12           | 60.0         | 6.7          | 5             | 12           | 60.0         | 6.7          | -                      | -                        | 13.3                   | -                        | 14.25      |                 |         |  |
| ML                                    | WB        | 218+21  | 6             | 12           | 72.0         | 8.0          | 6             | 12           | 72.0         | 8.0          | -                      | -                        | 16.0                   | -                        | 14.25      |                 |         |  |
| ML                                    | WB        | 218+66  | 5             | 12           | 60.0         | 6.7          | 5             | 12           | 60.0         | 6.7          | -                      | -                        | 13.3                   | -                        | 14.25      |                 |         |  |
| ML                                    | WB        | 221+06  | 5             | 12           | 60.0         | 6.7          | 5             | 12           | 60.0         | 6.7          | -                      | -                        | 13.3                   | -                        | 14.25      |                 |         |  |
| ML                                    | WB        | 223+31  | 5             | 12           | 60.0         | 6.7          | 5             | 12           | 60.0         | 6.7          | -                      | -                        | 13.3                   | -                        | 14         |                 |         |  |
| ML                                    | WB        | 225+71  | 12            | 12           | 144.0        | 16.0         | 12            | 12           | 144.0        | 16.0         | -                      | -                        | -                      | 32.0                     | 14         |                 |         |  |
| STATION EQ. 234+98.40BK = 00+00.00AH  |           |         |               |              |              |              |               |              |              |              |                        |                          |                        |                          |            |                 |         |  |
| ML                                    | WB        | 1+18    | 5             | 12           | 60.0         | 6.7          | 5             | 12           | 60.0         | 6.7          | -                      | -                        | 13.3                   | -                        | 13.75      |                 |         |  |
| ML                                    | WB        | 1+38    | 5             | 12           | 60.0         | 6.7          | 5             | 12           | 60.0         | 6.7          | -                      | -                        | 13.3                   | -                        | 13.75      |                 |         |  |
| ML                                    | WB        | 1+98    | 5             | 12           | 60.0         | 6.7          | 5             | 12           | 60.0         | 6.7          | -                      | -                        | 13.3                   | -                        | 13.75      |                 |         |  |
| TOTAL                                 |           |         |               |              |              |              |               |              |              |              | 6.7                    | 0.0                      | 254.2                  | 32.0                     |            | 58              |         |  |

CLASS A, TY I PATCH, PATCHING REINFORCEMENT & SAW CUTS (CONTINGENCY = 50 SQ. YDS.. & 555 FT.)  
CLASS A, TY IV PATCH, PATCHING REINFORCEMENT & SAW CUTS (CONTINGENCY = 100 SQ. YDS.. & 342 FT. )  
PAVEMENT PATCHING, TY I (CONTINGENCY = 50 SQ. YDS..)  
PAVEMENT PATCHING, TY IV (CONTINGENCY = 100 SQ. YDS..)  
NOTE: ALL TY I AND TY IV PATCHES ARE SUBJECT TO THE DISCRETION OF THE RESIDENT ENGINEER

ML = MAINLINE  
EB = EASTBOUND  
WB = WESTBOUND