

64200105		SHOULDER RUMBLE STRIP (OUTSIDE SHOULDER)					FOOT	
LOCATION	DIRECTION	STATION	TO	STATION	LENGTH (FOOT)	WIDTH (INCHES)	REMARKS	
ML	EB	23+77.	TO	26+15.	238.0	16	OUTSIDE SHOULDER	
ML	EB	28+75.	TO	38+27.	952.0	16	OUTSIDE SHOULDER	
ML	EB	44+58.	TO	50+55.	597.0	16	OUTSIDE SHOULDER	
ML	EB	61+02.	TO	66+50.	548.0	16	OUTSIDE SHOULDER	
STATION EQUATION 66+5-.58 BK = 49+55.50AH								
ML	EB	49+55.5	TO	58+53.	897.5	16	OUTSIDE SHOULDER	
BRIDGE OMISSION 58+53.40 TO 61+75.40								
ML	EB	63+08.	TO	78+02.	1,494.0	16	OUTSIDE SHOULDER	
ML	EB	79+35.	TO	80+10.	75.0	16	OUTSIDE SHOULDER	
ML	EB	81+50.	TO	86+65.	515.0	16	OUTSIDE SHOULDER	
ML	EB	93+65.	TO	113+89.34	2,024.3	16	OUTSIDE SHOULDER	
STATION EQUATION 113+89.34 BK = 114+08.37 AH								
ML	EB	114+08.37	TO	123+25.	916.6	16	OUTSIDE SHOULDER	
ML	EB	125+00.	TO	154+93.	2,993.0	16	OUTSIDE SHOULDER	
BRIDGE OMISSION 154+93.37 TO 159+22.65								
ML	EB	159+23.	TO	195+75.	3,652.0	16	OUTSIDE SHOULDER	

SHOULDER RUMBLE STRIP (INSIDE SHOULDER)							
LOCATION	DIRECTION	STATION	TO	STATION	LENGTH (FOOT)	WIDTH (INCHES)	REMARKS
ML	EB	27+61.	TO	55+25.	2,764.0	8	INSIDE SHOULDER
ML	EB	61+10.	TO	66+50.58	540.6	8	INSIDE SHOULDER
STATION EQUATION 66+5-.58 BK = 49+55.50AH							
ML	EB	49+55.5	TO	58+53.	897.5	8	INSIDE SHOULDER
BRIDGE OMISSION 58+53.40 TO 61+75.40							
ML	EB	61+75.	TO	62+37.	62.0	8	INSIDE SHOULDER
ML	EB	62+85.	TO	73+00.	1,015.0	8	INSIDE SHOULDER
ML	EB	78+95.	TO	92+07.	1,312.0	8	INSIDE SHOULDER
ML	EB	93+11.	TO	99+71.	660.0	8	INSIDE SHOULDER
ML	EB	103+50.	TO	113+89.34	1,039.3	8	INSIDE SHOULDER
STATION EQUATION 113+89.34 BK = 114+08.37 AH							
ML	EB	114+08.37	TO	124+25.	1,016.6	8	INSIDE SHOULDER
ML	EB	124+72.	TO	149+02.	2,430.0	8	INSIDE SHOULDER
ML	EB	149+42.	TO	154+93.37	551.4	8	INSIDE SHOULDER
BRIDGE OMISSION 154+93.37 TO 159+22.65							
ML	EB	159+22.65	TO	165+53.	630.4	8	INSIDE SHOULDER
ML	EB	169+62.	TO	195+95.	2,633.0	8	INSIDE SHOULDER
TOTAL					30,454.2		

ML = MAINLINE
EB = EASTBOUND
WB = WESTBOUND

64200105		SHOULDER RUMBLE STRIP (OUTSIDE SHOULDER)					FOOT	
LOCATION	DIRECTION	STATION	TO	STATION	LENGTH (FOOT)	WIDTH (INCHES)	REMARKS	
ML	WB	31+18.	TO	35+75.	457.0	16	OUTSIDE SHOULDER	
ML	WB	41+97.	TO	49+30.	733.0	16	OUTSIDE SHOULDER	
ML	WB	52+38.	TO	59+65.	727.0	16	OUTSIDE SHOULDER	
STATION EQUATION 66+50.58 BK = 49+55.50AH								
ML	WB	49+55.5	TO	58+50.	894.5	16	OUTSIDE SHOULDER	
BRIDGE OMISSION 58+50.90 TO 61+75.96								
ML	WB	63+00.	TO	77+26.	1,426.0	16	OUTSIDE SHOULDER	
ML	WB	84+15.	TO	102+50.	1,835.0	16	OUTSIDE SHOULDER	
ML	WB	103+90.	TO	113+89.34	999.3	16	OUTSIDE SHOULDER	
STATION EQUATION 113+89.34 BK = 114+08.37 AH								
ML	WB	114+08.37	TO	123+60.	951.6	16	OUTSIDE SHOULDER	
ML	WB	114+08.37	TO	123+60.	951.6	16	OUTSIDE SHOULDER	
ML	WB	125+15.	TO	148+45.	2,330.0	16	OUTSIDE SHOULDER	
ML	WB	150+00.	TO	154+96.28	496.3	16	OUTSIDE SHOULDER	
BRIDGE OMISSION 154+96.28 TO 159+21.26								
ML	WB	154+97.	TO	168+78.	1,381.0	16	OUTSIDE SHOULDER	
ML	WB	170+12.	TO	195+35.	2,523.0	16	OUTSIDE SHOULDER	
ML	WB	154+97.	TO	168+78.	1,381.0	16	OUTSIDE SHOULDER	

SHOULDER RUMBLE STRIP (INSIDE SHOULDER)							
LOCATION	DIRECTION	STATION	TO	STATION	LENGTH (FOOT)	WIDTH (INCHES)	REMARKS
ML	WB	27+61.	TO	60+03.	3,242.0	8	INSIDE SHOULDER
ML	WB	64+72.	TO	66+50.58	178.6	8	INSIDE SHOULDER
STATION EQUATION 66+50.58 BK = 49+55.50AH							
ML	WB	49+55.5	TO	58+50.	894.5	8	INSIDE SHOULDER
BRIDGE OMISSION 58+50.90 TO 61+75.96							
ML	WB	61+75.	TO	62+39.	64.0	8	INSIDE SHOULDER
ML	WB	66+45.	TO	77+72.	1,127.0	8	INSIDE SHOULDER
ML	WB	81+85.	TO	91+98.	1,013.0	8	INSIDE SHOULDER
ML	WB	98+11.	TO	103+16.	505.0	8	INSIDE SHOULDER
ML	WB	103+54.	TO	113+89.34	1,035.3	8	INSIDE SHOULDER
STATION EQUATION 113+89.34 BK = 114+08.37 AH							
ML	WB	114+08.37	TO	124+24.	1,015.6	8	INSIDE SHOULDER
ML	WB	128+38.	TO	149+05.	2,067.0	8	INSIDE SHOULDER
ML	WB	149+44.	TO	154+96.28	552.3	8	INSIDE SHOULDER
BRIDGE OMISSION 154+96.28 TO 159+21.26							
ML	WB	159+21.26	TO	169+13.07	991.8	8	INSIDE SHOULDER
ML	WB	169+68.	TO	195+92.	2,624.0	8	INSIDE SHOULDER
TOTAL					32,396.5		

ML = MAINLINE
EB = EASTBOUND
WB = WESTBOUND