

STANDARD BAR SPLICER ASSEMBLY

	Minimum Lap Lengths						
Bar size to be spliced	Table 1	Table 2	Table 3	Table 4			
3, 4	1'-5''	1'-11''	2'-1"	2'-4"			
5	1'-9''	2'-5"	2'-7"	2'-11''			
6	2'-1''	2'-11''	3'-1"	3'-6"			
7	2'-9"	3′-10′′	4'-2"	4'-8''			
8	3′-8′′	5'-1"	5′-5″	6'-2''			
9	4'-7"	6'-5"	6'-10''	7′-9′′			

Table 1: Black bar, 0.8 Class C

Table 2: Black bar, Top bar lap, 0.8 Class C


Table 3: Epoxy bar, 0.8 Class C

Table 4: Epoxy bar, Top bar lap, 0.8 Class C

Threaded splicer bar length = min. lap length + 1^{l_2} " + thread length

* Epoxy not required on Bar Splicer Assembly components used in conjunction with black bars.

Location	Bar	No. assemblies	Table for minimum		
Editation	size	required	lap length		
N. Abut. (0018)	#5	8	3		
N. Abut. (0018)	#6	4	3		
S. Abut. (0018)	#5	8	3		
S. Abut. (0018)	#6	4	3		
N. Abut. (0019)	#5	8	3		
N. Abut. (0019)	#6	4	3		
S. Abut. (0019)	#5	8	3		
S. Abut. (0019)	#6	4	.3		




BAR SPLICER ASSEMBLY FOR #5 BAR ON INTEGRAL OR SEMI-INTEGRAL ABUTMENTS

No. required =

	7 2010			
DESIGNED I.J.L.	May 7, 2010			
CHECKED A.T.H.	EXAMINED & Carl Knyry			
DRAWN Drew Christopher	PASSED Scalph E. On Services			
•	ENGINÉER OF BRIDGES AND STRUCTURES			
CHECKED I.J.L. A.T.H.				
BSD-1	11-1-09			


STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION




INSTALLATION AND SETTING METHODS

"A": Set bar splicer assembly by means of a template bolt.
"B": Set bar splicer assembly by nalling to wood forms or cementing to steel forms.

(E): Indicates epoxy coating.





STANDARD MECHANICAL SPLICER

Location	Bar size	No. assemblies required		

NOTES

Splicer bars shall be deformed with threaded ends and have a minimum 60 ksi yield strength.

All reinforcement shall be lapped and tied to the splicer bars.

Bar splicer assemblies shall be epoxy coated according to the requirements for reinforcement bars. See Section 508 of the Standard Specifications.

See special provision for Mechanical Splicers.

See approved list of bar splicer assemblies and mechanical splicers for alternatives

BAR SPLICER DETAILS SN 084-0018 and 0019

	SHEET NO. 4		F.A.I. RTE.		SECTION			COUNTY	TOTAL SHEETS	SHEE NO.
	5 SHEETS	55			84-2(RS-3)		Sangamon	156	130	
							CONTRACT	NO.	72D43	
	i		EED BO	Taid OAC	NO	THE THOUSEED	Λ.Τ	D PROJECT		

1 Rev. 5-26-10

SLT-96-001-09