

STRUCTURE SCHEDULE (CONT'D)

LOCATION	STRUCTURE	SURFACE (ELEV)	INVERT (ELEV)	DEPTH (FT)	TYPE A MANHOLE (EA)			PRECAST REINFORCED CONCRETE FLAT SLAB TOP (EA)	TYPE A INLET (EA)	TYPE B INLET (EA)	INLET SPECIAL TYPE E (EA)				FRAME AND GRATE (EA)				PRECAST REINFORCED CONCRETE FLARED END SECTIONS, P.R.C. FES (EA)				BOX CULVERT END SECTIONS (EA)	
					48"	60"	72"				48"	60"	72"	DOUBLE	TYPE 1		TYPE 3	TYPE 4	TYPE 9	12"	24" W/GRATE	36" W/GRATE	48" W/GRATE	4'X2'
TYPE 1		TYPE 1																						
IL RTE 159																								
151+86.56, 40.1' R	INLET 3-12	555.75	551.75	4.00					1															
152+04.94, 28.8' R	MH 3-14	556.13	551.13	5.00	1									1										
152+04.94, 29.2' L	MH 3-13	556.12	549.93	6.19	1									1										
152+18.24, 40.4' R	INLET 3-13	555.75	551.75	4.00					1															
152+44.50, 29.3' R	INLET 3-14	557.26	552.26	5.00					1															
152+44.50, 22.0' L	MH 3-3	557.37	550.93	6.44		1		1						1										
152+44.51, 29.3' L	INLET 3-3	557.14	553.14	4.00					1															
153+78.04, 22.0' L	MH 3-4	562.19	551.60	10.59		1								1										
154+61.84, 22.0' L	MH 3-6	563.73	556.74	6.99	1									1										
154+61.84, 21.9' R	MH 3-16	564.17	559.62	6.55	1									1										
154+82.30, 29.3' L	INLET 3-6	563.70	559.70	4.00					1															
155+10.00, 22.1' R	MH 3-17	564.41	558.12	6.29	1									1										
155+10.00, 29.3' R	INLET 3-17	564.30	560.30	4.00					1															
155+86.01, 41.1' L	INLET 4-1	564.40	560.00	4.40					1															
155+88.00, 20.8' R	MH 3-18	564.51	558.93	5.58	1									1										
155+88.83, 39.6' R	INLET 3-18	564.45	559.13	5.32					1															
IDLEWOOD DR																								
0+47.73, 24.9' L	INLET 1-23L	465.22	460.73	4.49					1															
0+48.25, 28.8' R	INLET 1-27L	465.70	461.27	4.43						1														
1+18.32, 14.5' L	INLET 1-24L	467.05	462.74	4.31						1														
1+18.38, 14.6' R	INLET 1-26L	467.05	463.05	4.00					1															
MCKINLEY AVE																								
0+55.18, 12.8' R	INLET 2-1	474.09	470.14	3.95					1															
0+33.42, 18.1' R	INLET 2-2	474.50	470.01	4.49							1													
SCLINTON ST																								
8+62.40, 13.8' R	INLET 2-3	477.39	473.39	4.00					1															
9+10.22, 13.8' L	INLET 2-7	473.49	469.76	4.23	1																			
9+36.20, 24.3' L	INLET 2-8E	472.81	469.12	3.69							1													
8+62.41, 13.8' L	INLET 2-6	477.39	472.41	4.98		1																		
9+41.33, 28.2' L	INLET 2-8D	472.71	469.09	3.62							1													
9+45.87, 32.7' L	INLET 2-8C	472.61	469.06	3.55							1													
9+49.69, 37.9' L	INLET 2-8B	472.71	469.03	3.68							1													
9+52.74, 43.5' L	INLET 2-8A	472.81	469.00	3.81							1													
7+27.62, 17.8' R	INLET 2-4	490.70	486.70	4.00					1					1										
7+27.65, 2.0' R	MH 2-5	491.55	486.55	5.00	1									1										
7+27.67, 13.8' L	INLET 2-5	491.40	486.90	4.50					1															
LOOP ST / S CHESTNUT ST																								
19+21.99, 69.7' R	MH 2-19	489.00	481.49	7.51		1	1							1										
20+76.38, 40.5' R	HW 2-33	502.56	499.56	3.00																				
20+56.99, 15.9' R	INLET 2-34	504.00	499.23	4.77							1													
18+50.97, 42.1' R	MH 2-20	490.00	483.64	6.36		1	1							1										
20+91.18, 15.6' L	INLET 2-35	505.72	501.72	4.00							1													
17+50.89, 12.8' R	INLET 2-24	490.76	486.76	4.00					1															
17+51.96, 4.8' R	MH 2-24	490.93	486.65	4.28		1	1							1										
17+51.95, 15.7' L	INLET 2-24A	491.26	487.26	4.00							1													
16+82.71, 16.3' R	INLET 2-24B	490.30	487.30	3.00										1										
16+56.98, 15.1' R	INLET 2-24C	490.70	487.70	3.00					1					1										
CHURCH ST																								
28+57.00, 19.8' R	INLET 3-5	561.95	557.95	4.00	1																			
28+79.00, 19.3' R	INLET 3-4E	561.88	557.51	4.37																				
28+86.00, 19.3' R	INLET 3-4D	561.85	557.37	4.48							1													
28+93.00, 19.3' R	INLET 3-4C	561.85	557.23	4.62							1													
29+00.00, 19.3' R	INLET 3-4B	561.85	557.09	4.76							1													
29+07.00, 19.3' R	INLET 3-4A	561.85	556.95	4.90							1													
29+14.00, 19.3' R	INLET 3-4	561.85	556.56	5.29							1													
30+76.72, 24.2' R	INLET 3-15	562.48	557.68	4.80																				
30+74.97, 19.8' L	INLET 3-16	562.48	558.35	4.13							1													
30+84.97, 19.8' L	INLET 3-16A	562.45	558.45	4.00					1															
SUBTOTAL (3)					8	5	2	4	15	12	4	5	0	1	4	10	22	0	6	0	0	0		
SUBTOTAL (1)					10	0	13	15	24	6	9	3	4	0	6	23	22	2	0	7	1	0		
SUBTOTAL (2)					20	7	3	16	30	8	0	0	0	0	4	30	33	0	1	1	1	0		
SUBTOTAL (3)					8	5	2	4	15	12	4	5	0	1	4	10	22	0	6	0	0	0		
TOTALS					38	12	18	35	69	26	13	8	4	1	14	63	77	2	7	8	2	1	2	

Rev.