

MAINLINE WIDENING SCHEDULE
(SAFETY AREA 2)

LOCATION			HMA BASE COURSE WIDENING 11 1/2"	AGG. BASE COURSE, TYPE A, 12"
STA	to	STA	(SQ YD)	(TON)
RIGHT				
179+10.00	to	181+10.00	44	147.77
181+10.00	to	181+85.00	31	65.62
181+85.00	to	182+02.00	10	17.19
182+34.00	to	183+75.00	86	142.56
183+75.00	to	189+50.00	351	581.36
189+50.00	to	195+00.00	336	556.08
195+00.00	to	200+55.00	339	561.13
200+55.00	to	202+30.00	73	153.12
202+30.00	to	203+30.00	22	73.88
LEFT				
179+10.00	to	181+10.00	44	147.77
181+10.00	to	181+85.00	31	65.62
181+85.00	to	182+02.00	10	17.19
182+34.00	to	183+75.00	86	142.56
183+75.00	to	189+50.00	351	581.36
189+50.00	to	195+00.00	336	556.08
195+00.00	to	200+55.00	339	561.13
200+55.00	to	202+30.00	73	153.12
202+30.00	to	203+30.00	22	73.88
TOTAL =			2584	4597

SHOULDER SCHEDULE
(SAFETY AREA 2)

LOCATION			PAVED SHOULDER REMOVAL	HMA SHOULDERS 8"	SUB-BASE GRAN. MATERIAL, TYPE C
STA	to	STA	(SQ YD)	(SQ YD)	(TON)
RIGHT					
179+10.00	to	181+88.00	123.56	216.22	86.48
182+20.00	to	183+75.00	68.89	120.56	48.22
183+75.00	to	189+50.00	255.56	447.22	178.88
189+50.00	to	195+00.00	244.44	427.78	171.10
195+00.00	to	200+55.00	246.67	431.67	172.66
200+55.00	to	203+30.00	122.22	213.89	85.55
LEFT					
179+10.00	to	182+19.00	137.33	240.33	96.13
182+51.00	to	183+75.00	55.11	96.44	38.58
183+75.00	to	189+50.00	255.56	447.22	178.88
189+50.00	to	195+00.00	244.44	427.78	171.10
195+00.00	to	200+75.00	255.56	447.22	178.88
200+75.00	to	203+30.00	113.33	198.33	79.33
TOTAL =			2123	3715	1486

MAINLINE RESURFACING SCHEDULE
(SAFETY AREA 2)

LOCATION			BIT. MAT'L PRIME COAT	AGGREGATE PRIME COAT	LEVELING BINDER	HMA SURFACE COURSE	STRIP REFLECTIVE CRACK CONTROL	HMA SURFACE REMOVAL 1 1/2"
STA	to	STA	(TON)	(TON)	(TON)	(TON)	(FT)	(SQ YD)
179+10.00	to	180+10.00	0.18	0.86	12.13	24.27	200.00	244
180+10.00	to	181+85.00	0.36	1.72	24.09	48.18	350.00	428
181+85.00	to	183+75.00	0.44	2.10	29.26	58.52	380.00	464
183+75.00	to	189+50.00	1.32	6.32	88.55	177.1	1150.00	1406
189+50.00	to	195+00.00	1.26	6.06	84.70	169.4	1100.00	1344
195+00.00	to	200+55.00	1.28	6.10	85.47	170.94	1110.00	1357
200+55.00	to	202+30.00	0.36	1.72	24.09	48.18	350.00	428
202+30.00	to	203+30.00	0.18	0.86	12.13	24.27	200.00	244
TOTAL =			5.4	26.0	361	721	4840	5915