


EXISTING
FAP 103 (IL 15)
 STA. 262+88 to 264+82
 STA. 270+40 to 271+10



PROPOSED
FAP 103 (IL 15)
 STA. 262+88 to 264+82
 STA. 270+40 to 271+10

TABLE OF DIMENSIONS					
TYPE M AND SM MEDIANS*					
TYPE	A	B	C	D	R1
SM	0	2"	4"	2"	2"

* REFER TO STANDARD 606301

LEGEND

- ① EXISTING PORTLAND CONCRETE CEMENT PAVEMENT
- ② EXISTING BITUMINOUS SHOULDER (8")
- ③ EXISTING CONCRETE SOLID MEDIAN
- ④ EXISTING CONCRETE MEDIAN SURFACE
- ⑤ EXISTING BITUMINOUS CONCRETE CURB
- ⑥ EXISTING BITUMINOUS OVERLAY 3 1/2"
- ⑦ EXISTING BITUMINOUS OVERLAY (2")
- ⑧ EXISTING CONCRETE BARRIER, DOUBLE FACE
- ⑨ EXISTING 4" SOLID YELLOW LINE
- ⑩ EXISTING WELDING WIRE FABRIC
- ⑪ PROPOSED BITUMINOUS MATERIALS (PRIME COAT)
- ⑫ PROPOSED HOT-MIX ASPHALT SURFACE REMOVAL, 2"
- ⑬ PROPOSED HOT-MIX ASPHALT SURFACE COURSE, MIX "E", N70
- ⑭ PROPOSED CONCRETE CURB, TYPE B (MODIFIED)
- ⑮ PROPOSED CONCRETE MEDIAN SURFACE, 4"
- ⑯ PROPOSED CONCRETE MEDIAN, TYPE SB (SEE TABLE)
- ⑰ PROPOSED CONCRETE MEDIAN, TYPE SM (SEE TABLE)
- ⑱ PROPOSED CONCRETE BARRIER, DOUBLE FACE, 32" HEIGHT