

GUARDRAIL SCHEDULE						
LOCATION	STEEL PLATE BEAM GUARD RAIL TYPE A 6.75 FOOT POSTS	TRAFFIC BARRIER TERMINAL TYPE 5A	TRAFFIC BARRIER TERMINAL TYPE 1 (SPECIAL) TANGENT	TRAFFIC BARRIER TERMINAL TYPE 1	GUARDRAIL MARKERS	TERMINAL MARKER DIRECT APPLIED
	63000002	63100075	63100167	LR631020	78200405	78201000
	FOOT	EACH	EACH	EACH	EACH	EACH
FAS 473/CH 22						
RT. STA. 8+67.58 TO RT. STA.10+93.75	50	2	2		4	2
LT. STA. 9+30.05 TO LT. STA. 11+32.43	50	2	1	1	3	2
TOTAL	100	4	3	1	7	4

EARTHWORK SUMMARY							
LOCATION	EARTH EXCAVATION	CHANNEL EXCAVATION	SHRINKAGE FACTOR	% USED	EARTH EXCAVATION ADJUSTED FOR SHRINKAGE(25%)	EMBANKMENT REQUIRED	EARTHWORK BALANCE WASTE (+) OR SHORTAGE (-)
	CUBIC YARD	CUBIC YARD			CUBIC YARD	CUBIC YARD	CUBIC YARD
FAS 473/CH 22	20200100	20300100					
STA 7+90 TO STA 9+75.17	25		25.00%	100.00%	19	240	-221
STA. 10+24.84 To STA. 12+20	29		25.00%	100.00%	22	266	-244
FROM BRIDGE SUMMARY		90	25.00%	75.00%	51	0	51
	54	90			92	506	-414

20400800 FURNISHED EXCAVATION 414 CU.YD.

ROADWAY SCHEDULE				
LOCATION	AGGREGATE BASE COURSE TYPE A	BITUMINOUS MATERIALS (PRIME COAT)	HOT-MIX ASPHALT SURFACE COURSE MIX "C", N50 1.5"	LEVELING BINDER (MACHINE METHOD) N50
	35100100	40600100	40603310	40600625
	TON	GAL	TON	TON
FAS 473/CH 22				
STA 7+80 TO STA 9+75.17	97	219	55	175
STA 10+24.84 TO STA 12+20	99	227	55	96
TOTAL	196	446	110	271

SEEDING SCHEDULE	
LOCATION	SEEDING CLASS 2 SPECIAL 25001000 ACRE
FAS 473/CH 22	
LT. STA 7+90 TO LT. STA.9+70	0.11
RT. STA 7+90 TO RT. STA. 9+80	0.08
LT. STA 10+20 TO LT. STA 12+20	0.11
RT. STA 10+30 TO RT. STA 12+20	0.08
TOTAL	0.38
USE	0.40

60801018 FLAP GATE 18"	
LOCATION	EACH
FAS 473/CH 22	
LT. STA 9+67	1
LT. STA 10+06	1
TOTAL	2

542D0223 PIPE CULVERTS, CLASS D, TYPE 1 18"	
LOCATION	FOOT
FAS 473/CH 22	
LT. STA 8+84 TO LT. STA 9+77	93
LT. STA 10+06 TO LT. STA 10+40	34
TOTAL	127