












LEGEND - DRIVEWAYS

-  PORTLAND CEMENT CONCRETE DRIVEWAY PAVEMENT, 6"
-  PORTLAND CEMENT CONCRETE DRIVEWAY PAVEMENT, 8"
-  INCIDENTAL HOT-MIX ASPHALT SURFACING
-  AGGREGATE SURFACE COURSE, TYPE A
-  DETECTABLE WARNING
-  CLASS D PATCHES, TYPE IV



- LEGEND
-  EXISTING STORM STRUCTURE
 -  STORM STRUCTURE
 -  STORM SEWER

DATE	
BY	
REVISION	
NO.	
DATE	
BY	
REVISION	
NO.	


© Copyright Hanson Professional Services Inc. 2010
HANSON
 Hanson Professional Services Inc.

DATE	
BY	
REVISION	
NO.	
DATE	
BY	
REVISION	
NO.	

STRUCTURE NUMBER	STATION	OFFSET	TYPE	RIM ELEVATION	INVERT ELEVATIONS			
					N	S	E	W
S124	259+50.00	27.11	LT.	794.80	790.49			
S125	260+35.00	16.18	RT.	794.21	787.52	787.52		
S126	260+80.00	24.65	LT.	791.86	789.19	789.19		
S127	261+06.73	21.35	RT.	792.80	787.03	787.03		
S128	261+25.00	24.33	LT.	791.17	788.74	788.74		
S129	261+69.00	24.22	LT.	790.29		788.40		
S130	261+69.00	18.22	LT.	792.00	788.30	788.30	788.30	
S131	262+00.00	23.53	RT.	790.13	786.20	786.20		
S132	262+50.00	23.53	LT.	789.39	787.49	787.49		

PIPE NUMBER	FROM STRUCTURE	U/S INVERT	TO STRUCTURE	D/S INVERT	CLASS/ TYPE	DIAMETER	LENGTH	SLOPE	TRENCH BACKFILL
P123	S122	789.35	S125	787.52	STORM SEWERS, CLASS A, TYPE 2	15	232.0	0.79%	220.4
P124	S124	790.49	S126	789.19	STORM SEWERS, (WATER MAIN REQUIREMENTS) TYPE 2	12	127.5	1.02%	5.8
P125	S125	787.52	S127	787.03	STORM SEWERS, CLASS A, TYPE 2	15	69.0	0.71%	63.2
P126	S126	789.19	S128	788.74	STORM SEWERS, (WATER MAIN REQUIREMENTS) TYPE 2	12	42.0	1.07%	4.5
P127	S127	787.03	S131	786.20	STORM SEWERS, CLASS A, TYPE 2	15	89.0	0.93%	1.4
P128	S128	788.74	S130	788.30	STORM SEWERS, (WATER MAIN REQUIREMENTS) TYPE 2	12	41.5	1.06%	5.0
P129	S129	788.40	S130	788.30	STORM SEWERS, (WATER MAIN REQUIREMENTS) TYPE 2	12	3.5	2.86%	0.8
P130	S130	788.30	S132	787.49	STORM SEWERS, (WATER MAIN REQUIREMENTS) TYPE 2	12	78.0	1.04%	11.1
P131	S131	786.20	S134	785.05	STORM SEWERS, CLASS A, TYPE 2	15	117.0	0.98%	5.4
P132	S132	787.49	S133	785.84	STORM SEWERS, (WATER MAIN REQUIREMENTS) TYPE 2	12	72.0	2.29%	2.6

• SEE SPECIAL PROVISIONS FOR FRAME AND GRATE TYPE FOR S126, S128 AND S132.



FILE NAME	USER NAME = Arder08946	DESIGNED - MPB	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	SHERIDAN RD. PLAN AND PROFILE	F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
I:\09\Jobs\09L0027\CADD\Road\Sheet\c-785.dgn	DRAWN - RLA	REVISED -	6647			08-00302-00-TL	PEORIA	102	25	
PLOT SCALE = 20.0000' / in.	CHECKED - CAL	REVISED -	6595			09-00047-02-TL	CONTRACT NO. 89523			
PLOT DATE = 04/01/2018	DATE - 03/19/10	REVISED -	FED. ROAD DIST. NO.			ILLINOIS FED. AID PROJECT	M-50931(38)			