



Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

May 27, 2021

SUBJECT FAP Route 853/849/776 (IL 14 / IL 142)
Project STP-COVD-SEVJ(475)
Section 7,8,9(RS-6); 114,114Z,9Z(RS-6)
Hamilton County
Contract 78810
Item No. 190, June 11, 2021 Letting
Addendum A

NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

1. Revised page ii of the Table of Contents of the Special Provisions
2. Revised page 94 of the Special Provisions

Prime contractors must utilize the enclosed material when preparing their bid and must include any changes to the Schedule of Prices in their bid.

Very truly yours,

A handwritten signature in black ink, appearing to read 'Jack A. Elston'.

Jack A. Elston, P.E.
Bureau Chief, Design and Environment

MTS

RECLAIMED ASPHALT PAVEMENT AND RECLAIMED ASPHALT SHINGLES (BDE)	62
REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES (BDE)	71
SUBCONTRACTOR AND DBE PAYMENT REPORTING (BDE)	81
SUBCONTRACTOR MOBILIZATION PAYMENTS (BDE)	82
SURFACE TESTING OF PAVEMENTS – IRI (BDE)	82
TEMPORARY PAVEMENT MARKING (BDE).....	87
TRAFFIC CONTROL DEVICES - CONES (BDE).....	90
WARM MIX ASPHALT (BDE).....	90
WEEKLY DBE TRUCKING REPORTS (BDE).....	92
WORK ZONE TRAFFIC CONTROL DEVICES (BDE)	92
WORKING DAYS (BDE).....	94
PIPE HANDRAIL.....	94



- (l) Movable Traffic Barrier. The movable traffic barrier shall be on the Department's qualified product list.

Shop drawings shall be furnished by the manufacturer and shall indicate the deflection of the barrier as determined by acceptance testing; the configuration of the barrier in that test; and the vehicle weight, velocity, and angle of impact of the deflection test. The Engineer shall be provided one copy of the shop drawings. The barrier shall be capable of being moved on and off the roadway on a daily basis."

WORKING DAYS (BDE)

Effective: January 1, 2002

The Contractor shall complete the work within **60** working days.

PIPE HANDRAIL

This work shall consist of furnishing and installing the pipe handrail at the location shown in the plans according to Section 509 and the Proposed Accessibility Guidelines for Pedestrian Facilities in the Public Right-of-Way (PROWAG). The vertical railing, posts, the lower pipe rail and mounting plates shall be painted black.

The Contractor shall submit PROWAG compliant shop drawings to the Engineer for review and approval prior to fabrication.

The Railing shall be shop painted. No field painting allowed in accordance with Section 506.09.

1