

June 3, 2009

SUBJECT: FAP Route 412 (IL 17) Project IM-039-1 (027) 035 Section (62-2HB-2)I Marshall County Contract No. 68729 Item No. 19, June 12, 2009 Letting Addendum A

NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

- 1. Replaced the Schedule of Prices.
- 2. Revised sheets 1 and 3 of the Plans.
- 3. Added sheets 7a and 7b to the Plans.
- 4. Revised page 3 of the Special Provisions.

Prime contractors must utilize the enclosed material when preparing their bid and must include any Schedule of Prices changes in their bidding proposal.

Bidders using computer-generated bids are cautioned to reflect any and all Schedule of Prices changes, if involved, into their computer programs.

Very truly yours,

Charles Ingersoll, Chief Bureau of Design and Environment

Setter abechlyon P.E.

By: Ted B. Walschleger, P. E. Engineer of Project Management

cc: Joseph E. Crowe, Region 3, District 4; Bill Frey, R. E. Anderson; Estimates

TBW:MS:jc

ILLINOIS DEPARTMENT OF TRANSPORTATION SCHEDULE OF PRICES CONTRACT 68729 NUMBER -

C-94-092-07 State Job # -PPS NBR -4-00143-0800 County Name -MARSHALL--Code -123 - -District -4 - -

Project Number IM-039-1/027/035 Route FAI 39

* REVISED : JUNE 2, 2009

Section Number -(62-2HB-2)I

ltem Number	Pay Item Description	Unit of Measure	Quantity	x	Unit Price	I	Total Price
X0300136	BR APPROACH SHLD REM	SQ YD	53.000				
X0326443	SILANE SURFACE SEALER	SQ YD	2,200.000				
Z0075300	TIE BARS	EACH	44.000				
50102400	CONC REM	CU YD	30.000				
50300255	CONC SUP-STR	CU YD	44.800				
50800205	REINF BARS, EPOXY CTD	POUND	3,910.000				
67100100	MOBILIZATION	L SUM	1.000				
70101800	TRAF CONT & PROT SPL	L SUM	1.000				
70103815	TR CONT SURVEILLANCE	CAL DA	15.000				
70300520	PAVT MARK TAPE T3 4	FOOT	2,000.000				
70301000	WORK ZONE PAVT MK REM	SQ FT	537.000				
78200300	PRISMATIC CURB REFL	EACH	32.000				

Page 1 6/3/2009

TRAFFIC CONTROL AND PROTECTION (SPECIAL)

Description. This work shall consist of the furnishing, installation, maintenance, and removal of all traffic control devices as specified on the plan sheets for Traffic Control and Protection, (Special). All work shall be in accordance with Section 700 of the "Standard Specifications for Road and Bridge Construction.

<u>Materials.</u> All traffic control materials and devices shall meet the requirements of Article 701.02 of the Standard Specifications. An estimated 2,000' of Type III, 4" Pavement Marking Tape shall be included for traffic lane shifts. The installation of these materials and devices shall meet the approval of the Engineer before and during the project work.

Equipment. Equipment and device requirements in addition to this Traffic Control Special shall be noted on the plan sheets and/or clarified at the job location.

Construction Requirements. Traffic Control shall be as shown on the staging plans. Staging sequence for the work performed shall be determined by the Contractor and the Engineer who shall meet to review and clarify traffic device amounts and installation locations at least three weeks prior to starting the work. The Contractor shall not simultaneously work on shoulder removal and median removal as directed in Article 701.08 of the Standard Specifications. The Traffic Control Supervisor, Bureau of Operations, shall be notified at least two weeks prior to the commencement of lane reductions.

The traffic control signage for the project shall consist of the following in each travelled direction:

Road Construction Ahead - 2000' in advance of work. Workers - 1500' in advance of work area (only displayed when working). Work Zone 45 assembly - 1000' in advance of work area (only displayed when working). End Work Zone Speed Limit – after work area (only displayed when working). Cones to delineate a mild shift to allow work room at 50' spacing. Barrels with Type B flashing lights to protect patches and median area. Road Construction Ahead on ramps.

Basis of Payment. This work will be paid at the contract unit price per lump sum for TRAFFIC CONTROL AND PROTECTION (SPECIAL).

TEMPERATURE CONTROL FOR CONCRETE PLACEMENT

Effective: August 3, 2007

Delete the second and third sentences of the second paragraph of Article 1020.14(a) of the Standard Specifications.

BRIDGE APPROACH SHOULDER REMOVAL AND REPLACEMENT

This item shall include all materials, labor, and equipment necessary to remove and construct replacement bridge approach shoulder in accordance with applicable sections of the Standard Specifications except as herein specified.

Revised 06/03/2009