
































LEGEND

-  EXISTING CONTROLLER
-  NEW CONTROLLER
-  EXISTING ALUMINUM MAST ARM ASSEMBLY AND POLE
-  NEW ALUMINUM MAST ARM ASSEMBLY AND POLE
-  EXISTING STEEL MAST ARM ASSEMBLY AND POLE
-  NEW STEEL MAST ARM ASSEMBLY AND POLE
-  EXISTING SIGNAL HEAD AND POST
-  NEW SIGNAL HEAD AND POST
-  EXISTING SIGNAL HEAD
-  NEW SIGNAL HEAD
-  EXISTING SIGNAL HEAD WITH BACKPLATE
-  NEW SIGNAL HEAD WITH BACKPLATE
-  EXISTING PEDESTRIAN HEAD
-  NEW PEDESTRIAN HEAD
-  EXISTING PEDESTRIAN PUSHBUTTON
-  NEW PEDESTRIAN PUSHBUTTON
-  EXISTING HANDHOLE
-  NEW HANDHOLE
-  NEW JUNCTION BOX
-  NEW HEAVY-DUTY HANDHOLE
-  NEW DOUBLE HANDHOLE
-  EXISTING CONDUIT (LENGTH AND SIZE)
-  NEW LUMINAIRE
-  NEW GALVANIZED STEEL OR PVC CONDUIT
-  UPPER NUMERAL INDICATES LENGTH
-  "T" INDICATES CONDUIT IN TRENCH
-  "P" INDICATES CONDUIT PUSHED
-  LOWER NUMERAL INDICATES SIZE AND TYPE
-  EMERGENCY VEHICLE PREEMPT

NOTES

1. REMOVE THE EXISTING SIGNAL HEADS, LUMINAIRE, MAST ARM ASSEMBLY, POLE AND FOUNDATION. RELOCATE THE EXISTING LIGHT DETECTOR TO THE NEW MAST ARM ASSEMBLY.
2. REMOVE THE EXISTING CONCRETE HANDHOLE AND EXTEND THE EXISTING CONDUIT.
3. REMOVE THE EXISTING CONTROLLER AND CABINET. INSTALL NEW CONTROLLER AND CABINET AND CONNECT THE EXISTING PREEMPTOR FOR EMERGENCY VEHICLES INTO THE NEW CABINET.
4. REMOVE THE EXISTING SIGNAL HEADS, LUMINAIRE, MAST ARM ASSEMBLY, POLE AND FOUNDATION.
5. REMOVE THE EXISTING HANDHOLE.
6. DRILL ENTRANCE TO THE EXISTING HANDHOLE.
7. REBUILD THE EXISTING HEAVY-DUTY HANDHOLE TO MATCH THE NEW GRADE.
8. THE FOLLOWING EXISTING SIGNAL EQUIPMENT SHALL BE REMOVED BY THE CONTRACTOR AND RETAINED BY HIM FOR SALVAGE VALUE.
 - 8 EACH ONE (1) FACE SIGNAL HEAD
 - 4 EACH MAST ARM ASSEMBLY AND POLE
 - 4 EACH LUMINAIRE
 - 1 EACH CONTROLLER AND CABINET
 - ALL FOOT ELECTRIC CABLE BEING REPLACED

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
567	(7,6M-1)	DEKALB	87	42
STA.	TO STA.			
FED. ROAD DIST. NO.	ILLINOIS FED. AID PROJECT			



REVISIONS		ILLINOIS DEPARTMENT OF TRANSPORTATION
NAME	DATE	
		VERT. SCALE: _____ HORIZ. SCALE: _____ DATE: _____ DRAWN BY: _____ CHECKED BY: _____

FILE NAME = c:\projects\ed03186\sheeta.dgn	USER NAME = duncenbd	DESIGNED -	REVISED -
		DRAWN -	REVISED -
		CHECKED -	REVISED -
		DATE -	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

FOR INFORMATION ONLY

SCALE: NO SCALE SHEET NO. OF SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
567	(7,6RS-2)	DEKALB	52	45
CONTRACT NO. 66633				
FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT				