

F.A.U. ROUTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
8047	96-00379-00-PV	SANG	66	7
FED. ROAD DIST. NO.		ILLINOIS	FED. AID PROJECT	

TREE REMOVAL SCHEDULE

STATION	SIDE	OFFSET	TREE REMOVAL (6 TO 15 UNITS DIAMETER)
490+40.7	RT	34.9	8
489+68.2	RT	35.5	6
489+60.8	RT	32.7	8
489+53.4	RT	35.7	10
487+46.4	RT	36.4	8
487+37.2	RT	32.7	6
487+28.9	RT	36.6	8
487+01.2	RT	31.2	8
486+65.2	RT	33.7	12
485+97.5	RT	29.6	8
485+40.1	RT	29.5	6
484+53.7	RT	28.0	8
484+36.5	RT	27.9	8
484+21.1	RT	27.1	8
483+64.4	RT	26.6	10
482+73.5	RT	25.8	8
482+53.3	RT	26.9	8
482+33.1	RT	26.9	8
481+64.9	RT	27.9	8
481+48.7	RT	27.0	8
481+27.4	RT	37.0	S
481+22	RT	30.0	S
480+90.2	RT	26.6	10
480+73.1	RT	27.0	10
480+51.3	RT	27.3	10
479+77	RT	27.7	8
479+57.2	RT	26.7	8
479+08.5	RT	34.7	8
478+96.3	RT	33.0	10
477+54.8	RT	33.2	10
476+95.2	RT	25.7	10
476+71.5	RT	26.0	12
476+31.6	RT	26.7	6
476+10.3	RT	26.9	6
475+68.6	RT	26.3	12
475+45	RT	27.8	12
474+80.5	RT	28.1	10
474+41	RT	26.9	8
473+78	RT	29.8	10
473+52.9	RT	29.3	10
473+43.1	RT	37.8	6
473+27.4	RT	40.8	8
TOTAL			354

EARTHWORK SCHEDULE

STATION TO STATION	EXCAVATION	EXCAVATION ADJUSTED FOR SHRINKAGE*	EMBANKMENT	BALANCE WASTE OR SHORTAGE (-)
CU YD				
ILES AVENUE	15505.28	11628.96	1839.98	9788.98
TOTAL	15505.28	11628.96	1839.98	9788.98
USE	15506	11629	1840	9789 *

\* SHRINKAGE FACTOR = 25%

(\*13,053 CU. YD. APPROXIMATE WASTE)

PROTECTIVE COAT

ITEM	PROTECTIVE COAT SQ YD
PCC DRIVEWAY PVT 6	261.0
PC CONC SIDEWALK 4	3,435.1
CONC GUTTER	1.8
COMB CC&G TB6.18	333.0
TOTAL	4,030.8
USE	4,031

LANDSCAPING SCHEDULE

STATION TO STATION	SEEDING, CLASS 2	NITROGEN FERT NTR	PHOSPHORUS FERT NTR	POTASSIUM FERT NTR	AGR GROUND LIMESTONE	MULCH, METHOD 3	
	ACRE	POUND				ACRE	
ILES AVENUE							
460+49.49	491+90.00	2	180.0	180.0	180.0	4.0	2
TOTAL		2.0	180.0	180.0	180.0	4.0	2.0
USE		2.0	180	180	180	4	2

DRIVEWAY REMOVAL & REPLACEMENT SCHEDULE

STATION	SIDE	TYPE	DRIVEWAY PAVEMENT REMOVAL	PCC DRIVEWAY PVT 6
			SQ YD	SQ YD
475+45.45	LT	PE	64.5	29.6
478+43.38	LT	PE		24.4
478+83.15	LT	PE		6.0
479+49.16	LT	PE	46.7	27.0
483+92.36	LT	PE		27.1
484+42.69	LT	PE		35.0
485+92.21	LT	PE		31.0
486+82.65	LT	PE		32.4
490+49.48	LT	PE	72.0	48.2
TOTAL			183.2	260.7
USE			184	261

SIDEWALK REMOVAL & REPLACEMENT SCHEDULE

STATION TO STATION	SIDE	PC CONC SIDEWALK 4	SIDEWALK REM
		SQ FT	
460+63.15	474+06.24	LT	6,804.4
460+63.15	464+71.65	RT	2,177.2
465+61.54	478+02.37	RT	6,428.9
474+45	474+58	LT	53.2
474+52.38	480+72.39	LT	3,325.0
477+98	478+08	RT	38.2
478+45.5	478+54	RT	35.1
478+50.38	487+99.43	RT	4,792.3
480+68	480+76	LT	59.6
481+08	481+16	LT	60.4
481+12.32	487+96.66	LT	3,641.0
487+93	488+00	LT	27.9
487+95	488+03	RT	32.2
488+35	488+43	RT	34.5
488+38	488+47	LT	38.9
488+39.42	491+89.11	RT	1,809.1
488+43.39	492+12.85	LT	1,937.5
491+90	492+13	LT	89.0
TOTAL			30,915.4
USE			30,916
			469

MAILBOX REMOVAL & RELOCATION

STATION	SIDE	OFFSET	MAILBOX REMOVAL AND RELOCATION
475+62	LT	22.8	1
478+58	LT	22.7	1
479+67	LT	22.8	1
483+75	LT	22.8	1
484+70	LT	22.5	1
485+76	LT	23.4	1
486+71	LT	24.7	1
TOTAL			7

SANITARY MANHOLES TO BE ADJUSTED

STATION	SIDE	OFFSET	SANITARY MANHOLES TO BE ADJUSTED
464+32	LT	29.6	1
466+51	LT	18.9	1
471+36	RT	19.0	1
474+93	RT	14.8	1
477+85	RT	14.8	1
479+93	RT	18.7	1
481+29	RT	16.2	1
484+92	RT	12.5	1
488+52	RT	36.7	1
488+91	RT	13.9	1
TOTAL			10

VALVE BOXES TO BE ADJUSTED

STATION	SIDE	OFFSET	VALVE BOXES TO BE ADJUSTED
459+37	LT	51.0	1
465+60	LT	46.0	1
474+56	LT	31.0	1
478+53	LT	28.0	1
480+75	LT	35.0	1
488+40	LT	30.0	1
492+10	LT	31.0	1
TOTAL			7