



GENERAL NOTES

1. ALL ITEMS SHALL BE CONSTRUCTED AS SHOWN ON THIS SHEET, ON STANDARD 280001 AND AS DIRECTED BY THE ENGINEER.

LEGEND FOR STORM WATER POLLUTION PREVENTION PLAN

ITEM	SYMBOL
TEMPORARY DITCH CHECKS (IDOT STANDARD NO. 280001)	
PERIMETER EROSION BARRIER - SILT FENCE (IDOT STANDARD NO. 280001)	
DIRECTION OF OVERLAND FLOW	
INLET CONTROL (SEE INLET AND PIPE PROTECTION (IDOT STANDARD NO. 280001)(HAY OR STRAW BALE OR APPROVED SUBSTITUTION))	
SEEDING CLASS 2A	
EROSION CONTROL BLANKET	

SCHEDULE OF QUANTITIES

PAY ITEM		
TEMPORARY DITCH CHECKS	EACH	3
PERIMETER EROSION BARRIER	FOOT	593
INLET AND PIPE PROTECTION	EACH	6

SEEDING NOTES

1. SEEDING, CLASS 2 SHALL BE DONE IN ACCORDANCE WITH THE APPLICABLE PROVISIONS OF SECTION 250 OF THE "STANDARD SPECIFICATIONS".
2. SEEDING MIXTURES SHALL CONFORM TO TABLE 1 - ARTICLE 250.07 OF THE "STANDARD SPECIFICATIONS".
3. FERTILIZER NUTRIENTS, AGRICULTURAL GROUND LIME STONE AND MULCH SHALL BE APPLIED TO ALL AREAS TO BE SEEDED.
4. FERTILIZER NUTRIENTS SHALL BE APPLIED AT THE RATE OF 270 POUNDS PER ACRE; AT THE RATIO : 1:1:1 (90 POUNDS OF NITROGEN, 90 POUNDS OF PHOSPHORUS AND 90 POUNDS OF POTASSIUM).
5. AGRICULTURAL GROUND LIMESTONE IS TO BE APPLIED AT THE RATE OF 2 TONS PER ACRE.
6. MULCH, IN ACCORDANCE WITH METHOD 3 OF SECTION 251.03 OF THE "STANDARD SPECIFICATIONS", IS TO BE APPLIED AT THE RATE OF 2 TONS PER ACRE.

NO.	DATE	REVISION	BY
SHEET TITLE		PROJECT NO.	SCALE
EROSION AND SEDIMENT CONTROL DETAILS		96100	1" = 20'
DATE		DRAWN BY	CHECKED BY
OCT., 2007		MEC	PBW
PROJECT		DRAWING FILE	DRAWING NO.
ILES AVENUE		C-SWPP	32
 MARTIN ENGINEERING COMPANY of Illinois <small>CONSULTING ENGINEERS/LAND SURVEYORS (ILLINOIS PROFESSIONAL DESIGN FIRM NO. 184-022843) 3223 S. MEADOWBROOK RD., SPRINGFIELD, ILLINOIS 62711 Phone : (217) 698-8900, Fax : (217) 698-8922, E-Mail : mecmall@martinengineeringco.com</small>			OF 66 SHTS

Attached (none) found at:
 X:\BLS\GIS\WORK\CONPLANS_2007\C-SWPP\1-18-07\1-18-07.dwg
 X:\BLS\GIS\WORK\CONPLANS_2007\C-SWPP\1-18-07.dwg