901 SEEDING NOTES

THE PROPOSED SEEDING SHALL BE ACCOMPLISHED IN ACCORDANCE WITH ITEM 901 "SEEDING" AS STATED ON PAGE 120 OF THE SUPPLEMENTAL SPECIFICATIONS AND RECURRING SPECIAL PROVISIONS, ADOPTED JULY 1, 2004.

ALL DISTURBED AREAS LOCATED WITHIN THE PROPOSED GRADING AND SEEDING LIMITS WILL BE SEEDED IN ACCORDANCE WITH THE ABOVE NOTED SPECIFICATION. ALL AREAS OUTSIDE THE DESIGNATED GRADING AND SEEDING LIMITS WILL ALSO BE SEEDED BUT AT THE CONTRACTOR'S OWN EXPENSE.

ALL MATERIALS AND/OR DEBRIS RESULTING FROM THE SEEDING OPERATIONS WILL BE REMOVED FROM THE PAVEMENTS AND MISCELLANEOUS STRUCTURES PRIOR TO OPENING THE RUNWAY.

901-3.4 MAINTENANCE OF SEEDED AREAS. DELETE THE SECOND PARAGRAPH OF THIS SECTION AND ADD THE FOLLOWING:

"THE CONTRACTOR WILL BE REQUIRED TO ESTABLISH A GOOD STAND OF GRASS OF UNIFORM COLOR AND DENSITY TO THE SATISFACTION OF THE RESIDENT ENGINEER. IF AT THE TIME WHEN THE CONTRACT HAS BEEN OTHERWISE COMPLETED, IT IS NOT POSSIBLE TO MAKE AN ADEQUATE DETERMINATION OF COLOR, DENSITY, AND UNIFORMITY OF SUCH STAND OF GRASS, THE ITEM OF WORK WILL BE REVIEWED AT A LATER DATE DETERMINED BY THE ILLINOIS DIVISION OF AERONAUTICS."

DATE SEEDING COMPLETED____

THE PROPOSED SEEDING WILL BE PAID FOR UNDER ITEM: AR901510 SEEDING _____ PER ACRE

EROSION CONTROL BLANKET NOTES

AN EROSION CONTROL BLANKET WILL BE INSTALLED OVER THE PROPOSED GRADING AND SEEDING LIMITS AS SHOWN ON THIS SHEET AND IN ACCORDANCE WITH THE SPECIAL PROVISIONS.

THIS ITEM OF WORK SHALL BE PAID FOR UNDER ITEM
AR156531 "EROSION CONTROL BLANKET"________PER S.Y.

DITCH CONSTRUCTION NOTE

THE PROPOSED DITCH WILL BE GRADED AS SHOWN ON THIS SHEET AND THE DITCH DETAIL. THE EXISTING SWALE/DITCH FROM 200' RIGHT WILL BE SMOOTH GRADED TO THE PROPOSED DITCH PROVIDING A SINGLE DITCH FROM THIS INTERSECTION POINT TO THE EXISTING DITCH(292' RT.). TEN (10) C.Y. OF EXCESS MATERIAL WILL BE USED FROM THE DITCH EXCAVATION FOR THE ADDITIONAL FILL REQUIRED FOR THE EARTH FILLETS ALONG THE APRON EDGE.

THIS ITEM OF WORK SHALL BE PAID FOR UNDER ITEM AR1524410 "UNCLASSIFIED EXCAVATION"_____

UNCLASSIFIED EXCAVATION NOTE


THE PROPOSED PARKING LOT EXPANSION HAS AN EXCESS OF UNCLASSIFIED EXCAVATION (70 C.Y.). THIS UNCLASSIFIED EXCAVATION ALONG WITH THE EXCESS UNCLASSIFIED EXCAVATION FROM THE DITCH REGRADING (10 C.Y.) WILL BE THROROUGHLY PULVERIZED AND USED FOR THE EARTH FILLETS ALONG THE SHOULDERS OF THE APRON OVERLAY. THESE SHOULDER FILLETS WILL REQUIRE LIGHT COMPACTIVE EFFORTS TO SATISFACTION OF RESIDENT ENGINEER TO INSURE STABLE PLACEMENT OF THE MATERIAL, YET ALLOW FOR SEED GERMINATION.

PRIOR TO PLACING THIS UNCLASSIFIED EXCAVATION THE EXISTING SOD WILL BE THOROUGHLY DISCED TO THE
SATISFACTION OF THE RESIDENT ENGINEER. THIS SOD DISCING ALONG WITH THE PLACEMENT AND GRADING WILL BE PART OF
THE UNCLASSIFIED EXCAVATION WORK ITEM AND NO OTHER COMPENSATION WILL BE ALLOWED.


THIS ITEM OF WORK SHALL BE PAID FOR UNDER ITEM

AR1524410 "UNCLASSIFIED EXCAVATION" PER C

UNCLASSIFIED EXCAVATION QUANTITIES					
DESCRIPTION	CUT	SHRINKAGE FACTOR	FILL	FILL REQ.	EXCESS UNC. EX.
PARKING LOT EXPANSION	120	1.5	33	50	70
APRON OVERLAY	0	1.5	51	77	-77
EXCESS FROM DITCH REGRADING	10				10
TOTALS	130		130	127	3



DITCH DETAIL



, 2006 4:32 PM HAGLOUDS62 DRIS/MISTERING/07A0058/CAD/SUCTIS/D 1015I/DWG ADB