

TEMPORARY RAMPS

40600990

TEMPORARY RAMPS

40600990

STATION	LT/RT *	PE/SR	LENGTH	WIDTH	SQ FT	SD YD
FAP 741						
501+81.00	LT	PE or CE	20.00	3.00	60.00	6.67
503+37.00	LT	MONROE ST.	30.5	5.00	152.50	16.94
505+23.00	LT	PE or CE	43	2.00	86.00	9.56
507+17.00	LT	JEFFERSON ST.	22.3	5.00	111.50	12.39
507+17.00	RT	JEFFERSON ST.	24.5	5.00	122.50	13.61
508+44.00	LT	PE or CE	68	2.00	136.00	15.11
510+00.00	LT	WILLIAMS ST.	22.5	5.00	112.50	12.50
510+00.00	RT	WILLIAMS ST.	23	5.00	115.00	12.78
511+34.00	LT	PE or CE	42	2.00	84.00	9.33
512+67.00	LT	BOND ST.	23.5	5.00	117.50	13.06
512+67.00	RT	BOND ST.	29.5	5.00	147.50	16.39
514+53.00	LT	DOUBLE PE/CE	67	2.00	134.00	14.89
514+90.00	RT	PE or CE	43	2.00	86.00	9.56
516+06.00	RT	PE or CE	26	2.00	52.00	5.78
516+16.00	LT	PE or CE	31	2.00	62.00	6.89
516+80.00	LT	PE or CE	34	2.00	68.00	7.56
517+00.00	RT	DOUBLE PE/CE	56	2.00	112.00	12.44
518+38.00	RT	PE or CE	21	2.00	42.00	4.67
518+56.00	LT	PE or CE	42	2.00	84.00	9.33
519+25.00	RT	PE or CE	16	2.00	32.00	3.56
520+08.00	RT	PE or CE	34	2.00	68.00	7.56
521+00.00	LT	MARION ST.	32	5.00	160.00	17.78
521+00.00	RT	MARION ST.	32	5.00	160.00	17.78
521+63.00	LT	PE or CE	32.5	2.00	65.00	7.22
522+37.00	LT	PE or CE	46	2.00	92.00	10.22
522+92.00	RT	PE or CE	43.5	2.00	87.00	9.67
523+66.00	LT	PE or CE	36.5	2.00	73.00	8.11
523+66.00	RT	LAFAYETTE ST.	37	5.00	185.00	20.56
STA. EQ.						
1079+70.00	RT	PE or CE	36	2.00	72.00	8.00
1079+40.00	LT	DOUBLE PE/CE	74.5	2.00	149.00	16.56
1078+32.00	LT	MAIN ST.	35.5	5.00	177.50	19.72
1078+32.00	RT	MAIN ST.	50	2.00	100.00	11.11
1077+00.00	LT	DOUBLE PE/CE	94	2.00	188.00	20.89
1076+10.00	LT	WASHINGTON ST.	32	5.00	160.00	17.78
1076+10.00	RT	WASHINGTON ST.	39	5.00	195.00	21.67
1074+80.00	LT	DOUBLE PE/CE	97.5	2.00	195.00	21.67
1074+80.00	RT	PE or CE	29.5	2.00	59.00	6.56
1073+41.00	LT	LIVINGSTON ST.	31.5	5.00	157.50	17.50
1073+41.00	RT	LIVINGSTON ST.	37.5	5.00	187.50	20.83
1072+15.00	RT	PE or CE	34	2.00	68.00	7.56
1071+47.00	RT	PE or CE	39	2.00	78.00	8.67
1070+57.00	LT	PE or CE	26.5	2.00	53.00	5.89
1070+32.00	RT	PE or CE	40	2.00	80.00	8.89
1069+89.00	LT	DOUBLE PE/CE	93	2.00	186.00	20.67
1069+29.00	RT	PE or CE	54	2.00	108.00	12.00
1068+77.00	RT	PE or CE	33	2.00	66.00	7.33
1067+72.00	LT	BRIDGE ST.	54	5.00	270.00	30.00
1067+72.00	RT	CENTER ST.	41	5.00	205.00	22.78
1066+86.00	LT	PE or CE	41	2.00	82.00	9.11
1066+12.00	RT	PE or CE	31.5	2.00	63.00	7.00
1065+93.00	LT	DOUBLE PE/CE	98	2.00	196.00	21.78
1064+73.00	LT	HIGH ST.	29.5	5.00	147.50	16.39
1064+73.00	RT	HIGH ST.	33	5.00	165.00	18.33
1063+59.00	RT	PE or CE	50	2.00	100.00	11.11
1063+46.00	LT	PE or CE	19.5	2.00	39.00	4.33
1062+62.00	LT	PE or CE	31.5	2.00	63.00	7.00
1061+47.00	RT	PE or CE	39	2.00	78.00	8.67
1061+19.00	LT	PE or CE	28.5	2.00	57.00	6.33
1060+70.00	RT	PE or CE	26.5	2.00	53.00	5.89
1060+08.00	LT	PE or CE	37	2.00	74.00	8.22
1059+77.00	RT	PE or CE	33.5	2.00	67.00	7.44
1058+50.00	LT	GRANT ST.	27	5.00	135.00	15.00
1058+50.00	RT	GRANT ST.	27	5.00	135.00	15.00
1056+85.00	LT	PE or CE	39.5	2.00	79.00	8.78
1056+85.00	RT	PE or CE	37	2.00	74.00	8.22
1055+45.00	LT	WILSON ST.	27	5.00	135.00	15.00
1055+45.00	RT	WILSON ST.	31	5.00	155.00	17.22
1054+57.00	LT	PE or CE	25.5	2.00	51.00	5.67

STATION	LT/RT *	PE/SR	LENGTH	WIDTH	SQ FT	SD YD
1053+97.00	LT	PE or CE	32	2.00	64.00	7.11
1053+87.00	RT	PE or CE	25.5	2.00	51.00	5.67
1053+45.00	LT	PE or CE	24	2.00	48.00	5.33
1052+62.00	RT	PE or CE	31.5	2.00	63.00	7.00
1052+28.00	LT	PE or CE	25.5	2.00	51.00	5.67
1051+69.00	LT	PE or CE	28.5	2.00	57.00	6.33
1049+89.00	LT	OGLESBY ST.	26.5	5.00	132.50	14.72
1049+89.00	RT	OGLESBY ST.	30.5	5.00	152.50	16.94
1047+06.00	LT	PE or CE	30	2.00	60.00	6.67
1046+41.00	LT	PE or CE	32.5	2.00	65.00	7.22
1046+41.00	RT	PE or CE	26	2.00	52.00	5.78
1045+41.00	RT	PE or CE	26.5	2.00	53.00	5.89
1045+00.00	LT	PE or CE	38.5	2.00	77.00	8.56
1043+88.00	LT	PE or CE	30	2.00	60.00	6.67
1041+91.00	RT	PE or CE	38	2.00	76.00	8.44
1041+82.00	LT	N. CIRCLE DR.	29.5	5.00	147.50	16.39
1038+25.00	LT	HETTINGER CT.	26.5	5.00	132.50	14.72
1038+25.00	RT	HETTINGER CT.	27	5.00	135.00	15.00
1034+37.00	LT	PE or CE	31	2.00	62.00	6.89
1034+37.00	RT	PE or CE	42	2.00	84.00	9.33
1029+45.00	RT	PE or CE	44.5	2.00	89.00	9.89
1027+90.00	LT	PE or CE	42.5	2.00	85.00	9.44
1027+52.00	RT	PE or CE	41	2.00	82.00	9.11
1026+75.00	LT	PE or CE	50	2.00	100.00	11.11
1025+06.00	LT	PE or CE	26.5	2.00	53.00	5.89
1022+34.00	LT	PE or CE	33	2.00	66.00	7.33
1022+34.00	RT	PE or CE	49.5	2.00	99.00	11.00
1021+88.00	LT	PE or CE	30.5	2.00	61.00	6.78
1021+38.00	RT	PE or CE	38.5	2.00	77.00	8.56
1020+60.00	LT	PE or CE	48.5	2.00	97.00	10.78
1020+00.00	LT	PE or CE	47	2.00	94.00	10.44
1019+08.00	LT	PE or CE	47	2.00	94.00	10.44
1018+00.00	LT	PE or CE	50	2.00	100.00	11.11
1017+41.00	LT	PE or CE	33.5	2.00	67.00	7.44
1017+14.00	RT	PE or CE	49	2.00	98.00	10.89
1016+83.00	LT	PE or CE	32.5	2.00	65.00	7.22
1016+18.00	LT	PE or CE	49.5	2.00	99.00	11.00
1015+52.00	LT	PE or CE	50	2.00	100.00	11.11
1015+00.00	LT	PE or CE	53	2.00	106.00	11.78
1014+23.00	LT	PE or CE	49	2.00	98.00	10.89
1013+24.00	LT	PE or CE	44.5	2.00	89.00	9.89
1201+42.00	LT	BENNET DR.	29.5	5.00	147.50	16.39
1008+43.00	LT	BENNET DR.	35.5	5.00	177.50	19.72
1007+68.00	RT	E. 1730 RD. N.	150	2.00	300.00	33.33
1006+37.00	LT	PE or CE	34	2.00	68.00	7.56
994+28.00	RT	PE or CE	67	2.00	134.00	14.89
993+48.00	LT	DOUBLE PE/CE	167	2.00	334.00	37.11
993+28.00	RT	PE or CE	56	2.00	112.00	12.44
991+78.00	RT	PE or CE	87	2.00	174.00	19.33
989+50.00	LT	PE or CE	67	2.00	134.00	14.89
989+29.00	RT	PE or CE	91	2.00	182.00	20.22
STA. EQ.						
19+50.00	LT	WATER TOWER	25	2.00	50.00	5.56
21+49.00	RT	PE or CE	86	2.00	172.00	19.11
23+12.00	RT	PE or CE	61	2.00	122.00	13.56
25+84.00	RT	PE or CE	51	2.00	102.00	11.33
28+73.00	LT	TROY PHILLIPS RD.	24	5.00	120.00	13.33
29+56.00	RT	PE or CE	45	2.00	90.00	10.00
33+55.00	RT	IRON HORSE RD.	215	2.00	430.00	47.78
42+27.82	12'RT	I-72 RAMP "C"	98	3.00	294.00	32.67
SUB-TOTAL					14095.00	1566.11
USE						1566.00
FAU 7545						
61+21.00	RT	I-72 RAMPS "A" & "B"	292.5	2.00	585.00	65.00
71+61.00	LT	WALDEN DR.	31	5.00	155.00	17.22
71+61.00	RT	RIDINGS DR.	35	5.00	175.00	19.44
SUB-TOTAL					915.00	101.67
USE						102.00
TOTAL						1667.78
USE						1668

CLASS D PATCHES, TYPE II, 12 INCH

44201789

STATION	WIDTH	LENGTH	SQ YD
T.B.D.	12	6	8
T.B.D.	12	6	8
T.B.D.	12	6	8
T.B.D.	12	6	8
T.B.D.	12	6	8
T.B.D.	12	6	8
T.B.D.	12	6	8
T.B.D.	12	8	10.67
T.B.D.	12	8	10.67
T.B.D.	12	8	10.67
T.B.D.	12	8	10.67
T.B.D.	12	8	10.67
T.B.D.	12	8	10.67
T.B.D.	12	8	10.67
TOTAL			130.67
USE			131

CLASS D PATCHES, TYPE II, 15 INCH

44201827

STATION	WIDTH	LENGTH	SQ YD
T.B.D.	12	6	8
T.B.D.	12	6	8
T.B.D.	12	6	8
T.B.D.	12	6	8
T.B.D.	12	6	8
T.B.D.	12	6	8
T.B.D.	12	8	10.67
T.B.D.	12	8	10.67
T.B.D.	12	8	10.67
T.B.D.	12	8	10.67
T.B.D.	12	8	10.67
T.B.D.	12	8	10.67
T.B.D.	12	8	10.67
TOTAL			130.67
USE			131

(LOCATIONS FOR CLASS D PATCHES WILL BE DETERMINED BY THE RESIDENT ENGINEER AND MAINTENANCE ENGINEER)