

PARTIAL DEPTH PATCHING

STATION	LANE	WIDTH	LENGTH	DEPTH	PARTIAL DEPTH REMOVAL	PARTIAL DEPTH REMOVAL	PARTIAL DEPTH REMOVAL	PARTIAL DEPTH REMOVAL	PARTIAL DEPTH REMOVAL	PARTIAL DEPTH REMOVAL	PARTIAL DEPTH REMOVAL	PARTIAL DEPTH PATCHING	
					TYPE I, 5 1/2" X4406065	TYPE II, 5 1/2" X4406265	TYPE I, 7" X4406070	TYPE II, 7" X4406270	TYPE I, 7 1/2" X4406075	TYPE I, 8 1/2" X4406085	TYPE II, 8 1/2" X4406285	(SQ YD)	(SQ YD)
28+50.00	NB	12	4	5.5	5.3							1.6	
28+50.00	SB	12	4	5.5	5.3							1.6	
43+00.00	SB	12	4	5.5	5.3							1.6	
43+75.00	SB	12	4	5.5	5.3							1.6	
44+50.00	SB	12	4	5.5	5.3							1.6	
45+25.00	SB	12	4	5.5	5.3							1.6	
46+00.00	SB	12	4	5.5	5.3							1.6	
46+75.00	SB	12	4	5.5	5.3							1.6	
47+50.00	SB	12	4	5.5	5.3							1.6	
39+00.00	NB	12	6	5.5		8.0						2.5	
40+00.00	NB	12	6	5.5		8.0						2.5	
512+00.00	NB	12	4	7			5.3					2.1	
512+00.00	SB	12	4	7			5.3					2.1	
512+00.00	BI-DI	12	4	7			5.3					2.1	
514+50.00	NB	12	4	7			5.3					2.1	
514+50.00	SB	12	4	7			5.3					2.1	
514+50.00	BI-DI	12	4	7			5.3					2.1	
515+50.00	NB	12	4	7			5.3					2.1	
515+50.00	SB	12	4	7			5.3					2.1	
515+50.00	BI-DI	12	4	7			5.3					2.1	
524+25.00	NB	12	8	7				10.7				4.2	
524+25.00	SB	12	8	7				10.7				4.2	
524+25.00	BI-DI	12	8	7				10.7				4.2	
1078+80.00	NB	12	6	7				8.0				3.1	
1062+00.00	SB	12	4	7.5					5.3			2.2	
1062+00.00	BI-DI	12	4	7.5					5.3			2.2	
1062+00.00	NB	12	4	7.5					5.3			2.2	
1061+00.00	SB	12	4	7.5					5.3			2.2	
1061+00.00	BI-DI	12	4	7.5					5.3			2.2	
1061+00.00	NB	12	4	7.5					5.3			2.2	
1059+50.00	SB	12	4	7.5					5.3			2.2	
1059+50.00	BI-DI	12	4	7.5					5.3			2.2	
1059+50.00	NB	12	4	7.5					5.3			2.2	
1057+00.00	NB	12	4	7.5					5.3			2.2	
1056+00.00	NB	12	4	7.5					5.3			2.2	

STATION	LANE	WIDTH	LENGTH	DEPTH	PARTIAL DEPTH REMOVAL	PARTIAL DEPTH REMOVAL	PARTIAL DEPTH REMOVAL	PARTIAL DEPTH REMOVAL	PARTIAL DEPTH REMOVAL	PARTIAL DEPTH REMOVAL	PARTIAL DEPTH REMOVAL	PARTIAL DEPTH PATCHING	
					TYPE I, 5 1/2" X4406065	TYPE II, 5 1/2" X4406265	TYPE I, 7" X4406070	TYPE II, 7" X4406270	TYPE I, 7 1/2" X4406075	TYPE I, 8 1/2" X4406085	TYPE II, 8 1/2" X4406285	(SQ YD)	(SQ YD)
1053+00.00	SB	12	4	7.5								5.3	2.2
1053+00.00	BI-DI	12	4	7.5								5.3	2.2
1053+00.00	NB	12	4	7.5								5.3	2.2
1051+00.00	SB	12	4	7.5								5.3	2.2
1051+00.00	BI-DI	12	4	7.5								5.3	2.2
1051+00.00	NB	12	4	7.5								5.3	2.2
1050+25.00	SB	12	4	7.5								5.3	2.2
1048+00.00	NB	12	4	7.5								5.3	2.2
1048+00.00	SB	12	4	7.5								5.3	2.2
1044+00.00	NB	12	4	7.5								5.3	2.2
1043+00.00	SB	12	4	7.5								5.3	2.2
1043+00.00	NB	12	4	7.5								5.3	2.2
1037+00.00	SB	12	4	7.5								5.3	2.2
1033+00.00	SB	12	4	7.5								5.3	2.2
1025+00.00	NB	12	4	7.5								5.3	2.2
1025+00.00	SB	12	4	7.5								5.3	2.2
1025+00.00	BI-DI	12	4	7.5								5.3	2.2
1019+00.00	NB	12	4	7.5								5.3	2.2
1019+00.00	SB	12	4	7.5								5.3	2.2
1019+00.00	BI-DI	12	4	7.5								5.3	2.2
1014+00.00	NB	12	4	7.5								5.3	2.2
1014+00.00	BI-DI	12	4	7.5								5.3	2.2
1013+00.00	NB	12	4	8.5								5.3	2.5
991+50.00	NB	12	4	8.5								5.3	2.5
991+00.00	NB	12	4	8.5								5.3	2.5
20+00.00	NB	12	4	8.5								5.3	2.5
20+00.00	SB	12	4	8.5								5.3	2.5
24+50.00	NB	12	4	8.5								5.3	2.5
24+50.00	SB	12	4	8.5								5.3	2.5
994+00.00	NB	12	6	8.5								8.0	3.8
993+50.00	NB	12	6	8.5								8.0	3.8
993+00.00	NB	12	6	8.5								8.0	3.8
992+50.00	NB	12	6	8.5								8.0	3.8
990+50.00	SB	12	6	8.5								8.0	3.8
TOTAL					48.0	16.0	48.0	40.0	176.0	37.3	40.0	164.9	
USE					48.0	16	48	40	176	38	40	165	