

RESURFACING SCHEDULE													
STA.	TO	STA.	LENGTH	BITUMINOUS MATERIAL (PRIME COAT)	AGGREGATE PRIME COAT	HMA SURFACE COURSE, MIX D, N90	HMA SURFACE REMOVAL 2"	HMA SURFACE REMOVAL 2 1/4"	HMA SHOULDERS	HMA SHOULDERS 8"	AGGREGATE WEDGE SHOULDER, TYPE B	SHOULDER RUMBLE STRIP 8"	AGGREGATE SHOULDER, TYPE B, 5'
			FOOT	TON	TON	TON	SQYD	SQYD	TON	SQYD	TON	FOOT	TON
RURAL													
4+65	TO	153+73	14908	16	75	4592	49693		1670		278	29816	
189+25	TO	193+16	OMISSION										
193+16	TO	245+15	5199	5.0	26.0	1601	17330				97	10398	
245+15	TO	245+40	25	0.1	0.1	12		111				50	
245+40	TO	269+58	2418	4.0	19.0	1117	12627					4836	
269+58	TO	282+44	1286	1.0	6.0	396	4287					2572	
282+44	TO	295+25	1281	2.0	9.0	592	5836					2562	
295+25	TO	338+70	4345	4.8	16.0	1338	14483					8690	
193+16	TO	245+37	5221						585		97		
245+37	TO	269+58	2421						475		45		
269+58	TO	338+70	6912						774		129		
281+40	TO	281+51	11							183			
30+89	TO	35+22	433										13
32+05	TO	37+67	562										17
35+51	TO	37+58	207										6
97+16	TO	103+28	612										19
97+83	TO	104+21	638										20
192+47	TO	197+22	475										15
192+90	TO	197+28	438										14
242+15	TO	247+03	488										15
242+78	TO	247+78	500										16
263+74	TO	268+50	476										15
265+62	TO	269+57	395										12
279+37	TO	282+44	307										10
280+11	TO	283+00	289										9
SELMAVILLE RD.													
0+00	TO	1+97	197	1.0	2	139		1100					
URBAN													
153+73	TO	189+25	3552	5	22	1890		14997					
335+53	TO	345+40	987	2	11	884		7019					
TOTAL:				41	186	12561	104256	23227	3503	183	647	58924	181

ENTRANCE AND SIDE ROAD SCHEDULE					
STA.	WIDTH	LENGTH	HMA SURFACE REMOVAL - BUTT JOINT	TEMPORARY RAMPS	INCIDENTAL HMA SURFACING
	FOOT	FOOT	SQ YD	SQ YD	TON
RURAL					
4+65.00	22	3.5	9	17	
NORTON RD.	85	3.5	33	66	1
NORTON RD.	85	3.5	33	66	1
FARTHING RD.	85	3.5	33	66	1
189+25	24	3.5	9	19	1
193+16	24	3.5	9	19	1
COURT ST.	95	3.5	37	74	2
W. LINE ST.	85	3.5	33	66	1
W. LINE ST.	85	3.5	33	66	1
HOOTS CHAPEL RD.	104	3.5	40	81	2
HOOTS CHAPEL RD.	104	3.5	40	81	2
SELMAVILLE RD.	87	3.5		68	1
SELMAVILLE RD.	39	3.5		30	1
345+40.00	64	3.5		50	
TOTAL:			310	768	16

GUARDRAIL SCHEDULE																
STA.	TO	STA.	SIDE	LENGTH	SPBR ATTACHED TO STRUCTURES	STEEL PLATE BEAM GUARDRAIL, TYPE A, 6 FOOT POSTS	TRAFFIC BARRIER TERMINAL, TYPE 6	TRAFFIC BARRIER TERMINAL, TYPE 6A	TRAFFIC BARRIER TERMINAL, TYPE 1, (SPECIAL) TANGENT	TRAFFIC BARRIER TERMINAL, TYPE 2	GUARDRAIL MARKERS, TYPE A	TERMINAL MARKERS (DIRECT APPLIED)	GUARDRAIL REMOVAL	CONCRETE CURB, TYPE B	STEEL RAILING, TYPE 2399	HMA SHOULDER, 8"
				(FOOT)	(FOOT)	(FOOT)	(EACH)	(EACH)	(EACH)	(EACH)	(EACH)	(EACH)	(FOOT)	(FOOT)	(FOOT)	(SQYD)
31+28.5	TO	34+53.5	R	325.0		275.00			1		5	1	325			
32+03.5	TO	34+53.5	L	250.0		200.00			1		4	1	250			
34+53.5	TO	34+78.5	R	25.0	25						1					
34+53.5	TO	34+78.5	L	25.0	25						1					
34+78.5	TO	35+28.5	R	50.0		50.00			1		1					
34+78.5	TO	37+78.5	L	300.0		250.00			1		4	1				
35+51.0	TO	37+51.0	R	200.0		100.00			2		3	2	200			
97+15.5	TO	100+28.0	R	312.5		262.50			1		4	1	313			
97+83.0	TO	100+58.0	L	275.0		225.00			1		4	1	275			
100+28.0	TO	100+78.0	R	50.0	50						1		50			
100+58.0	TO	101+08.0	L	50.0	50						1		50			
100+78.0	TO	103+28.0	R	250.0		200.00			1		4	1	250			
101+08.0	TO	104+20.0	L	312.5		262.50			1		4	1	313			
184+96.75	TO	189+53.0	R	456.3		362.50	1				6	1	456			
185+62.75	TO	189+94.0	L	431.3		337.50	1				6	1	431			
192+47.0	TO	197+28.25	R	481.3		387.50	1				7	1	481			
192+90.0	TO	197+33.75	L	443.8		350.00	1				6	1	444			
242+08.75	TO	245+15.0	R	306.3		212.50			1		4	1	306	15.6		
242+71.25	TO	245+15.0	L	243.8		150.00			1		4	1	244	15.6		
245+00.0	TO	245+52.0	L/R	52.0												115.6
245+15.0	TO	245+40.0	R	25.0							1		25		25	
245+40.0	TO	245+40.0	L	25.0							1		25		25	
245+40.0	TO	247+33.75	R	193.8		100.00			1	1	3	1	194	15.6		
245+40.0	TO	247+83.75	L	243.8		150.00			1	1	4	1	244	15.6		
263+67.25	TO	266+11.0	R	243.8		150.00			1	1	4	1	244	15.6		
265+55.75	TO	266+49.5	L	93.8					1	1	2	1	94	15.6		
266+11.0	TO	266+48.5	R	37.5							1		38		37.5	
266+12.0	TO	266+86.0	L/R	74.0												115.1
266+49.5	TO	266+87.0	L	37.5							1		38		37.5	
266+48.5	TO	268+42.25	R	193.8		100.00			1	1	3	1	194	15.6		
266+87.0	TO	269+30.75	L	243.8		150.00			1	1	4	1	244	15.6		
279+63.75	TO	281+38.75	R	175.0		125.00					3	1				
280+51.25	TO	281+38.75	L	87.5		37.50					2	1				
281+38.75	TO	281+51.25	R	12.5	12.5						1					
281+38.75	TO	281+51.25	L	12.5	12.5						1					
281+51.25	TO	282+63.75	R	112.5		62.50					2	1				
281+51.25	TO	283+63.75	L	212.5		162.50					3	1				
TOTAL:				175	4663		4	8	25	1	106	25	5725	125.0	125	231

STONE RIPRAP, CLASS A3, SCHEDULE			
STATION	EB/WB	STONE RIPRAP, CLASS A3	REMOVE EXISTING RIPRAP
		SQYD	SQYD
89+75	EB	22	
89+75	WB	22	
100+68	EB		33
100+68	WB		33
281+45	EB	40	
281+45	WB	40	
TOTAL:		124	66