



FAI ROUTE 55
EXISTING APPROACH ROADWAY TYPICAL CROSS SECTIONS
 SN 054-0057 & 054-0058
 STA 570+34.00 TO STA 582+20.62

LEGEND

- | | |
|----|---|
| 1 | EX STABILIZED SUBBASE 4" |
| 2 | EX CONTINUOUSLY REINFORCED PORTLAND CEMENT CONCRETE PAVEMENT 9" |
| 3 | EX PORTLAND CEMENT CONCRETE PAVEMENT 8" |
| 4 | EX PORTLAND CEMENT CONCRETE PAVEMENT 10" |
| 5 | EX HOT-MIX ASPHALT RESURFACING 1 1/2" |
| 6 | EX HOT-MIX ASPHALT RESURFACING 3 1/4" |
| 7 | EX HOT-MIX ASPHALT RESURFACING 4 3/4" |
| 8 | EX HOT-MIX ASPHALT SHOULDERS 12" |
| 9 | EX HOT-MIX ASPHALT SHOULDERS 12 1/4" |
| 10 | EX HOT-MIX ASPHALT SHOULDERS 13 3/4" |
| 11 | EX AGGREGATE SHOULDERS |
| 12 | EX CONCRETE MEDIAN SURFACE 4" |
| 13 | EX COMBINATION CONCRETE CURB AND GUTTER TYPE M-6.06 |
| 14 | EX PIPE UNDERDRAINS |
| 15 | EX STEEL PLATE BEAM GUARDRAIL |
| 16 | EX COMBINATION CONCRETE CURB AND GUTTER TYPE B-6.24 |
| 21 | PR PAVEMENT REMOVAL |
| 22 | PR MEDIAN REMOVAL |
| 23 | PR PAVED SHOULDER REMOVAL |
| 24 | PR HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH |
| 25 | PR SUBBASE GRANULAR MATERIAL, TYPE A 8" |
| 26 | PR HOT-MIX ASPHALT BASE COURSE, 10 1/2" |
| 27 | PR HOT-MIX ASPHALT BASE COURSE, 10 3/4" |
| 28 | PR HOT-MIX ASPHALT BASE COURSE, 12 1/4" |
| 29 | PR HOT-MIX ASPHALT BASE COURSE, 14 1/2" |
| 30 | PR LEVELING BINDER (MACHINE METHOD), N90 1 3/4" |
| 31 | PR HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N90 1 1/2" |
| 32 | PR COMBINATION CONCRETE CURB AND GUTTER TYPE B-6.24 |
| 33 | PR HOT-MIX ASPHALT SHOULDERS 1 1/2" |
| 34 | PR AGGREGATE WEDGE SHOULDERS, TYPE B |
| 35 | PR HOT-MIX ASPHALT SHOULDERS 12 1/4" |
| 37 | PR REMOVE AND ERECT STEEL PLATE BEAM GUARDRAIL |
| 38 | PR SUBBASE GRANULAR MATERIAL, TYPE A 12" |
| 39 | PR CONTINUOUSLY REINFORCED CONCRETE PAVEMENT 9" |
| 43 | PR STEEL PLATE BEAM GUARDRAIL TYPE A 6' POSTS |
| 44 | APPROACH SLAB REMOVAL |
| 45 | PR STEEL PLATE BEAM GUARDRAIL TYPE A 9' POSTS |