



**PLAN**  
(Looking North)

**BILL OF MATERIAL**

ITEM	UNIT	TOTAL
Sloped Wall Repair	Sq Yd	28
Controlled Low-Strength Material	Cu. Yd.	9

**LEGEND**

Sloped Wall Repair

Note:  
Sloped wall shall be reinforced with welded wire fabric, 6 in. x 6 in. -W4.0 x W4.0, weighing 58 lbs. per 100 sq. ft.

**CB** Coombe-Bloxdorf P.C.  
- CIVIL ENGINEERS -  
- STRUCTURAL ENGINEERS -  
- LAND SURVEYORS -  
Design Firm License No. 184-002703

FILE NAME =	USER NAME = .MML	DESIGNED - GJB	REVISED -
...\\0540065-0066-72e11-037-n-slopedwall-repairs.dgn		CHECKED - MCB/RKM	REVISED -
	PLOT SCALE = 10:8.000000 ' / IN.	DRAWN - MML	REVISED -
CB PROJECT NO 10065-1	PLOT DATE = 3/18/2013	CHECKED - MCB/GJB	REVISED -

**STATE OF ILLINOIS**  
**DEPARTMENT OF TRANSPORTATION**

**NORTH SLOPEWALL REPAIR**  
**STRUCTURE NO. 054-0065 (N.B.) & 054-0066 (S.B.)**

SHEET NO. 37 OF 39 SHEETS

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
55	D6 LOGAN CO BR 2011-1	LOGAN	429	360
				CONTRACT NO. 72E11
ILLINOIS FED. AID PROJECT				