GENERAL NOTES AND COMMENTS

- 1. ALL ENTRANCES CURRENTLY IN USE SHALL REMAIN ACCESSIBLE BOTH DURING AND AFTER CONSTRUCTION.
- FIELD/RESIDENT ENGINEER SHALL COORDINATE WITH OPERATION TO VERIFY NO PASSING ZONES. BUT SHALL CONTACT STUDIES & PLANS CONCERNING COMMITMENTS AND REASONS FOR PROPOSED CHANGES IN NO PASSING ZONES FROM PREVIOUS PAVEMENT MARKINGS.
- FIELD/RESIDENT ENGINEER SHALL CONTACT OPERATIONS TO REQUEST BURIED LIGHT WIRING BE LOCATED AND MARKED IN ORDER TO PREVENT DAMAGE DURING CONSTRUCTION.
- THE THICKNESS OF BITUMINOUS MIXTURES SHOWN ON THE PLANS IS THE NOMINAL THICKNESS. DEVIATIONS FROM THE NOMINAL THICKNESS WILL BE PERMITTED WHEN SUCH DEVIATIONS OCCUR DUE TO IRREGULARITIES IN THE EXISTING SURFACE OR BASE ON WHICH THE BITUMINOUS
- UNLESS DIRECTED BY THE ENGINEER, PAVEMENT MARKING LINES SHALL NOT BE LAID DIRECTLY OVER A LONGITUDINAL CRACK OR JOINT NOR OVER A TAR OR ASPHALT PAINTED LINE. THE EDGE OF A CENTERLINE OR LANE LINE SHALL BE OFFSET A MINIMUM DISTANCE OF 2" FROM A LONGITUDINAL CRACK OR JOINT, EDGE LINES SHALL BE APPROXIMATELY 2" FROM THE EDGE LINE OF PAVEMENT, SEE SECTION 780 OF THE STANDARD SPECIFICATIONS FOR TRAFFIC CONTROL ITEMS.
- THE FOLLOWING RATES OF APPLICATION HAVE BEEN USED TO CALCULATE THE PLAN QUANTITIES: BITUMINOUS MATERIALS (PRIME COAT)
 BITUMINOUS MATERIALS (PRIME COAT)
 AGGREGATE PRIME COAT
 BITUMINOUS CONCRETE SURFACE / BINDER
 AGGREGATE MATERIAL

0.00038 TON/SQ. YD. (ON PAVEMENT) 0.001425 TON/SQ. YD. (ON AGG.) 0.002 TON/SQ. YD. 0.056 TON/SQ. YD. PER 1" 2.05 TON/CU. YD.

COMMITMENTS:

THE FIELD/RESIDENT ENGINEER SHALL CONTACT STUDIES AND PLANS CONCERNING ANY MAJOR PLAN CHANGES TO MAKE SURE NO PREVIOUS COMMITMENTS (NOT LISTED) WERE MADE AFFECTING THE DESIGN. AND ALLOW AN IMPROVED DESIGN FOR FUTURE PROJECTS.

THE FOLLOWING MIXTURE REGULERMENTS ARE APPLICABLE FOR THIS PROJECT:

THE FULLOWING MIXTUR	E REQUIREMENTS ARE AFFL	TCABLE FOR THIS PROJECTA
MIXTURE USE(S):	HMA BASE COURSE	HMA SURFACE
PG:	PG 64-22	PG 64-22
DESIGN AIR VOIDS:	4.0% @ N 70	4.0% @ N 70
MIXTURE COMPOSITION: (GRADATION MIXTURE)	IL 19.0	IL 9.5
FRICTION AGGREGATE:	N/A	MIX "C"

LIST OF STANDARDS

	DISTRICT SIX	
EXAMINED _	0/5	20 / 3
OPERATIONS	ENGINEER	
	752 7	177

EXAMINEL 20 /5 PROJECT INPLEMENTATION ENGINEER **EXAMINED** PROGRAM DEVELOPMENT ENGINEER

	FILE NAME *	USER NAME • advardajd	DESIGNED -	REVISED -
	pi\pw.work\pwidos\edwords.jd\d9325326\0672F87~eht-gennote.dgn		DRAWN -	REVISED -
		PLOT SCALE . 100.0000 '/ in.	CHECKED -	REVISED -
i	Cefault	PLOT DATE = Feb-11-2013 05:35:14PM	DATE -	REVISED -

STATI	E OI	FILLINOIS	
DEPARTMENT	OF	TRANSPORTAT	ION

SCALE:

GENERAL NOTES					F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.			
						ſ	302	(34-1,34-2) N	HANCOCK	22	2	
									CONTRACT	NO.	72F87	
SHEET	QF .	SHEETS	STA.	TO	STA.		ILLINOIS FED. AID PROJECT					