

PAVEMENT SCHEDULE

STATION TO STATION	LENGTH	AVE. WIDTH	BINDER AVE. WIDTH	BITUMINOUS MATERIALS (PRIME COAT)	AGGREGATE (PRIME COAT)	TEMPORARY RAMP	HOT-MIX ASPHALT SURFACE REMOVAL - BUTT JOINT	HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH	HOT-MIX ASPHALT SURFACE REMOVAL, 2 1/4"	HOT-MIX ASPHALT SURFACE REMOVAL, 1 1/2"	HMA SURFACE COURSE, MIX "C", N90	LEVELING BINDER (MACHINE METHOD), N70	AGGREGATE WEDGE SHOULDER, TYPE B	SHOULDER RUMBLE STRIPS, 8 INCH
IL 16	FOOT	FOOT	FOOT	GAL	TON	SQ YD	SQ YD	SQ YD	SQ YD	SQ YD	TON	TON	TON	FOOT
89+50 TO 90+18	68	50	46	73	1.5	44	-	-	348	-	32	15	-	-
90+18 TO 92+29	211	56	52	253	5.1	50	-	-	1219	-	110	51	-	-
92+29 TO 93+05	76	RAILROAD OMISSION												
93+05 TO 100+96	791	52	48	879	17.6	46	-	-	4219	-	384	177	-	-
100+96 TO 102+27	131	58	54	163	3.3	-	-	-	786	-	71	33	-	-
102+27 TO 104+26	199	64	60	274	5.5	-	-	-	1327	-	119	56	-	-
104+26 TO 105+04	78	74	70	125	2.5	-	-	-	607	-	54	25	-	-
105+04 TO 107+54	250	52	48	278	5.6	46	-	-	1333	-	121	56	-	-
107+54 TO 110+03	249	BRIDGE OMISSION												
110+03 TO 110+88	85	52	48	94	1.9	46.2	-	-	453	-	41	19	-	-
110+88 TO 112+31	143	58	54	178	3.6	-	-	-	858	-	77	36	-	-
112+31 TO 114+27	196	64	60	270	5.4	-	-	-	1307	-	117	55	-	-
114+27 TO 114+70	43	74	70	69	1.4	-	-	-	334	-	30	14	-	-
114+70 TO 116+41	171	52	48	190	3.8	-	-	-	912	-	83	38	-	-
116+41 TO 117+05	64	74	70	102	2.0	-	-	-	498	-	44	21	-	-
117+05 TO 119+10	205	64	60	282	5.6	-	-	-	1367	-	122	57	-	-
119+10 TO 120+85	175	58	54	218	4.4	-	-	-	1050	-	95	44	-	-
120+85 TO 121+78	93	52	48	103	2.1	-	-	-	496	-	45	21	-	-
121+78 TO 122+40	62	74	70	99	2.0	-	-	-	482	-	43	20	-	-
122+40 TO 127+58	518	52	48	576	11.5	-	-	-	2763	-	251	116	-	-
127+58 TO 128+10	52	74	70	83	1.7	-	-	-	404	-	36	17	-	-
128+10 TO 135+61	751	52	48	834	16.7	-	-	-	4005	-	364	168	-	-
135+61 TO 136+18	57	74	70	91	1.8	-	-	-	443	-	39	19	-	-
136+18 TO 138+53	235	52	48	261	5.2	-	-	-	1253	-	114	53	-	-
138+53 TO 140+03	150	57.5	53.5	185	3.7	-	-	-	892	-	81	37	-	-
140+03 TO 141+54	151	63	59	205	4.1	-	-	-	990	-	89	42	-	-
141+54 TO 142+07	53	74	70	85	1.7	-	-	-	412	-	37	17	-	-
142+07 TO 143+85	178	52	48	198	4.0	-	-	-	949	-	86	40	-	-
143+85 TO 145+45	160	57.5	53.5	197	3.9	-	-	-	951	-	86	40	-	-
145+45 TO 146+38	93	63	59	126	2.5	-	-	-	610	-	55	26	-	-
146+38 TO 146+92	54	74	70	86	1.7	-	-	-	420	-	37	18	-	-
146+92 TO 150+03	311	52	48	346	6.9	-	-	-	1659	-	151	70	-	-
150+03 TO 150+83	80	55.5	53.5	97	1.9	-	-	-	476	-	41	20	2	80
150+83 TO 151+56	73	61	59	97	1.9	-	-	-	479	-	42	20	2	73
151+56 TO 152+10	54	72	70	85	1.7	-	-	-	420	-	36	18	2	54
152+10 TO 155+09	299	65	63	425	8.5	-	-	-	2093	-	181	88	9	299
155+09 TO 156+03	94	72	70	148	3.0	-	-	-	731	-	63	31	3	94
156+30 TO 158+02	172	50	48	187	3.7	-	-	-	917	-	80	39	5	172
158+02 TO 160+00	198	48	48	211	4.2	-	-	-	1056	-	89	44	12	396
160+00 TO 162+49	249	40	40	221	4.4	-	-	-	1107	-	93	46	15	498
162+49 TO 243+68	8119	32	32	5774	115.5	-	-	28868	-	-	2425	1212	463	15009
243+68 TO 247+13	345	40.5	40.5	311	6.2	-	-	1553	-	-	130	65	20	645
247+13 TO 252+23	510	49	49	555	11.1	-	-	2777	-	-	233	117	24	794
252+23 TO 253+19	96	60	60	128	2.6	-	-	640	-	-	54	27	6	192
253+19 TO 256+06	287	46	46	293	5.9	-	-	1467	-	-	123	62	16	534
256+06 TO 375+87.42	11981.4	32	32	8520	170.4	-	-	42601	-	-	3578	1789	676	21903
375+87.42 TO 375+81.05	STATION EQUATION													

PAVEMENT SCHEDULE (CONT.)

375+81.05 TO 561+01	18520	32	32	13170	263.4	-	-	65849	-	-	5531	2766	1132	36709
561+01 TO 563+73	272	38	38	230	4.6	-	-	1148	-	-	96	48	17	544
563+73 TO 566+25	252	44	44	246	4.9	-	-	1232	-	-	103	52	16	504
566+25 TO 568+27	202	52	52	233	4.7	-	-	1167	-	-	98	49	12	404
568+27 TO 573+65	538	41	41	490	9.8	-	-	2451	-	-	206	103	33	1076
573+65 TO 573+95	30	44	44	29	0.6	39	171	-	-	-	12	6	2	60
SIDEROADS:														
LT 104+61	-	-	-	18	0.4	-	-	-	-	-	179	15	-	-
LT 114+52	-	-	-	69	1.4	-	-	-	-	-	692	58	-	-
LT 141+72	-	-	-	99	2.0	-	-	-	-	-	990	83	-	-
				38562	771	272	171	149751	40625	1861	16388	8002	2469	80040