

BARRIER PLACEMENT SCHEDULE (1 OF 3)

STATION TO STATION	LOCATION	GUARDRAIL PLACEMENT OFFSET	NEW	UPDATING	STEEL PLATE BEAM GUARDRAIL TYPE A,		GUARDRAIL MARKERS, TYPE A	TRAFFIC BARRIER TERMINAL,						TERMINAL MARKER - DIRECT APPLIED	IMPACT ATTENUATORS		ATTENUATOR BASE SO YD	LOCATING UNDERGROUND CABLE, SPECIAL EACH	REMARKS	
					6 FOOT POSTS	9 FOOT POSTS		TYPE 2	TYPE 5	TYPE 6	TYPE 6B	TYPE 10	TYPE 1 (SPECIAL)		(FULLY REDIRECTIVE, NARROW), TEST LEVEL 3	(NON-REDIRECTIVE), TEST LEVEL 3				
					FOOT	FOOT		EACH	EACH	EACH	EACH	EACH	TANGENT EACH		FLARED EACH	EACH				EACH
STA. 233+94.0 TO STA. 235+35.7	EB	OUTSIDE	7.3	X		112.5	2	1	1									1		
STA. 234+23.4 TO STA. 237+65.1	EB	INSIDE	10	X	312.5		4	1	1									1		
STA. 234+13.0 TO STA. 239+83.7	WB	INSIDE	7.2	X	471.875		5			1		1	1					1		
STA. 234+26.5 TO STA. 236+22.8	WB	OUTSIDE	7.2	X		103.125	2			1		1	1					1		
STA. 249+47.2 TO STA. 252+52.3	WB	INSIDE	8.6	X	240.625		3	1				1	1					1		
STA. 252+03.1 TO STA. 255+24.6	EB	INSIDE	7.2	X	228.125		3			1		1	1					1		
STA. 252+13.1 TO STA. 255+35.9	EB	OUTSIDE	10	X		228.125	3			1		1	1					1		
STA. 258+25.5 TO STA. 261+32.8	WB	OUTSIDE	10.1	X		215.625	3			1		1	1					1		
STA. 258+37.9 TO STA. 260+52.5	WB	INSIDE	7.2	X	121.875		4			1		1	1					1		
STA. 297+66.1 TO STA. 299+46.0	EB	INSIDE	7.2	X	115.625		4	1				1	1					1		
STA. 297+98.1 TO STA. 299+65.3	EB	OUTSIDE	8	X	103.125		4	1				1	1					1		
STA. 304+55.9	EB	MAINLINE (OUTSIDE)/ RAMP LANE (INSIDE)	---	X											1			1		
STA. 307+54.5 TO STA. 309+14.8	EB	OUTSIDE	8	X	96.875		4	1				1	1					1		
STA. 307+94.9 TO STA. 309+24.8	EB	INSIDE	7.2	X	65.625		4	1				1	1					1		
STA. 314+67.6 TO STA. 318+01.3	EB	INSIDE	7.2	X	234.375		3			1		1	1					1		
STA. 315+67.4 TO STA. 318+28.1	WB	OUTSIDE	8	X		237.5	3	1	1									1		
STA. 315+88.5 TO STA. 317+92.4	WB	INSIDE	7.2	X	175		3	1	1									1		
STA. 316+33.6 TO STA. 317+86.1	EB	OUTSIDE	8	X	59.375		1			1		1	1					1		
STA. 323+01.7 TO STA. 334+65.8	EB	RAMP OUTSIDE	8	X	1237.5		7			1		1	1					1	RAMP B-8	
STA. 323+99.4 TO STA. 326+65.3	EB	OUTSIDE	8	X	206.25		3	1		1								1		
STA. 324+22.0 TO STA. 334+17.0	EB	INSIDE	7.2	X	906.25		6			1	1							1		
STA. 324+43.9 TO STA. 326+46.4	WB	OUTSIDE	8	X	109.375		2			1		1	1					1		
STA. 324+44.3 TO STA. 334+23.8	WB	INSIDE	7.2	X	881.25		6			1	1							1		
STA. 331+07.6 TO STA. 334+21.2	WB	OUTSIDE	8	X	256.25		4	1				1	1					1		
STA. 337+23.6 TO STA. 340+26.4	WB	OUTSIDE	8.1	X	203.125		3			1		1	1					1		
STA. 337+51.9 TO STA. 339+43.0	WB	INSIDE	7.2	X	96.875		2			1		1	1					1		
STA. 341+67.6	WB	MAINLINE (OUTSIDE)/ RAMP LANE (INSIDE)	---	X											1			1		
STA. 343+40.7 TO STA. 344+97.6	WB	OUTSIDE	8	X	90.625		4	1				1	1					1		
STA. 343+47.7 TO STA. 345+22.0	WB	INSIDE	5.1**	X	109.375		4	1				1	1					1		
STA. 385+49.5 TO STA. 387+66.4	EB	OUTSIDE	6.9**	X	153.125		4	1				1	1					1		
STA. 385+73.7 TO STA. 387+66.1	EB	INSIDE	6.5**	X	128.125		4	1				1	1					1		
STA. 397+71.8 TO STA. 399+99.3	EB	INSIDE	10.5	X	134.375		2			1		1	1					1		
STA. 398+10.3 TO STA. 400+04.8	EB	OUTSIDE	4**	X	103.125		2			1		1	1					1		
STA. 398+83.1 TO STA. 400+37.0	WB	OUTSIDE	4**	X	125		2	1	1									1		
STA. 402+52.9 TO STA. 404+06.8	EB	OUTSIDE	4**	X	125		2	1	1									1		
STA. 402+67.0 TO STA. 404+60.4	EB	INSIDE	10.3	X	131.25		2	1			1							1		
STA. 402+85.2 TO STA. 404+79.8	WB	OUTSIDE	4**	X	103.125		2			1		1	1					1		
STA. 402+90.7 TO STA. 405+30.7	WB	INSIDE	10	X	146.875		2			1		1	1					1		
STA. 412+72.5 TO STA. 414+64.9	EB	INSIDE	10	X	128.125		4	1				1	1					1		
STA. 414+63.2 TO STA. 416+43.1	WB	INSIDE	10	X	115.625		4	1				1	1					1		
STA. 414+86.9 TO STA. 417+10.5	WB	OUTSIDE	10	X	159.375		4	1				1	1					1		
STA. 422+56.5 TO STA. 424+98.9	EB	OUTSIDE	10	X	178.125		4	1				1	1					1		
STA. 423+50.9 TO STA. 425+30.8	EB	INSIDE	10	X	115.625		4	1				1	1					1		
STA. 425+27.1 TO STA. 427+25.7	WB	INSIDE	10	X	134.375		4	1				1	1					1		
STA. 428+67.1 TO STA. 430+97.2	WB	OUTSIDE	10	X	165.625		4	1				1	1					1		
STA. 432+78.7 TO STA. 435+33.4	EB	OUTSIDE	10	X	190.625		4	1				1	1					1		
STA. 433+62.2 TO STA. 435+48.3	EB	INSIDE	10	X	121.875		4	1				1	1					1		
STA. 435+46.6 TO STA. 437+32.7	WB	INSIDE	10	X	121.875		4	1				1	1					1		
SUBTOTALS A				4	45	6375	3425	158	28	6	17	6	0	35	0	35	2	0	0	48