

LOCATION	THERMOPLASTIC PAVEMENT MARKING														PAVEMENT MARKING REMOVAL	RAISED REFLECTIVE PAVEMENT MARKER				REFLECTOR REPLACEMENT			
	LINE - 4"						LINE - 8"				LINE - 12"					REMOVAL		NEW		1-WAY CRYSTAL			
	SKIP-DASH (WHITE)		SOLID (WHITE)		SOLID (YELLOW)		SKIP-DASH (WHITE)		SOLID (WHITE)		SOLID (WHITE)		SOLID (YELLOW)			1-WAY CRYSTAL		1-WAY CRYSTAL		1-WAY CRYSTAL			
	FOOT		FOOT		FOOT		FOOT		FOOT		FOOT		FOOT			SQ FT		EACH		EACH		EACH	
STA TO STA	EB	WB	EB	WB	EB	WB	EB	WB	EB	WB	EB	WB	EB	WB	EB	WB	EB	WB	EB	WB	EB	WB	
337+00 - 348+00	560	560	810	722	1100	1100			289	378			318.4	145.7	174.0	1161.6	1538.4		66		66	56	
348+00 - 363+00	1140	760	1500	1419	1500	1500		54		81				164.3	162.4	1544.2	1478.6	90	97	90	97	12	
363+00 - 378+00	1140	760	1500	1500	1500	1500								164.2	162.9	1544.1	1416.1	114	20	114	20		56
378+00 - 393+00	1140	760	1500	1500	1500	1500								157.7	157.8	1537.6	1411.0	114		114			76
393+00 - 408+00	940	760	1500	1500	1500	1500	201							157.6	156.2	1604.8	1409.4	88		88			76
408+00 - 423+00	760	760	1500	1500	1500	1500	12							206.6	238.5	1467.8	1491.7	76		76			76
423+00 - 438+00	760	760	1500	1500	1500	1500								255.6	230.8	1508.8	1484.0	76		76			76
438+00 - 452+00	700	700	1400	1400	1400	1400							208.0	263.3	262.3	1429.9	1636.9	24		24		44	68
452+00 - 467+00	760	760	1500	1500	1500	1500								258.8	259.5	1512.0	1512.7						76
467+00 - 482+00	760	760	1500	1500	1500	1500								264.5	265.5	1517.7	1518.7						76
482+00 - 497+00	760	760	1500	1500	1500	1500								264.9	267.7	1518.1	1520.9						76
497+00 - 512+00	760	760	1500	1500	1500	1500	126							264.7	265.4	1601.9	1518.6						102
512+00 - 527+00	930	840	1010	1334	1500	1500	87		471	172	259.5			262.4	266.0	2040.5	1605.2						92
527+00 - 542+00	760	840	1500	1257	1500	1500				219				266.0	266.0	1519.2	1610.9						76
542+00 - 557+00	830	760	1317	1059	1500	1500		75	183	441				264.9	265.4	1602.4	1715.6						84
557+00 - 572+00	760	760	1500	1500	1500	1500								265.0	265.0	1518.2	1518.2						76
572+00 - 587+00	760	760	1500	1500	1500	1500								265.0	265.0	1518.2	1518.2						76
587+00 - 602+00	760	760	1500	1500	1500	1500								273.6	273.2	1526.8	1526.4						76
602+00 - 617+00	760	760	1500	1500	1500	1500	114							265.0	265.0	1594.2	1518.2						79
617+00 - 657+00*	900	720	1435.5	1435.5	1435.5	1435.5	147							238.5	238.5	1593.3	1448.7						162
657+00 - 671+00	730	830	942	1400	1400	1400			458		272.7			272.7	271.8	1874.6	1481.7						92
671+00 - 686+00	760	810	1500	828	1500	1500				672				282.2	281.6	1983.4	1775.5						76
686+00 - 701+00	830	760	979	1083	1500	1500			521	440			207.7	268.1	268.2	1718.4	1883.4						84
701+00 - 716+00	760	760	1500	1477	1500	1500		72						265.0	265.0	1518.2	1558.5		56		56	76	38
716+00 - 731+00	380	760	1500	1500	1500	1500	660							265.0	265.0	1831.6	1518.2	14	76	14	76	22	
731+00 - 745+00**	350	630	1400	1400	1400	1400			387	370				247.6	246.1	1555.5	1636.0	50	68	75	93		
SUB-TOTALS	20450	19610	36293.5	35814.5	38235.5	38235.5	1347	201	2309	2773	532.2	734.1	6268.9	6304.8	41343.0	40251.7	646	383	671	408	1513	1668	
TOTALS	188639						6630				13840				81594.7		1029		1079		3181		

\*STATION EQUATION 618+20.65 BK = 643+85.18 AH

\*\*AN ADDITIONAL 25 RRPM'S HAVE BEEN ADDED TO EACH SIDE (SEE GENERAL NOTES).