

ENTRANCE & SIDEROAD IMPROVEMENT SCHEDULE FOR RURAL/URBAN "PPP" PROJECTS

LOCATION	TYPE OF ENTRANCE	EX MATERIAL TYPE	WIDTH	RT OFFSET	LT OFFSET	LENGTH (FROM EDGE OF PVT/BIT SHLD TO LIMITS OF IMPROVEMENTS)	PR BIT. CONC THICKNESS	BIT. SURF. REM.- BUTT JOINT	P.C.C. SURF. REM.- BUTT JOINT	TEMPORARY RAMP	PREP OF BASE	AGG. BASE REPAIR	AGGREGATE BASE COURSE TY-B	AGGREGATE SURF COURSE TY-B	BIT (P.C.)	AGG (P.C.)	INCIDENTAL BIT. SURF.
LT/RT/STA	FE/PE/CE/MB/SR	EARTH/AGG/BIT/PCC	FOOT	FOOT	FOOT	FOOT	INCH	SQ YD	SQ YD	SQ YD	SQ YD	TON	TON	TON	TON	TON	TON
RT 58+63.00	CE	BIT	34			10	1.5	10.2	0.0		0.0	0.0		0.0	0.004	0.02	0.86
LT 58+71.00	CE	BIT	37			6	1.5	0.0	0.0		0.0	0.0		0.0	0.000	0.00	0.00
LT 60+04.00	CE	BIT	29			6	1.5	0.0	0.0		0.0	0.0		0.0	0.000	0.00	0.00
RT 60+07.00	CE	BIT	29			10	1.5	9.1	0.0		0.0	0.0		0.0	0.003	0.02	0.77
LT 61+96.00	CE	BIT	42			8	1.5	0.0	0.0		0.0	0.0		0.0	0.000	0.00	0.00
RT 62+09.00	CE	BIT	30			10	1.5	9.3	0.0		0.0	0.0		0.0	0.004	0.02	0.78
LT 62+85.00	CE	BIT	50			8	1.5	0.0	0.0		0.0	0.0		0.0	0.000	0.00	0.00
RT 63+77.00	CE	BIT	32			10	1.5	9.8	0.0		0.0	0.0		0.0	0.004	0.02	0.82
LT 64+15.00	PE	BIT	10			8	1.5	0.0	0.0		0.0	0.0		0.0	0.000	0.00	0.00
RT 64+93.00	CE	BIT	30			10	1.5	9.3	0.0		0.0	0.0		0.0	0.004	0.02	0.78
LT 65+60.00	SR	BIT	48			10	1.5	77.8	0.0		0.0	0.0		0.0	0.030	0.16	6.53
RT 65+60.00	SR	BIT	48			10	1.5	77.8	0.0		0.0	0.0		0.0	0.030	0.16	6.53
RT 67+51.00	SR	BIT	34			10	1.5	62.2	0.0		0.0	0.0		0.0	0.024	0.12	5.23
RT 69+09.00	MB	BIT	0			8	3.5	0.0	0.0		13.8	0.8		0.0	0.000	0.00	2.70
LT 69+21.00	PE	AGG	18			15	3.5	0.0	0.0		16.0	0.9		1.7	0.000	0.00	3.14
LT 79+25.00	FE	EARTH	12			0	0.0	0.0	0.0		0.0	0.0		0.0	0.000	0.00	0.00
RT 79+62.00	CE	BIT	35			10	1.5	34.0	0.0		0.0	0.0		0.0	0.013	0.07	2.86
LT 79+65.00	FE	EARTH	20			0	0.0	0.0	0.0		0.0	0.0		0.0	0.000	0.00	0.00
LT 92+65.00	FE	EARTH	20			0	0.0	0.0	0.0		0.0	0.0		0.0	0.000	0.00	0.00
RT 92+68.00	FE	EARTH	20			0	0.0	0.0	0.0		0.0	0.0		0.0	0.000	0.00	0.00
LT 96+27.00	SR	BIT	25			10	1.5	52.2	0.0		0.0	0.0		0.0	0.020	0.10	4.39
RT 96+27.00	SR	BIT	25			10	1.5	52.2	0.0		0.0	0.0		0.0	0.020	0.10	4.39
LT 113+15.00	PE	BIT	20			8	1.5	16.9	0.0		0.0	0.0		0.0	0.006	0.03	1.42
RT 114+17.00	MB	BIT	0			8	3.5	0.0	0.0		13.8	0.8		0.0	0.000	0.00	2.70
LT 114+95.00	PE	AGG	12			15	3.5	0.0	0.0		13.3	0.8		1.3	0.000	0.00	2.61
RT 119+17.00	FE	EARTH	24			0	0.0	0.0	0.0		0.0	0.0		0.0	0.000	0.00	0.00
LT 119+56.00	SR	BIT	22			10	1.5	48.9	0.0		0.0	0.0		0.0	0.019	0.10	4.11
RT 123+36.00	MB	BIT	0			8	3.5	0.0	0.0		13.3	0.8		0.0	0.000	0.00	2.61
RT 123+60.00	PE	AGG	17			15	3.5	0.0	0.0		15.6	0.9		1.6	0.000	0.00	3.05
LT 134+81.00	FE	AGG	22			0	0.0	0.0	0.0		0.0	0.0		0.0	0.000	0.00	0.00
RT 136+69.00	FE	EARTH	24			0	0.0	0.0	0.0		0.0	0.0		0.0	0.000	0.00	0.00
RT 140+39.00	MB	BIT	0			8	8.0	0.0	0.0		43.1	2.5		0.0	0.000	0.00	19.31
RT 141+07.00	CE	CONC	40			10	1.5	0.0	37.3		0.0	0.0		0.0	0.014	0.07	3.14
LT 144+16.00	PE	AGG	20			15	3.5	0.0	0.0		16.9	1.0		1.8	0.000	0.00	3.31
RT 144+72.00	MB	BIT	0			8	3.5	0.0	0.0		13.8	0.8		0.0	0.000	0.00	2.70
LT 145+85.00	FE	AGG	24			0	0.0	0.0	0.0		0.0	0.0		0.0	0.000	0.00	0.00
LT 159+22.00	FE	EARTH	24			0	0.0	0.0	0.0		0.0	0.0		0.0	0.000	0.00	0.00
RT 161+96.00	FE	EARTH	20			0	0.0	0.0	0.0		0.0	0.0		0.0	0.000	0.00	0.00
LT 166+41.00	FE	EARTH	20			0	0.0	0.0	0.0		0.0	0.0		0.0	0.000	0.00	0.00
RT 168+10.00	PE	AGG	30			15	3.5	0.0	0.0		0.0	0.0		2.5	0.000	0.00	0.00
RT 168+51.00	MB	BIT	0			8	3.5	0.0	0.0		0.0	0.0		0.0	0.000	0.00	0.00
LT 172+51.00	SR	BIT	18			10	1.5	44.4	0.0		0.0	0.0		0.0	0.017	0.09	3.73
RT 176+35.00	PE	AGG	17			15	3.5	0.0	0.0		15.6	0.9		1.6	0.000	0.00	3.05
RT 176+59.00	MB	BIT	0			8	3.5	0.0	0.0		12.4	0.7		0.0	0.000	0.00	2.44
LT 182+18.00	PE	AGG	18			15	3.5	0.0	0.0		16.0	0.9		1.7	0.000	0.00	3.14
RT 182+18.00	MB	BIT	0			8	3.5	0.0	0.0		13.8	0.8		0.0	0.000	0.00	2.70
LT 186+32.00	FE	AGG	20			0	0.0	0.0	0.0		0.0	0.0		0.0	0.000	0.00	0.00
RT 199+19.00	FE	EARTH	27			0	0.0	0.0	0.0		0.0	0.0		0.0	0.000	0.00	0.00
LT 207+54.00	FE	AGG	12			0	0.0	0.0	0.0		0.0	0.0		0.0	0.000	0.00	0.00
LT 212+73.00	FE	EARTH	20			0	0.0	0.0	0.0		0.0	0.0		0.0	0.000	0.00	0.00
RT 225+62.00	SR	BIT	22			10	1.5	48.9	0.0		0.0	0.0		0.0	0.019	0.10	4.11
LT 225+71.00	SR	BIT	22			10	1.5	48.9	0.0		0.0	0.0		0.0	0.019	0.10	4.11
RT 230+93.00	CE	CONC	40			10	1.5	0.0	37.3		0.0	0.0		0.0	0.014	0.07	3.14
RT 235+05.00	CE	CONC	40			10	1.5	0.0	37.3		0.0	0.0		0.0	0.014	0.07	3.14
RT 238+09.00	CE	CONC	37			10	1.5	0.0	35.3		0.0	0.0		0.0	0.013	0.07	2.97
LT 240+86.00	PE	AGG	10			15	3.5	0.0	0.0		12.4	0.7		1.1	0.000	0.00	2.44
SUBTOTAL								612.0	147.33		229.78	13.08		13.15	0.29	1.52	119.68

REVISIONS	
NAME	DATE
TMJ	02-07

ILLINOIS DEPARTMENT OF TRANSPORTATION
SCHEDULE OF QUANTITIES
 FAP ROUTE 717 (IL 10)
 SECTION 109 (RS-3)
 LOGAN COUNTY

SCALE: VERT. DRAWN BY MLH
 HORIZ. CHECKED BY LDB
 DATE AUG 2004

g:\PROJ\CIVIL\G13303.74\DGN\SCHEDULE OF QUANTITIES.DGN