


AGGREGATE SHOULDERS, TYPE B, 6"
 BITUMINOUS SHOULDERS SUPERPAVE, 8"
 SUB-BASE GRANULAR MATERIAL, TYPE C (APPROX 5 3/4" AVE. THICKNESS)
 BITUMINOUS PAVEMENT WIDENING SEE DETAIL
 SUB-BASE GRANULAR MATERIAL, TYPE B, 4"
 EXISTING AGGREGATE SHOULDERS, TYPE B TO BE REMOVED

EXISTING PAVEMENT AND WIDENING
 BITUMINOUS SURFACE REMOVAL, VARIABLE DEPTH
 BITUMINOUS CONCRETE SURFACE COURSE, SUPERPAVE, MIX D, N70, 1/2"
 LEVELING BINDER (MACHINE METHOD) SUPERPAVE, N70, 3/4"

TOPSOIL EXCAVATION AND PLACEMENT
 AGGREGATE SHOULDERS, TYPE B, 6"
 EXISTING AGGREGATE SHOULDERS, TYPE B TO BE REMOVED
 BITUMINOUS SHOULDERS SUPERPAVE, 8"


④ PROPOSED TYPICAL SECTION
 STA. 305+16.00 TO STA. 323+82.08

* FROM STA. 308+50.00 TO STA. 317+50.00:
 BITUMINOUS CONCRETE BINDER COURSE, SUPERPAVE, IL-19.0, N70, VARIABLE DEPTH (4" COMPACTED MAXIMUM LIFTS)



DETAIL OF PAVEMENT WIDENING

** MINIMUM COMPACTED LIFT OF 2 1/4"
 MAXIMUM COMPACTED LIFT OF 4"




EXISTING PIPE UNDERDRAIN SYSTEM
 RT, STA. 338+38.00 TO STA. 352+32.00
 LT & RT, STA. 420+27.00 TO STA. 422+77.00
 LT & RT, STA. 424+63.00 TO STA. 427+13.00

EXISTING PAVEMENT AND WIDENING
 BITUMINOUS SURFACE REMOVAL, VARIABLE DEPTH
 BITUMINOUS CONCRETE SURFACE COURSE, SUPERPAVE, MIX D, N70, 1/2"
 LEVELING BINDER (MACHINE METHOD) SUPERPAVE, N70, 3/4"

* AGGREGATE SHOULDERS, TYPE B
 * RESURFACE EXISTING 4' BITUMINOUS SHOULDER WITH 3/4" BITUMINOUS CONCRETE LEVELING BINDER (MACHINE METHOD), SUPERPAVE, IL-9.5, N70 AND 1/2" BITUMINOUS CONCRETE SURFACE COURSE, SUPERPAVE, MIX D, N70

* AT GUARDRAIL PROVIDE VARIABLE WIDTH BITUMINOUS SHOULDERS SUPERPAVE, 8" IN LIEU OF AGGREGATE SHOULDERS. SEE SHEET 33 FOR DETAILS.

⑤ PROPOSED TYPICAL SECTION
 STA. 338+30.37 TO STA. 352+32.45
 STA. 408+30.00 TO STA. 422+94.33
 STA. 424+45.67 TO STA. 464+90.00



EXISTING PAVEMENT AND WIDENING
 BITUMINOUS SURFACE REMOVAL, VARIABLE DEPTH
 BITUMINOUS CONCRETE SURFACE COURSE, SUPERPAVE, MIX D, N70, 1/2"
 LEVELING BINDER (MACHINE METHOD) SUPERPAVE, N70, 3/4"

TOPSOIL EXCAVATION AND PLACEMENT
 AGGREGATE SHOULDERS, TYPE B, 6"
 EXISTING BITUMINOUS SHOULDERS, 6" TO REMAIN

RESURFACE EXISTING 4' BITUMINOUS SHOULDER WITH 3/4" BITUMINOUS CONCRETE LEVELING BINDER (MACHINE METHOD), SUPERPAVE, IL-9.5, N70 AND 1/2" BITUMINOUS CONCRETE SURFACE COURSE, SUPERPAVE, MIX D, N70

⑥ PROPOSED TYPICAL SECTION
 STA. 464+90.00 TO STA. 502+08.00
 STA. 520+87.00 TO STA. 529+00.00
 STA. 534+40.00 TO STA. 604+90.52

REVISIONS	
NAME	DATE

ILLINOIS DEPARTMENT OF TRANSPORTATION

TYPICAL SECTIONS
 SHEET 2 OF 4

DATE 6/01
 DRAWN BY MLO
 CHECKED BY RDW

Revised 5/2/07