


DRAINAGE STRUCTURE SCHEDULE							
PT	LOCATION	DESCRIPTION	EOP OR TOP OF LID	INLET	INLET	OUTLET	SYMBOL
1	14.00' LT 608+42.00	INLETS TA T3 F&G	604.55			602.05 N	■
2	31.50' LT 608+42.00	PRC FL-END SEC 15"	-			600.25	◀
3	14.00' RT 608+42.00	INLETS TA T3 F&G	604.50			602.00 S	■
4	31.50' RT 608+42.00	PRC FL-END SEC 15"	-			600.25	◀
5	14.00' LT 610+89.00	INLETS TA T3 F&G	602.77			600.27 N	■
6	23.00' LT 610+89.00	MAN TA 4'Ø TIF OL	601.50	597.00 S		596.80 E	⊙
7	14.00' RT 610+89.00	INLETS TA T3 F&G	602.72			600.22	■
8	31.00' RT 610+89.00	PRC FL-END SEC 15"	-			598.40	◀
9	14.00' LT 613+02.00	INLETS TA T3 F&G	600.90			597.50 N	■
10	23.00' LT 613+02.00	MAN TA 4'Ø TIF OL	598.50	595.40 W	595.60 S	595.30 E	⊙
11	14.00' RT 613+02.00	INLETS TA T3 F&G	600.90			597.50 S	■
12	29.00' RT 613+02.00	PRC FL-END SEC 15"	-			597.10	◀
13	14.00' LT 615+40.00	INLETS TA T3 F&G	598.54			595.00 N	■
14	23.00' LT 615+40.00	MAN TA 4'Ø TIF OL	597.50	594.35 W	594.50 S	594.25 E	⊙
15	14.00' RT 615+40.00	INLETS TA T3 F&G	599.95			596.50 S	■
16	30.00' RT 615+40.00	PRC FL-END SEC 15"	-			595.80	◀
17	14.00' LT 616+00.00	INLET TA T3 F&G	597.93			595.43	■
18	24.58' LT 616+00.00	RC PIPE TEE 15P 15R			594.06	594.06	■
19	21.00' LT 616+93.32	MAN TA 4'Ø TIF OL	598.20	593.61 W		593.65 N	⊙
20	14.00' RT 616+93.43	INLET TA T3 F&G 42 D	599.76			-	■
21	37.00' RT 617+02.46	PRC FL-END SEC 15"	-			593.00	◀
22	20.00' RT 617+61.00	EXISTING MANHOLE	-			-	⊙
23	38.00' RT 654+24.00	EXISTING MANHOLE	-			-	⊙
24	30.60' RT 655+00.00	PRC FL-END SEC 15"	-			587.95	◀

NOTES:

- AT 19 CONNECT PROPOSED MANHOLE TO EXISTING CULVERT. CONNECT PROPOSED CULVERT EXTENSION TO PROPOSED MANHOLE. COST OF CONNECTIONS INCLUDED IN COST OF PROPOSED MANHOLE.
- AT 20 CONNECT PROPOSED INLET TO EXISTING CULVERT. COST OF CONNECTION INCLUDED IN COST OF PROPOSED INLET. (SEE SHEET 82)
- AT 22 CONNECT PROPOSED STORM SEWER TO EXISTING MANHOLE. COST INCLUDED IN COST OF STORM SEWER.
- AT 23 CONNECT PROPOSED STORM SEWER TO EXISTING MANHOLE. COST INCLUDED IN COST OF STORM SEWER.



STORM SEWER SCHEDULE		
PT. TO PT.	STORM SEWER CLASS A TYPE 2 15"	SLOPE
	FT.	
1-2	19	9.73
3-4	19	9.46
5-6	11	21.80
7-8	18	10.11
6-10	213	0.66
10-14	238	0.40
14-19	153	0.41
9-10	15	12.67
11-12	18	2.22
13-14	10	5.00
15-16	18	3.88
17-18	9	15.22
21-22	60	1.85
23-24	72	2.74
TOTAL	873	

STORM SEWER REMOVAL, 12"		
PT.	LOCATION	LENGTH
22	RT 617+02.50 - 617+62.30	60'
23	RT 654+24.00 - 654+35.40	20'
	TOTAL	80'

REVISIONS	
NAME	DATE

ILLINOIS DEPARTMENT OF TRANSPORTATION

**STORM SEWER SCHEDULE**

DRAWN BY MLO  
CHECKED BY RMD

DATE 9/01