

CONST. JT. - NORTH END OF EASTBOUND CLOSURE POUR

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. N. Abut.	10783.68	7.64	808.41	808.41
⊕ Brg. N. Abut.	10789.29	8.65	808.44	808.44
A	10799.13	10.41	808.48	808.57
B	10808.98	12.17	808.52	808.70
C	10818.82	13.93	808.56	808.82
D	10828.66	15.69	808.59	808.92
E	10838.51	17.45	808.61	809.00
F	10848.35	19.21	808.62	809.07
G	10858.20	20.96	808.63	809.11
H	10868.04	22.72	808.63	809.12
I	10877.88	24.48	808.63	809.12
J	10887.73	26.24	808.62	809.08
K	10897.57	28.00	808.60	809.03
L	10907.42	29.76	808.58	808.95
M	10917.26	31.52	808.55	808.86
N	10927.10	33.28	808.51	808.74
O	10936.95	35.04	808.47	808.62
P	10946.79	36.80	808.42	808.48
⊕ Brg. S. Abut.	10953.15	37.94	808.38	808.38
Bk. S. Abut.	10958.77	38.94	808.35	808.35

CONST. JT. - SOUTH END OF EASTBOUND CLOSURE POUR

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. N. Abut.	10778.96	10.36	808.33	808.33
⊕ Brg. N. Abut.	10784.57	11.36	808.36	808.36
A	10794.41	13.12	808.41	808.50
B	10804.25	14.88	808.45	808.63
C	10814.10	16.64	808.49	808.75
D	10823.94	18.40	808.52	808.85
E	10833.79	20.16	808.55	808.94
F	10843.63	21.92	808.56	809.01
G	10853.47	23.68	808.58	809.05
H	10863.32	25.44	808.58	809.07
I	10873.16	27.20	808.58	809.07
J	10883.01	28.95	808.57	809.04
K	10892.85	30.71	808.56	808.99
L	10902.69	32.47	808.54	808.91
M	10912.54	34.23	808.51	808.82
N	10922.38	35.99	808.48	808.71
O	10932.23	37.75	808.44	808.58
P	10942.07	39.51	808.39	808.45
⊕ Brg. S. Abut.	10948.43	40.65	808.36	808.36
Bk. S. Abut.	10954.05	41.65	808.33	808.33

GIRDER 18

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. N. Abut.	10775.58	12.29	808.27	808.27
⊕ Brg. N. Abut.	10781.19	13.30	808.30	808.30
A	10791.04	15.06	808.35	808.44
B	10800.88	16.82	808.40	808.58
C	10810.73	18.57	808.44	808.70
D	10820.57	20.33	808.47	808.81
E	10830.41	22.09	808.50	808.90
F	10840.26	23.85	808.52	808.96
G	10850.10	25.61	808.53	809.01
H	10859.95	27.37	808.54	809.03
I	10869.79	29.13	808.54	809.03
J	10879.63	30.89	808.54	809.00
K	10889.48	32.65	808.53	808.95
L	10899.32	34.41	808.51	808.88
M	10909.17	36.17	808.48	808.79
N	10919.01	37.93	808.45	808.68
O	10928.85	39.69	808.41	808.56
P	10938.70	41.45	808.37	808.43
⊕ Brg. S. Abut.	10945.06	42.59	808.34	808.34
Bk. S. Abut.	10950.67	43.59	808.31	808.31

GIRDER 19

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. N. Abut.	10764.12	18.88	808.06	808.06
⊕ Brg. N. Abut.	10769.73	19.88	808.10	808.10
A	10779.57	21.64	808.16	808.25
B	10789.41	23.40	808.22	808.39
C	10799.26	25.16	808.26	808.52
D	10809.10	26.92	808.30	808.64
E	10818.95	28.68	808.34	808.73
F	10828.79	30.44	808.37	808.81
G	10838.63	32.20	808.39	808.86
H	10848.48	33.96	808.40	808.89
I	10858.32	35.72	808.41	808.90
J	10868.17	37.48	808.41	808.88
K	10878.01	39.24	808.41	808.84
L	10887.85	41.00	808.40	808.77
M	10897.70	42.76	808.38	808.69
N	10907.54	44.51	808.36	808.59
O	10917.39	46.27	808.33	808.47
P	10927.23	48.03	808.29	808.35
⊕ Brg. S. Abut.	10933.59	49.17	808.26	808.26
Bk. S. Abut.	10939.21	50.17	808.24	808.24

GIRDER 20

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. N. Abut.	10752.65	25.46	807.85	807.85
⊕ Brg. N. Abut.	10758.26	26.47	807.89	807.89
A	10768.10	28.23	807.96	808.05
B	10777.95	29.98	808.02	808.20
C	10787.79	31.74	808.08	808.34
D	10797.63	33.50	808.13	808.46
E	10807.48	35.26	808.17	808.56
F	10817.32	37.02	808.20	808.65
G	10827.17	38.78	808.23	808.71
H	10837.01	40.54	808.26	808.74
I	10846.85	42.30	808.27	808.76
J	10856.70	44.06	808.28	808.75
K	10866.54	45.82	808.28	808.71
L	10876.39	47.58	808.28	808.66
M	10886.23	49.34	808.27	808.58
N	10896.07	51.10	808.25	808.49
O	10905.92	52.86	808.23	808.38
P	10915.76	54.62	808.20	808.26
⊕ Brg. S. Abut.	10922.12	55.76	808.18	808.18
Bk. S. Abut.	10927.74	56.76	808.16	808.16

GIRDER 21

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. N. Abut.	10741.18	32.05	807.63	807.63
⊕ Brg. N. Abut.	10746.79	33.05	807.68	807.68
A	10756.64	34.81	807.75	807.84
B	10766.48	36.57	807.82	808.00
C	10776.32	38.33	807.88	808.14
D	10786.17	40.09	807.94	808.27
E	10796.01	41.85	807.99	808.38
F	10805.86	43.61	808.03	808.48
G	10815.70	45.37	808.07	808.54
H	10825.54	47.13	808.10	808.59
I	10835.39	48.89	808.12	808.61
J	10845.23	50.65	808.14	808.60
K	10855.08	52.41	808.15	808.58
L	10864.92	54.17	808.15	808.53
M	10874.76	55.93	808.15	808.46
N	10884.61	57.68	808.14	808.38
O	10894.45	59.44	808.13	808.27
P	10904.30	61.20	808.11	808.16
⊕ Brg. S. Abut.	10910.66	62.34	808.09	808.09
Bk. S. Abut.	10916.27	63.34	808.07	808.07