

FAS	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
2402	(113B-2)	PEORIA	55	7
STA.		TO STA.		
FED. ROAD DIST. NO.		US 150		

LOCATION	LENGTH (FT)	WIDTH (FT)	AREA (SQ YD)	BITUMINOUS MAT PRIME COAT (TON)	AGGREGATE PRIME COAT (TON)	PCC SHOULDER 8" (SQ YD)	BITUMINOUS CONCRETE SURFACE COURSE, SUPERPAVE, MIX D, N50 (TON)	AGGREGATE SURFACE COURSE TYPE B (TON)	BIT CONC BASE CSE WIDENING 8" (SQ YD)	BIT SURF REM (VARIABLE DEPTH) (SQ YD)
STA. 308+00 - 310+25	225	32	800	.16	1.61		86.0			564
STA. 312+64 - 315+30	266	32	946	.19	1.89		99.4			681
LT STA. 308+00 - 310+25									75	
RT STA. 308+00 - 310+25									75	
LT STA. 312+64 - 315+30									89	
RT STA. 312+64 - 314+85									74	
LT STA. 314+00								11		
LT STA. 312+75						4.4				
RT STA. 312+75						4.4				
LT STA. 314+38						4.4				
RT STA. 314+00						4.4				
TOTALS				.35	3.5	17.6	185.4	11	313	1245

LOCATION	BIT SURF REM BUTT-JOINT	TEMPORARY RAMP
	SQ YD	SQ YD
STA. 308+00	86.7	20
STA. 315+00	86.7	20
STA. 310+55		20
STA. 312+34		20
TOTAL	173.4	80

LOCATION	TREE REMOVAL, (OVER 15 UNITS DIAMETER) (UNIT)	TREE REMOVAL, (6 to 15 UNITS DIAMETER)
STA. 314+50 (75' LT)		9.5
STA. 314+50 (75' RT)		9.5
STA. 314+50 (75' LT)		7.6
STA. 314+90 (70' LT)	43	
TOTAL	43	26

LOCATION	SHLD INLET WITH CURB (4" SHLD) (EACH)	PIPE DRAINS 12" (FOOT)	PIPE ELBOW 12 (EACH)	METAL END SECTION 12 (EACH)	CONCRETE THRUST BLOCK (EACH)	GUTTER REMOVAL (FOOT)
LT STA. 312+65 - 315+30						265
RT STA. 312+65 - 314+80						215
LT STA. 312+75	1	34	2	1	1	
RT STA. 312+75	1	16	2	1	1	
RT STA. 314+00	1	36	2	1	1	
LT STA. 314+38	1	42	2	1	1	
TOTAL	4	128	8	4	4	480

LOCATION	TEMPORARY DITCH CHECK (EACH)	PERIMETER EROSION BARRIER (FT)
LT STA. 308+50 - 310+50	2	250
LT STA. 312+50 - 315+00	2	250
RT STA. 308+85 - 310+50	2	250
RT STA. 312+50 - 315+00	2	250
TOTAL	8	1000

	ENGINEER'S FIELD OFFICE TYPE A (CAL MO)	MOBILIZATION (L SUM)	TRAFFIC CONTROL AND PROTECTION		CONSTRUCTION LAYOUT (L. SUM)
			STANDARD 701321 (EACH)	STANDARD 701326 (L SUM)	
	6	1	1	1	1
TOTAL	6	1	1	1	1

LOCATION	STONE RIPRAP CLASS B3			AREA (SQ YD)	AREA (SQ YD)
	LENGTH (FT)	WIDTH (FT)	AREA (SQ YD)		
LT STA. 314+43 - 312+40	80	6	53		53
RT STA. 314+05 - 312+40	150	6	100		100
RT STA. 312+40 - 314+05	165	6	110		110
TOTAL			263		263

LOCATION	SEEDING, CLASS 3 (ACRES)	NITROGEN FERTILIZER (LBS)	PHOSPHORUS FERTILIZER (LBS)	POTASSIUM FERTILIZER (LBS)	EROSION CONTROL BLANKET (SQ YD)
LT STA. 308+85 - 310+50	.083	7.5	7.5	7.5	401.7
LT STA. 312+50 - 315+00	.301	27.1	27.1	27.1	1458.4
RT STA. 308+85 - 310+50	.095	8.6	8.6	8.6	458.1
RT STA. 312+50 - 315+00	.013	1.2	1.2	1.2	61.1
TOTAL	.50	45	45	45	2379.0

ITEM	LOCATION	QUANTITY	UNIT
CHANNEL EXCAVATION	CHANNEL	385	CU. YD.
STONE RIPRAP, CLASS A5	CHANNEL	824	TON
FILTER FABRIC	CHANNEL	543	SQ. YD.
GABIONS	CHANNEL	65	CU. YD.
SUB-BASE GRANULAR MATERIAL, TYPE C	CHANNEL	622	TON
GABION ANCHOR STAKE	CHANNEL	64	EACH

LOCATION	BRIDGE APPROACH PAVEMENT (SPECIAL) (SQ YD)	BRIDGE APPROACH PAVEMENT CONNECTOR (FLEX) (SQ YD)
STA 310+25		17.2
STA 312+64		17.2
STA 310+25 TO 310+55	85	
STA 312+34 TO 312+64	85	
TOTAL	170	34.4

LOCATION	TEMPORARY BRIDGE TRAFFIC SIGNALS (EACH)	TEMPORARY CONCRETE BARRIER (FOOT)	RELOCATE TEMPORARY CONCRETE BARRIER (FOOT)	IMPACT ATTENUATORS, TEMPORARY (NRD) TL3 (EACH)	IMPACT ATTENUATORS, RELOCATE (NRD) TL3 (EACH)
STA. 309+70 - 310+15		95	95		
STA. 310+15 - 312+75		260	260		
STA. 312+75 - 314+20		145	145		
RT STA. 314+20				1	1
RT STA. 309+20				1	1
STA 308+00 TO 315+30	1				
TOTAL	1	500	500	2	2

LOCATION	SHORT-TERM PAVEMENT MARKING (FOOT)	WORK ZONE PAVEMENT MARKING REMOVAL (FOOT)
STA. 308+00 - 315+30	72	72
TOTAL	72	72

NAME	DATE

ILLINOIS DEPARTMENT OF TRANSPORTATION

SCHEDULES OF QUANTITIES

SCALE: NO SCALE
DATE: _____

DRAWN BY: MAJ
CHECKED BY: _____