

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
*	**	MACOUPIN	231	106

STA.	TO STA.
FED. ROAD DIST. NO.	ILLINOIS FED. AID PROJECT

* FAP 325 (IL 16) & FAP 604 (IL 159)
 ** 14R; 115RS-2; 116RS-4; 101RS-2

LOCATION	TYPE OF ENTRANCE	EXISTING MATERIAL TYPE	EXISTING BIT AREA	PROP BIT AREA	PROP AGG AREA	PROP CONC AREA	PROP BIT CONC DEPTH	BIT SURF REM-BUTT JOINT	DRIVEWAY PAVT REM	AGG SURF CSE TYPE B	AGG BASE CSE TYPE B	PREP OF BASE	BIT MATL (PR CT)	AGG (PR CT)	INC BIT SURF	AGG FOR TEMP ACCESS	WIDTH 1	WIDTH 2	WIDTH 3
STATION	(FE/PE/CE/MBTO/SR)	(DIRT/AGG BIT/O&C)	SO YD	SO YD	SO YD	SO YD	INCH	SO YD	SO YD	TON	TON	SO YD	TON	TON	TON	TON	FOOT	FOOT	FOOT
PART D																			
IL 159																			
STA 30+27.84	RT	PE	BIT/AGG	37.25	37.25	8.06	2.25	37.25		0.80			0.01	0.08	4.69				
STA 31+87.02	RT	PE	BIT/AGG	17.96	41.37	3.43	3.50		17.96	0.34		41.37	0.06	0.09	8.11	7.07	60.2	32.9	13.0
STA 33+90.20	LT	SR	BIT	137.36	156.69		8.00		137.36				0.22	0.34	70.20	53.54	77.2		19.5
STA 33+90.20	RT	SR	BIT	50.56	50.56		2.25	50.56					0.02	0.11	6.37				
STA 35+40.19	RT	CE	CONC	0.00					52.20							17.84			
STA 35+48.01	LT	CE	BIT	47.52	47.52		2.25	47.52					0.02	0.10	5.99				
STA 36+33.28	LT	CE	CONC	0.00					65.98							22.54			
STA 38+87.82	RT	CE	BITAGG	16.75	16.75	6.99	2.25	16.75		0.70			0.01	0.04	2.11				
STA 38+79.32	LT	CE	BIT	57.24	57.24		2.25	57.24					0.02	0.13	7.21				
STA 38+87.82	RT	SR	BIT	48.19	48.19		2.25	48.19					0.02	0.11	6.07				
STA 40+69.92	LT	CE	BIT/AGG	146.07	146.07		2.25	146.07							18.40				
STA 42+89.19	RT	PE	BIT	20.14	20.14		2.25	20.14					0.01	0.04	2.54				
STA 44+91.83	RT	CE	BIT/AGG	27.47		16.11	2.25	27.47		1.61			0.01	0.06	3.46				
STA 46+45.00	LT	SR	BIT	94.75	94.75		2.25	94.75					0.04	0.21	11.94				
STA 47+29.36	RT	SR	BIT	49.67	49.67		2.25	49.67					0.02	0.11	6.26				
STA 48+39.45	LT	PE	BIT/AGG	23.21	23.21	21.06	2.25	23.21		2.10			0.01	0.05	2.92				
STA 48+48.27	RT	MB	AGG	0.00	37.61		3.50					37.61	0.05	0.08	7.37	6.43	64.0		20.0
STA 51+04.94	RT	PE	AGG	0.00	41.95	14.65	3.50			1.46		41.95	0.06	0.09	8.22	7.17	60.5	40.8	12.0
STA 51+20.43	LT	PE	BIT	21.16	21.16		2.25	21.16					0.01	0.05	2.67				
STA 51+64.70	RT	PE	BIT	58.62	58.62		2.25	58.62					0.02	0.13	7.39				
STA 54+20.74	LT	SR	BIT	63.92	63.92		2.25	63.92					0.02	0.14	8.05				
STA 55+52.55	RT	PE	AGG	0.00	24.59	14.09	3.50			1.40		24.59	0.04	0.05	4.82	4.20	35.8	19.6	17.2
STA 56+14.35	RT	MB	AGG	0.00	37.35		3.50					37.35	0.05	0.08	7.32	6.38	64.0		20.0
STA 56+15.55	LT	PE	CONC	0.00	22.26										7.61				
STA 57+25.61	LT	PE	AGG	0.00	28.36	13.15	3.50			1.31		28.36	0.04	0.06	5.56	4.84	39.9	23.9	9.9
STA 57+94.87	RT	MB	BIT	21.31	21.31		2.25	21.31					0.01	0.05	2.69				
STA 61+14.93	RT	MB	BIT	26.43	26.43		2.25	26.43					0.01	0.06	3.33				
STA 61+25.82	LT	PE	BIT/AGG	18.93	18.93		2.25	18.93					0.01	0.04	2.39				
STA 63+98.18	RT	MB	BIT	53.46	53.46		2.25	53.46					0.02	0.12	6.74				
STA 64+20.91	LT	PE	BIT/AGG	13.94	13.94	12.30	2.25	13.94		1.23			0.01	0.03	1.76				
STA 69+99.07	LT	SR	O&C	16.11	48.36		8.00					48.36	0.07	0.11	21.67	16.52	53.5		33.5
STA 75+90.28	RT	PE	BIT/AGG	21.19	54.36	17.23	3.50		21.19	1.72			0.08	0.12	10.65	9.29	78.2	44.2	15.2
STA 82+54.62	LT	PE	AGG	0.00	26.91	14.65	3.50			1.46		26.91	0.04	0.06	5.27	4.60	38.3	22.3	15.4
STA 82+77.19	RT	MB	AGG	0.00	37.32		3.50					37.32	0.05	0.08	7.31	6.38	64.0		20.0
STA 89+33.09	LT	SR	O&C	47.78	47.78		8.00					47.78	0.07	0.11	21.41	16.32	59.8		32.2
STA 89+33.09	RT	SR	O&C	49.28	49.28		8.00					49.28	0.07	0.11	22.08	16.84	55.5		33.7
STA 91+57.28	RT	CE	BIT/AGG	30.77	30.77	14.53	2.25	30.77		1.45			0.01	0.07	3.88				
STA 102+89.92	LT	PE	AGG	0.00	32.44	16.73	3.50			1.67		32.44	0.05	0.07	6.36	5.54	44.5	28.5	14.5
STA 102+95.18	RT	MB	AGG	0.00	37.38		3.50					37.38	0.05	0.08	7.33	6.39	64.0		20.0
STA 108+26.55	LT	PE	AGG	0.00	39.54	22.77	3.50			2.27		39.54	0.06	0.09	7.75	6.75	52.5	36.5	22.1
STA 109+25.31	LT	PE	AGG	0.00	29.25	13.92	3.50			1.39		29.25	0.04	0.06	5.73	5.00	40.9	24.9	10.9
STA 121+87.66	LT	CE	AGG	0.00	40.99	12.13	8.00			1.21		40.99	0.06	0.09	18.36	14.00	46.8	26.8	16.8
STA 127+29.39	LT	CE	AGG	0.00	52.78	18.06	8.00			1.80		52.78	0.08	0.12	23.65	18.03	57.5	37.5	27.5
STA 127+30.52	RT	PE	AGG	0.00	79.23	39.05	3.50			3.89		79.23	0.11	0.17	15.53	13.54	106.1	72.1	43.3
STA 131+46.19	RT	CE	AGG	0.00	75.66	28.71	8.00			2.86		75.66	0.11	0.17	33.90	25.85	79.3	58.7	43.1
STA 145+32.62	LT	SR	BIT	65.71	65.71		2.25	65.71					0.02	0.14	8.28				
STA 145+32.62	RT	SR	BIT	54.39	54.39		2.25	54.39					0.02	0.12	6.85				
STA 146+13.39	LT	CE	AGG	0.00	57.73	20.33	8.00			2.03		57.73	0.08	0.13	25.86	19.72	61.6	41.6	31.6
STA 154+51.49	LT	PE	BIT/AGG	45.63	45.63	14.32	2.25	45.63		1.43			0.02	0.10	5.75				
STA 159+97.21	LT	PE	BIT/AGG	48.18	48.18	26.40	2.25	48.18		2.63			0.02	0.11	6.07				
STA 161+22.07	RT	PE	AGG	24.77	103.04	59.81	3.50			5.96		103.04	0.15	0.23	20.20	17.60	132.9	98.8	70.0
SUB-TOTAL PART D				2,343.50	428.48	140.44		1,141.27	294.69	42.72	0.00	968.92	2.08	4.79	508.47	339.99			
SUB-TOTAL PART B				2,696.63	852.22	0.00		2,169.05	16.92	68.99	43.02	505.58	1.63	5.87	444.74	149.52			
TOTAL PART B & D				5,040.13	1,280.70	140.44		3,310.32	311.61	111.71	43.02	1,474.50	3.71	10.66	953.21	489.51			

REVISIONS		ILLINOIS DEPARTMENT OF TRANSPORTATION
NAME	DATE	
		SCHEDULE OF QUANTITIES FAP 325 (IL 16) & FAP 604 (IL 159) 14R; 115RS-2; 116RS-4; 101RS-2 MACOUPIN COUNTY SCALE: VERT. _____ HORIZ. _____ DATE _____ DRAWN BY _____ CHECKED BY _____

PLOT DATE : #DATES
 FILE NAME : #FILEL#
 PLOT SCALE : #SCALE#
 USER NAME : #USER#