



Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

June 8, 2017

SUBJECT: FAU Route 2906 (Williams St.)
Project STP-2906(006)
Section 68-RS
Cook County
Contract No. 62C59
Item No. 124, June 16, 2017 Letting
Addendum A

NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

1. Replaced the Schedule of Prices
2. Revised page ii of the Table of Contents to the Special Provisions
3. Added pages 77 & 78 to the Special Provisions
4. Revised sheets 1-5 & 9-11 of the Plans
5. Added sheets 11A-11J to the Plans

Prime contractors must utilize the enclosed material when preparing their bid and must include any Schedule of Prices changes in their bidding proposal.

Bidders using computer-generated bids are cautioned to reflect any and all Schedule of Prices changes, if involved, into their computer programs.

Very truly yours,

Maureen M. Addis, P.E.
Engineer of Design and Environment

A handwritten signature in black ink, appearing to read 'Ted B. Walschleger', followed by the letters 'P.E.' in a smaller font.

By: Ted B. Walschleger, P. E.
Engineer of Project Management

cc: Anthony Quigley, Region 1, District 1; Tim Kell; Estimates

MS/ab

ILLINOIS DEPARTMENT OF TRANSPORTATION
 SCHEDULE OF PRICES
 CONTRACT
 NUMBER - 62C59

State Job # - C-91-366-16

County Name - COOK - -
 Code - 31 - -
 District - 1 - -
 Section Number - 68-RS

Project Number
 STP-2906/006/
 *REVISED: JUNE 07, 2017

Route
 FAU 2906

Item Number	Pay Item Description	Unit of Measure	Quantity	x	Unit Price	=	Total Price
X0320050	CONSTRUCTN LAYOUT SPL	L SUM	1.000				
X0327980	PAVMT MRKG REM WTR BL	SQ FT	85.000				
X2020110	GRADING & SHAP SHLDRS	UNIT	125.000				
X4060006	P HMA SC SMA 12.5 N80	TON	3,453.000				
X5537800	SS CLEANED 12	FOOT	1,500.000				
X6030310	FR & LIDS ADJUST SPL	EACH	5.000				
X7030005	TEMP PAVT MKING REMOV	SQ FT	570.000				
*REV Z0004562	COMB C C&G REM & REPL	FOOT	478.000				
Z0018500	DRAINAGE STR CLEANED	EACH	15.000				
Z0030850	TEMP INFO SIGNING	SQ FT	51.400				
Z0034105	MATL TRANSFER DEVICE	TON	3,453.000				
*ADD 20200100	EARTH EXCAVATION	CU YD	5.000				
*REV 21101615	TOPSOIL F & P 4	SQ YD	5.000				
25200110	SODDING SALT TOLERANT	SQ YD	2.000				
40600290	BIT MATLS TACK CT	POUND	20,807.000				

ILLINOIS DEPARTMENT OF TRANSPORTATION
 SCHEDULE OF PRICES
 CONTRACT
 NUMBER -

62C59

State Job # - C-91-366-16

County Name - COOK- -
 Code - 31 - -
 District - 1 - -
 Section Number - 68-RS

Project Number
 STP-2906/006/
 *REVISED: JUNE 07, 2017

Route
 FAU 2906

Item Number	Pay Item Description	Unit of Measure	Quantity	x	Unit Price	=	Total Price
40600400	MIX CR JTS FLANGEWYS	TON	47.000				
40600827	P LB MM IL-4.75 N50	TON	1,272.000				
40600982	HMA SURF REM BUTT JT	SQ YD	327.000				
*REV 40601005	HMA REPL OVER PATCH	TON	777.000				
*REV 42001300	PROTECTIVE COAT	SQ YD	498.000				
*REV 42400200	PC CONC SIDEWALK 5	SQ FT	3,574.000				
*REV 42400800	DETECTABLE WARNINGS	SQ FT	431.000				
44000160	HMA SURF REM 2 3/4	SQ YD	30,824.000				
*REV 44000600	SIDEWALK REM	SQ FT	3,569.000				
*REV 44002224	HMA RM OV PATCH 6	SQ YD	2,313.000				
*REV 44201741	CL D PATCH T2 8	SQ YD	688.000				
*REV 44201745	CL D PATCH T3 8	SQ YD	388.000				
*REV 44201747	CL D PATCH T4 8	SQ YD	1,268.000				
48102100	AGG WEDGE SHLD TYPE B	TON	499.000				
56109210	WATER VALVES ADJUST	EACH	2.000				

ILLINOIS DEPARTMENT OF TRANSPORTATION
 SCHEDULE OF PRICES
 CONTRACT
 NUMBER - 62C59

State Job # - C-91-366-16

County Name - COOK - -
 Code - 31 - -
 District - 1 - -
 Section Number - 68-RS

Project Number
 STP-2906/006/
 *REVISED: JUNE 07, 2017

Route
 FAU 2906

Item Number	Pay Item Description	Unit of Measure	Quantity	x	Unit Price	=	Total Price
60300305	FR & LIDS ADJUST	EACH	5.000				
66900200	NON SPL WASTE DISPOSL	CU YD	5.000				
66900450	SPL WASTE PLNS/REPORT	L SUM	1.000				
66900530	SOIL DISPOSAL ANALY	EACH	1.000				
67000400	ENGR FIELD OFFICE A	CAL MO	6.000				
67100100	MOBILIZATION	L SUM	1.000				
70100460	TRAF CONT-PROT 701306	L SUM	1.000				
70102625	TR CONT & PROT 701606	L SUM	1.000				
70102630	TR CONT & PROT 701601	L SUM	1.000				
70102635	TR CONT & PROT 701701	L SUM	1.000				
70102640	TR CONT & PROT 701801	L SUM	1.000				
70300100	SHORT TERM PAVT MKING	FOOT	3,420.000				
70300150	SHRT TRM PAVT MK REM	SQ FT	570.000				
70300210	TEMP PVT MK LTR & SYM	SQ FT	120.000				
70300220	TEMP PVT MK LINE 4	FOOT	27,778.000				

ILLINOIS DEPARTMENT OF TRANSPORTATION
 SCHEDULE OF PRICES
 CONTRACT
 NUMBER -

62C59

State Job # - C-91-366-16

County Name - COOK- -
 Code - 31 - -
 District - 1 - -
 Section Number - 68-RS

Project Number
 STP-2906/006/
 *REVISED: JUNE 07, 2017

Route
 FAU 2906

Item Number	Pay Item Description	Unit of Measure	Quantity	x	Unit Price	=	Total Price
70300240	TEMP PVT MK LINE 6	FOOT	631.000				
70300260	TEMP PVT MK LINE 12	FOOT	603.000				
70300280	TEMP PVT MK LINE 24	FOOT	90.000				
70300520	PAVT MARK TAPE T3 4	FOOT	1,710.000				
78000100	THPL PVT MK LTR & SYM	SQ FT	120.000				
78000200	THPL PVT MK LINE 4	FOOT	27,778.000				
78000400	THPL PVT MK LINE 6	FOOT	631.000				
78000600	THPL PVT MK LINE 12	FOOT	603.000				
78000650	THPL PVT MK LINE 24	FOOT	90.000				
78008210	POLYUREA PM T1 LN 4	FOOT	254.000				
78100100	RAISED REFL PAVT MKR	EACH	453.000				
78300200	RAISED REF PVT MK REM	EACH	408.000				
88600600	DET LOOP REPL	FOOT	366.000				
*ADD 89502376	REBUILD EX HANDHOLE	EACH	5.000				

CONTRACT NUMBER

62C59

THIS IS THE TOTAL BID

\$ _____

NOTES:

- 1. Each PAY ITEM should have a UNIT PRICE and a TOTAL PRICE.**
- 2. The UNIT PRICE shall govern if no TOTAL PRICE is shown or if there is a discrepancy between the product of the UNIT PRICE multiplied by the QUANTITY.**
- 3. If a UNIT PRICE is omitted, the TOTAL PRICE will be divided by the QUANTITY in order to establish a UNIT PRICE.**
- 4. A bid may be declared UNACCEPTABLE if neither a unit price nor a total price is shown.**

WORKING DAYS (BDE)..... 70
BITUMINOUS MATERIALS COST ADJUSTMENTS (BDE) (RETURN FORM WITH BID)..... 70
FUEL COST ADJUSTMENT (BDE) (RETURN FORM WITH BID)..... 73
REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES..... 77

REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES

This work shall be according to Article 669 of the Standard Specifications and the following:

Qualifications. The term environmental firm shall mean an environmental firm with at least five (5) documented leaking underground storage tank (LUST) cleanups or that is pre-qualified in hazardous waste by the Department. Documentation includes but not limited to verifying remediation and special waste operations for sites contaminated with gasoline, diesel, or waste oil in accordance with all Federal, State, or local regulatory requirements and shall be provided to the Engineer for approval. The environmental firm selected shall not be a former or current consultant or have any ties with any of the properties contained within and/or adjacent to this construction project.

General. This Special Provision will likely require the Contractor to subcontract for the execution of certain activities.

All contaminated materials shall be managed as either “uncontaminated soil” or non-special waste. This work shall include monitoring and potential sampling, analytical testing, and management of a material contaminated by regulated substances. The Environmental Firm shall continuously monitor all soil excavation for worker protection and soil contamination. **Phase I Preliminary Engineering information is available through the District’s Environmental Studies Unit.** Soil samples or analysis without the approval of the Engineer will be at no additional cost to the Department. The lateral distance is measured from centerline and the farthest distance is the offset distance or construction limit whichever is less.

The Contractor shall manage any excavated soils and sediment within the following areas:

Intersection of S. Glenwood-Thornton Road and Main Street at Merrill Street

- All excavation planned for ADA improvements at the bicycle trail crossing at the northwest quadrant and northeast quadrant at the intersection of S. Glenwood-Thornton Road and Main Street at Merrill Street, Glenwood. This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of Williams Street and Maria Street

- All excavation planned at the northeast quadrant at the intersection of Williams Street and Maria Street, Thornton. This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of Williams Street and Juliette Street

- All excavation planned at all four quadrants at the intersection of Williams Street and Juliette Street, Thornton. This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Added 6/8/17

Intersection of Williams Street and Margaret Street

- All excavation planned at the northeast quadrant, northwest quadrant and southwest quadrant at the intersection of Williams Street and Margaret Street, Thornton. This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- All excavation planned at the southeast quadrant at the intersection of Williams Street and Margaret Street, Thornton. This material meets the criteria of Article 669.09(a)(5) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of Williams Street and Harriet Street

- All excavation planned at the northeast quadrant, northwest quadrant and southwest quadrant at the intersection of Williams Street and Harriet Street, Thornton. This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- All excavation planned at the southeast quadrant at the intersection of Williams Street and Harriet Street, Thornton. This material meets the criteria of Article 669.09(a)(5) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of Williams Street and Eleanor Street

- All excavation planned at all four quadrants at the intersection of Williams Street and Eleanor Street, Thornton. This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of Williams Street and Marion Street

- All excavation planned at the northeast quadrant at the intersection of Williams Street and Marion Street, Thornton. This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Added 6/8/17