### INDEX OF SHEETS

#### SHT. SHEET DESCRIPTION

- 1 COVER
- 2 GENERAL NOTES AND HWY STDS.
- 3 SUM OF QUANTITIES
- 4 SCHEDULE PAVEMENT MARKINGS
- 5 SCHEDULE HMA
- 6 SCHEDULE HMA
- 7 TYPICAL SECTIONS
- 8 TYPICAL SECTIONS
- 9 PENTECOST PLAN SHEET
- 10 PENTECOST PLAN SHEET
- 11 WEST MAIN PLAN SHEET
- 12- WEST MAIN PLAN SHEET
- 13 BAINBRIDGE PLAN SHEET
- 14 BAINBRIDGE PLAN SHEET
- 15 GENERAL DETAILS
- 16 GENERAL DETAILS

# GENERAL NOTES

ROUTE NO. SECTION COUNTY TOTAL SHEET SHEETS NO.

\* 19-00125- WILLIAMSON 2 16

ILUNOIS WAN, BAINBRIDGE, & PENTECOST

CONTRACT NO. 99708

\* FAU 9629 (MAIN ST.)
FAU 9623 (PENTECOST RD.)
FAU 6002 (BAINBRIDGE TRAIL)

- 1. UNDERGROUND STRUCTURES AND UTILITIES HAVE BEEN PLOTTED FROM AVAILABLE SURVEYS AND RECORDS AND, THEREFORE, THEIR LOCATION MUST BE CONSIDERED APPROXIMATE ONLY. THE VERIFICATION OF THE LOCATION OF ALL UNDERGROUND FACILITIES, STRUCTURES AND UTILITIES, EITHER SHOWN OR NOT SHOWN ON THESE PLANS, SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR.
- 2. CONTRACTOR SHALL CONTACT J.U.L.I.E. OPERATOR AT 1-800-892-0123 FOR MARKING OF EXISTING UNDERGROUND UTILITIES. J.U.L.I.E. SHOULD BE CONTACTED A MINIMUM OF 96 HOURS IN ADVANCE OF CONSTRUCTION. CONTRACTOR SHALL MEET ALL REQUIREMENTS FOR CROSSING OF ANY EXISTING UTILITIES.
- 3. UNLESS MODIFIED BY THE PROJECT SPECIFICATIONS, ALL SITE WORK SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE ILLINOIS DEPARTMENT OF TRANSPORTATION "STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION," LATEST EDITION. HOWEVER, STORM SEWER, SANITARY SEWER AND WATER LINE WORK SHALL BE PERFORMED IN ACCORDANCE WITH THE "STANDARD SPECIFICATIONS FOR WATER AND SEWER MAIN CONSTRUCTION IN ILLINOIS," LATEST EDITION. ALL SITE WORK SHALL COMPLY WITH THE ILLINOIS ACCESSIBILITY CODE.
- 4. BUTT JOINTS WITHIN THE INLAID SECTIONS (BAINBRIDGE ROAD AND PENTECOST STREET) SHALL BE INCLUDED IN THE COST OF THE HMA SURFACE REMOVAL AND HMA RESURFACING AND NO ADDITIONAL COMPENSATION WILL BE ALLOWED.

## HMA MIXTURE REQUIREMENTS

|             | · · · · · · · · · · · · · · · · · · ·    |                                |                           |   |
|-------------|--|--------------------------------|---------------------------|---|
| <b>&gt;</b> | LOCATIONS:                               | HOT-MIX ASPHALT SURFACE        | INCIDENTAL HMA SURFACING  | く |
| <b>-</b>    | MIXTURE USE(S):                          | POLYMERIZED HOT-MIX ASPHALT    | HOT-MIX ASPHALT SURFACE   | く |
| <b>&gt;</b> |  | SURFACE COURSE, MIX D, N90     | COURSE, MIX C, N30        | く |
| ٢           | PG: —                                    | <del>PG64-22</del> SBS PG76-22 | PG64-22                   | 4 |
| <b>&gt;</b> | DESIGN AIR VOIDS:                        | 4.0%,-70GYRATION DESIGN - 90   | 4.0 %, 30 GYRATION DESIGN | 1 |
| >           | MIXTURE COMPOSITION: (GRADATION MIXTURE) | IL-9.5MM <del>-L</del>         | IL-9.5MM L                | 1 |
| >           | FRICTION AGGREGATE:                      | D SURFACE                      | NONE                      | 1 |
| >           | MIXTURE WEIGHT:                          | 112 LBS/SQ YD/IN               | 112 LBS/SQ YD/IN          | 4 |
| >           | QUALITY MANAGEMENT PROGRAM:              | QC/QA                          | QC/QA                     | _ |
| >           | SUBLOT SIZE:                             | NA                             | NA                        | _ |
| >           | MATERIAL TRANSFER DEVICE:                | NO                             | NO                        | 4 |
|             |  |                                |                           |   |

# HIGHWAY STANDARDS

| 000001-08 | STANDARD SYMBOLS ABBREVIATIONS AND PATTERNS                   |
|-----------|---|
| 001006    | DECIMAL EQUIVALENTS OF AN INCH AND FOOT                       |
| 701501-06 | URBAN LANE CLOSURE, 2L, 2W, UNDIVIDED                         |
| 701502-09 | URBAN LANE CLOSURE, 2L, 2W, WITH BIDIRECTIONAL LEFT TURN LANE |
| 701901-08 | TRAFFIC CONTROL DEVICES                                       |
| 780001-05 | TYPICAL PAVEMENT MARKINGS                                     |
| 781001-04 | TYPICAL APPLICATIONS RAISED REFLECTIVE PAVEMENT MARKERS       |
|           |   |

STATE OF ILLINOIS PROFESSIONAL DESIGN FIRM LICENSE NO. 184-004515

REVISIONS
DATE NO.
5-31-23

CLARIDA & ZIEGLER
ENGINEERING CO.
410 North Court St. P.O. Box 937
Morion, Illinois 62959
Phone - (618)993-6411, Fax - (618)993-6750

GENERAL NOTES & EWY SINDS.

MAIN, BAINERRIDER & PENTECOST RESURFACING
CITY OF MARION, ILLINOIS

Dete 121 - OR By DATE (CN'O By )

Scole JJO Na. 19194 Sheet No. of 18