

PILE LAYOUT

Pile	Station at Working Point	Top of Parapet El.	Top of Pile El.	Bot. of Wall El.	Section	Pile Tip El.	Pile Length
P-1	2328+28.04	12.15	7.65	5.26	HP14x117	-20.77	28'-5"
P-2	2328+20.43	12.15	7.65	5.20		-20.85	28'-6"
P-3	2328+12.82	12.16	7.66	5.15		-20.93	28'-7"
P-4	2328+05.21	12.16	7.66	5.10		-20.92	28'-7"
P-5	2327+97.59	12.17	7.67	5.05		-21.00	28'-8"
P-6	2327+89.98	12.18	7.68	4.99		-21.07	28'-9"
P-7	2327+82.37	12.18	7.68	4.94		-21.07	28'-9"
P-8	2327+74.76	12.19	7.69	4.89		-21.15	28'-10"
P-9	2327+67.15	12.19	7.69	4.86		-21.22	28'-11"
P-10	2327+59.54	12.20	7.70	4.84		-21.22	28'-11"
P-11	2327+51.93	12.21	7.71	4.83		-21.21	28'-11"
P-12	2327+44.32	12.21	7.71	4.82		-21.20	28'-11"
P-13	2327+36.71	12.22	7.72	4.80		-21.20	28'-11"
P-14	2327+29.11	12.22	7.72	4.79		-21.28	29'-0"
P-15	2327+21.50	12.23	7.73	4.78		-21.27	29'-0"
P-16	2327+13.89	12.24	7.74	4.76		-21.26	29'-0"
P-17	2327+06.28	12.24	7.74	4.75		-21.26	29'-0"
P-18	2326+98.68	12.25	7.75	4.74		-21.34	29'-1"
P-19	2326+91.07	12.25	7.75	4.73		-21.33	29'-1"
P-20	2326+83.47	12.26	7.76	4.71		-21.32	29'-1"
P-21	2326+75.86	12.27	7.77	4.70		-21.32	29'-1"
P-22	2326+68.26	12.27	7.77	4.69		-21.40	29'-2"
P-23	2326+60.65	12.28	7.78	4.67		-21.39	29'-2"
P-24	2326+53.05	12.28	7.78	4.66		-21.38	29'-2"
P-25	2326+45.45	12.29	7.79	4.65		-21.38	29'-2"
P-26	2326+37.84	12.30	7.80	4.63		-21.37	29'-2"
P-27	2326+30.24	12.30	7.80	4.62		-21.45	29'-3"
P-28	2326+22.64	12.31	7.81	4.61		-21.44	29'-3"
P-29	2326+15.14	12.31	7.81	4.60		-21.44	29'-3"
P-30	2326+07.04	12.32	7.82	4.58		-21.43	29'-3"
P-31	2325+98.93	12.33	7.83	4.57	HP14x117	-21.51	29'-4"
P-32	2325+90.30	12.33	7.83	4.55	Built-Up	-26.50	34'-4"
P-33	2325+82.68	12.35	7.85	4.52	Built-Up	-26.49	34'-4"
P-34	2325+74.48	12.35	7.85	4.51	HP14x117	-21.56	29'-5"
P-35	2325+66.38	12.36	7.86	4.50		-21.56	29'-5"
P-36	2325+58.28	12.37	7.87	4.48		-21.55	29'-5"
P-37	2325+50.17	12.37	7.87	4.47		-21.54	29'-5"
P-38	2325+42.07	12.38	7.88	4.45	HP14x117	-21.62	29'-6"
P-39	2325+33.97	12.38	7.88	4.40	W21x132	-25.62	33'-6"
P-40	2325+25.87	12.37	7.87	4.31		-25.71	33'-7"
P-41	2325+17.77	12.37	7.87	4.22		-25.80	33'-8"
P-42	2325+09.67	12.36	7.86	4.12		-25.89	33'-9"
P-43	2324+93.28	12.36	7.86	4.03		-25.98	33'-10"
P-44	2324+85.18	12.35	7.85	3.93		-26.15	34'-0"
P-45	2324+77.08	12.35	7.85	3.84		-26.24	34'-1"
P-46	2324+68.98	12.34	7.84	3.75		-26.32	34'-2"
P-47	2324+60.88	12.34	7.84	3.65		-26.41	34'-3"
P-48	2324+52.78	12.33	7.83	3.56		-26.50	34'-4"
P-49	2324+44.68	12.33	7.83	3.47		-26.59	34'-5"
P-50	2324+36.58	12.32	7.82	3.31		-26.77	34'-7"
P-51	2324+28.48	12.31	7.81	3.22		-26.85	34'-8"
P-52	2324+20.38	12.31	7.81	3.13		-26.94	34'-9"
P-53	2324+12.28	12.30	7.80	3.04		-27.03	34'-10"
P-54	2324+04.18	12.30	7.80	2.95		-27.12	34'-11"
P-55	2323+96.08	12.29	7.79	2.86		-27.21	35'-0"
P-56	2323+87.98	12.29	7.79	2.77		-27.30	35'-1"
P-57	2323+79.88	12.28	7.78	2.68	W21x132	-27.39	35'-2"
P-58	2323+71.78	12.28	7.78	2.58	W21x147	-27.47	35'-3"
P-59	2323+63.68	12.28	7.78	2.49		-27.55	35'-4"
P-60	2323+55.58	12.28	7.78	2.40		-27.63	35'-5"
P-61	2323+47.48	12.29	7.79	2.31		-27.71	35'-6"
P-62	2323+39.38	12.29	7.79	2.22		-27.80	35'-7"
P-63	2323+31.28	12.29	7.79	2.13		-27.88	35'-8"
P-64	2323+23.18	12.29	7.79	2.04		-28.04	35'-10"
P-65	2323+15.08	12.29	7.79	1.95	W21x147	-28.12	35'-11"

PILE LAYOUT

Pile	Station at Working Point	Top of Parapet El.	Top of Pile El.	Bot. of Wall El.	Section	Pile Tip El.	Pile Length
P-66	2323+14.34	12.30	7.80	1.86	W21x147	-28.20	36'-0"
P-67	2323+06.85	12.30	7.80	1.77		-28.29	36'-1"
P-68	2322+99.36	12.30	7.80	1.68		-28.37	36'-2"
P-69	2322+91.87	12.30	7.80	1.59		-28.45	36'-3"
P-70	2322+84.39	12.30	7.80	1.50		-28.53	36'-4"
P-71	2322+76.90	12.31	7.81	1.40		-28.61	36'-5"
P-72	2322+69.41	12.31	7.81	1.31		-28.69	36'-6"
P-73	2322+61.93	12.31	7.81	1.22		-28.86	36'-8"
P-74	2322+54.44	12.31	7.81	1.13		-28.94	36'-9"
P-75	2322+46.95	12.31	7.81	1.04		-29.02	36'-10"
P-76	2322+39.46	12.32	7.82	0.95		-29.10	36'-11"
P-77	2322+31.98	12.32	7.82	0.86		-29.18	37'-0"
P-78	2322+24.49	12.32	7.82	0.77		-29.26	37'-1"
P-79	2322+17.00	12.32	7.82	0.68		-29.35	37'-2"
P-80	2322+09.51	12.32	7.82	0.59		-29.43	37'-3"
P-81	2322+02.03	12.33	7.83	0.50		-29.51	37'-4"
P-82	2321+94.54	12.33	7.83	0.41		-29.67	37'-6"
P-83	2321+87.05	12.33	7.83	0.32		-29.75	37'-7"
P-84	2321+79.57	12.33	7.83	0.22		-29.83	37'-8"
P-85	2321+72.08	12.33	7.83	0.13		-29.92	37'-9"
P-86	2321+64.59	12.34	7.84	0.04		-30.00	37'-10"
P-87	2321+57.10	12.34	7.84	-0.05		-30.08	37'-11"
P-88	2321+49.62	12.34	7.84	-0.14		-30.16	38'-0"
P-89	2321+42.13	12.34	7.84	-0.23		-30.24	38'-1"
P-90	2321+34.64	12.34	7.84	-0.32		-30.32	38'-2"
P-91	2321+27.16	12.35	7.85	-0.41		-30.49	38'-4"
P-92	2321+19.67	12.35	7.85	-0.50		-30.57	38'-5"
P-93	2321+12.18	12.35	7.85	-0.59	W21x147	-30.65	38'-6"
P-94	2321+04.69	12.36	7.86	-0.68	W24x176	-32.72	40'-7"
P-95	2320+97.21	12.38	7.88	-0.77		-32.79	40'-8"
P-96	2320+89.72	12.40	7.90	-0.87		-32.93	40'-10"
P-97	2320+82.23	12.42	7.92	-0.96		-33.00	40'-11"
P-98	2320+74.74	12.44	7.94	-1.01		-33.06	41'-0"
P-99	2320+67.25	12.46	7.96	-1.02		-33.04	41'-0"
P-100	2320+59.76	12.48	7.98	-1.03		-33.10	41'-1"
P-101	2320+52.27	12.50	8.00	-1.04		-33.08	41'-1"
P-102	2320+44.78	12.52	8.02	-1.05		-33.06	41'-1"
P-103	2320+37.29	12.54	8.04	-1.06		-33.13	41'-2"
P-104	2320+29.80	12.56	8.06	-1.07		-33.11	41'-2"
P-105	2320+22.31	12.59	8.09	-1.08		-33.16	41'-3"
P-106	2320+14.82	12.61	8.11	-1.09		-33.14	41'-3"
P-107	2319+99.87	12.63	8.13	-1.10		-33.12	41'-3"
P-108	2319+92.38	12.65	8.15	-1.11		-33.18	41'-4"
P-109	2319+84.89	12.67	8.17	-1.12		-33.17	41'-4"
P-110	2319+77.40	12.69	8.19	-1.13		-33.15	41'-4"
P-111	2319+70.01	12.71	8.21	-1.14		-33.21	41'-5"
P-112	2319+62.52	12.73	8.23	-1.15		-33.19	41'-5"
P-113	2319+55.03	12.72	8.22	-1.11		-33.11	41'-4"
P-114	2319+47.54	12.69	8.19	-1.02		-33.06	41'-3"
P-115	2319+40.05	12.67	8.17	-0.93		-33.00	41'-2"
P-116	2319+32.56	12.64	8.14	-0.84		-32.86	41'-0"
P-117	2319+25.07	12.61	8.11	-0.75		-32.81	40'-11"
P-118	2319+17.58	12.58	8.08	-0.66		-32.67	40'-9"
P-119	2319+10.09	12.55	8.05	-0.58		-32.61	40'-8"
P-120	2319+02.60	12.53	8.03	-0.49	W24x176	-32.56	40'-7"
P-121	2318+95.11	12.50	8.00	-0.40	W21x147	-30.42	38'-5"
P-122	2318+87.62	12.47	7.97	-0.31		-30.36	38'-4"
P-123	2318+80.13	12.44	7.94	-0.22		-30.23	38'-2"
P-124	2318+72.64	12.41	7.91	-0.13		-30.17	38'-1"
P-125	2318+65.15	12.39	7.89	-0.04		-30.12	38'-0"
P-126	2318+57.66	12.36	7.86	0.05		-29.98	37'-10"
P-127	2318+50.17	12.33	7.83	0.14		-29.92	37'-9"
P-128	2318+42.68	12.30	7.80	0.23		-29.78	37'-7"
P-129	2318+35.19	12.28	7.78	0.40		-29.64	37'-5"
P-130	2318+27.70	12.27	7.77	0.66	W21x147	-29.40	37'-2"

PILE LAYOUT

Pile	Station at Working Point	Top of Parapet El.	Top of Pile El.	Bot. of Wall El.	Section	Pile Tip El.	Pile Length
P-131	2318+21.89	12.25	7.75	0.92	W21x147	-29.08	36'-10"
P-132	2318+14.40	12.24	7.74	1.18		-28.84	36'-7"
P-133	2318+07.05	12.23	7.73	1.44		-28.61	36'-4"
P-134	2317+99.64	12.21	7.71	1.70		-28.37	36'-1"
P-135	2317+92.22	12.20	7.70	1.96		-28.05	35'-9"
P-136	2317+84.80	12.19	7.69	2.22		-27.81	35'-6"
P-137	2317+77.38	12.17	7.67	2.48		-27.58	35'-3"
P-138	2317+69.97	12.16	7.66	2.74		-27.26	34'-11"
P-139	2317+62.55	12.15	7.65	3.00		-27.02	34'-8"
P-140	2317+55.13	12.13	7.63	3.26	W21x147	-26.78	34'-5"
P-141	2317+47.71	12.13	7.63	3.39	HP14x117	-22.63	30'-3"
P-142	2317+40.29	12.11	7.61	3.55		-22.47	30'-1"
P-143	2317+32.87	12.10	7.60	3.71		-22.32	29'-11"
P-144	2317+25.45	12.08	7.58	3.87		-22.17	29'-9"
P-145	2317+18.03	12.07	7.57	4.03		-22.01	29'-7"
P-146	2317+10.61	12.06	7.56	4.19		-21.86	29'-5"
P-147	2317+03.19	12.04	7.54	4.34		-21.71	29'-3"
P-148	2316+95.77	12.03					