

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
310	(38-2)RS	MCDONOUGH	66	20
STA.		TO STA.		
FED. ROAD DIST. NO.		ILLINOIS	FED. AID PROJECT	

BITUMINOUS RESURFACING - SHOULDERS

LOCATION	AREA	BIT SURF REMOVAL BUTT JT	BIT SURF REMOVAL (4 1/2")	BCSC SUPERPAVE IL 9.5L LE (2")	BCBC SUPERPAVE IL 19.0L LE (2.5")
	SQ FT	SQ YD	SQ YD	TON	TON
SOUTHBOUND					
LT. STA 56+84.00 - 57+44.00	544.8	60.5		6.8	8.5
LT. STA 57+44 - 64+70.18	7213.9		801.5	89.7	54.7
LT. STA. 65+07.64 - 65+63.55	467.2		51.9	5.8	7.3
LT. STA. 65+92.13 - 66+50.32	488.7		54.3	6.1	7.6
LT. STA. 66+83.34 - 71+26.34	4289.6		476.6	53.4	66.7
LT. STA 72+07.28 - 83+95.71	11823.3		1313.7	147.1	183.9
LT. STA 83+95.71 - 84+55.71	600.0	66.7		7.5	9.3
LT. STA 86+53.67 - 87+13.67	600.0	66.7		7.5	9.3
LT. STA 87+13.67 - 90+27.47	3079.1		342.1	38.3	47.9
LT. STA. 90+71.49 - 95+39.94	4486.2		498.5	55.8	69.8
LT. STA 96+79.35 - 140+42.87	43516.1		4835.1	541.5	676.9
LT. STA 140+42.87 - 141+02.87	600.0	66.7		7.5	9.3
RT. STA 78+82.04 - 83+80.49	2999.5		333.3	37.3	46.7
RT. STA 83+80.49 - 84+40.49	360.0	40.0		4.5	5.6
RT. STA 86+38.45 - 86+98.45	360.0	40.0		4.5	5.6
RT. STA 86+98.45 - 90+26.78	1984.9		220.5	24.7	30.9
RT. STA 90+64.65 - 95+69.86	3086.6		343.0	38.4	48.0
RT. STA 96+46+37 - 111+89.98	8620.2		950.2	106.4	134.1
RT. STA 112+12.02 - 127+81.93	9458.5		1050.9	117.7	147.1
RT. STA 128+06.15 - 137+85.35	5903.4		655.9	73.5	91.8
RT. STA 138+21.06 - 140+42.87	1356.3		150.7	16.9	21.1
RT. STA 140+42.87 - 141+02.87	360.0	40.0		4.5	5.6
TOTALS		380.6	12078.2	1395.4	1687.7

APPLICATION RATE = 112 LB/SQ YD/IN

LOCATION	AREA	BIT SURF REMOVAL BUTT JT	BIT SURF REMOVAL (4 1/2")	BCSC SUPERPAVE IL 9.5L LE (2")	BCBC SUPERPAVE IL 19.0L LE (2.5")
	SQ FT	SQ YD	SQ YD	TON	TON
NORTHBOUND					
RT. STA 55+00 - 56+00	708.6	78.7		8.8	11.0
RT. STA 56+00 - 83+54.28	27542.8		3060.3	342.8	428.4
RT. STA. 83+54.28 - 84+14.28	600.0	66.7		7.5	9.3
RT. STA. 86+12.24 - 86+72.24	600.0	66.7		7.5	9.3
RT. STA 86+72.24 - 95+42.36	8568.1		952.0	106.6	133.3
RT. STA 96+10.02 - 140+42.87	44212.3		4912.5	550.2	687.8
RT. STA 140+42.87 - 141+02.87	600.0	66.7		7.5	9.3
LT. STA 78+82.04 - 83+69.50	2935.1		326.1	36.5	45.7
LT. STA. 83+69.50 - 84+29.50	360.0	40.0		4.5	5.6
LT. STA. 86+27.46 - 86+87.46	262.5	29.2		3.3	4.1
LT. STA 86+87.46 - 90+26.78	1343.3		149.3	16.7	20.9
LT. STA 90+64.65 - 95+69.86	2052.3		228.0	25.5	31.9
LT. STA 96+46.37 - 111+89.98	9282.7		1031.4	115.5	144.4
LT. STA 112+12.02 - 127+81.93	9458.2		1050.9	117.7	147.1
LT. STA 128+06.15 - 137+85.35	5284.8		587.2	65.8	82.2
LT. STA 138+21.06 - 140+42.87	1333.0		148.1	16.6	20.7
LT. STA 140+42.87 - 141+02.87	360.0	40.0		4.5	5.6
TOTALS		388.0	12445.8	1437.5	1796.6

APPLICATION RATE = 112 LB/SQ YD/IN

PLOT DATE = 3/25/2005
 PLOT SCALE = 1/8"=100' / IN.
 REFERENCE = 01010

REVISIONS		ILLINOIS DEPARTMENT OF TRANSPORTATION	
NAME	DATE	SCHEDULE OF QUANTITIES	
SCALE: VERT. _____		DRAWN BY _____	
DATE _____		CHECKED BY _____	