

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
662		MACOUPIN	74	10
STA.		TO STA.		
FED. ROAD DIST. NO.		ILLINOIS	FED. AID PROJECT	

• 10Z (RS-1); (V,T) RS-2; (SRS-4)

RESURFACING

LOCATION	LENGTH	WIDTH	PR BIT SURF CSE AREA	AVERAGE THICKNESS	BITUMINOUS SURF. REM. (VAR. DEPTH)	BITUMINOUS SURF. REM. 1 1/2"	BITUMINOUS SURF. REM. BUTT JOINT	PCC SURF. REM. BUTT JOINT	TEMPORARY RAMPS	BITUMINOUS MATERIALS (PRIME COAT)	AGGREGATE (PRIME COAT)	LEVEL. BIND. SUPER (3/4") N50	LEVEL. BIND. SUPER (1") N50	LEVEL. BIND. SUPER (V.D.) N50	POLY BIT SURF SUPER MIX D N70 (1 1/2")	BIT SURF CSE SUPER. MIX C N50 (1 1/2")	BIT SURF CSE SUPER. MIX D N50 (1 1/2")	BITUMINOUS SHOULDERS SUPER (2 1/2")
	FOOT	FOOT	SQ YD	INCHES	SQ YD	SQ YD	SQ YD	SQ YD	SQ YD	TON	TON	TON	TON	TON	TON	TON	TON	TON
PART "A" - CITY																		
STA 98+45.93 TO STA 98+55.93 (BUTT JOINT)	10.00	42.00	46.7	1.50	-	-	46.7	-	23.3	0.018	0.09	-	-	-	2.24	1.68	-	-
STA 98+55.93 TO STA 100+33.01	177.08	42.00	826.4	1.50	-	826.4	-	-	-	0.314	1.65	-	-	-	39.67	29.75	-	-
STA 100+33.01 TO STA 127+23.28 (BK)	2690.27	40.00	12025.9	1.50	-	12025.9	-	-	-	4.570	24.05	-	-	-	602.62	407.55	-	-
STA EQU STA 127+23.28 (BK) = STA 0+00.00 (AH)																		
STA 0+00.00 (AH) TO STA 2+64.58	264.58	VAR	975.5	1.50	-	975.5	-	-	-	0.371	1.95	-	-	-	59.27	22.67	-	-
STA 2+64.58 TO STA 7+52.45	487.87	24.00	1301.0	1.50	-	1301.0	-	-	-	0.494	2.60	-	-	-	109.28	-	-	-
STA 7+52.45 TO STA 7+62.45 (BUTT JOINT)	10.00	24.00	26.7	1.50	-	-	26.7	-	13.3	0.010	0.05	-	-	-	2.24	-	-	-
LT STA 130+07.71 TO LT STA 131+14.00	106.29	VAR	363.1	1.50	-	363.1	-	-	-	0.138	0.73	-	-	-	30.50	-	-	-
RT STA 130+07.71 TO RT STA 131+23.00	115.29	VAR	342.6	1.50	-	342.6	-	-	-	0.130	0.69	-	-	-	28.78	-	-	-
LT STA 131+14.00 TO LT STA 131+64.00 (RAMP)	50.00	15.00	83.3	1.50 TO 2.50	-	50.0	-	-	-	0.032	0.17	-	-	-	-	-	7.93	-
RT STA 131+23.00 TO RT STA 131+73.00 (RAMP)	50.00	15.00	83.3	1.50 TO 2.50	-	50.0	-	-	-	0.032	0.17	-	-	-	-	-	7.93	-
LT STA 131+64.00 TO LT STA 132+87.00	123.00	16.00	218.7	2.50	-	-	-	-	-	0.083	0.44	-	12.25	-	-	-	18.37	-
RT STA 131+73.00 TO RT STA 132+87.00	114.00	15.00	190.0	2.50	-	-	-	-	-	0.072	0.38	-	10.64	-	-	-	15.96	-
LT STA 132+87.00 TO LT STA 134+06.50 (SE CORR.)	119.50	14.00 TO 11.00	166.0	2.0 L TO 3.1 R	-	-	-	-	-	0.063	0.33	-	-	9.76	-	-	13.94	-
RT STA 132+87.00 TO RT STA 135+27.00 (SE CORR.)	240.00	18.00 TO 11.00	386.7	3.1 L TO 4.5 R	-	-	-	-	-	0.147	0.77	-	-	49.80	-	-	32.48	-
LT STA 134+06.50 TO LT STA 135+27.00 (SE CORR.)	120.50	11.00	147.3	2.0 L TO 3.0 R	-	-	-	-	-	0.056	0.29	-	-	8.25	-	-	12.37	-
STA 135+27.00 TO STA 143+05.00 (SE CORR.)	778.00	22.00	1901.8	2.0 L TO 4.1 R	-	-	-	-	-	0.723	3.80	-	-	165.07	-	-	159.75	-
STA 143+05.00 TO STA 146+99.95 (SE CORR.)	394.95	23.00	1009.3	2.0 L TO 4.1 R	-	-	-	-	-	0.384	2.02	-	-	87.61	-	-	84.78	-
STA 146+99.95 TO STA 149+12.00	212.05	23.00	541.9	2.50	-	-	-	-	-	0.206	1.08	-	30.35	-	-	-	45.52	-
STA 149+12.00 TO STA 158+68.00	956.00	24.00	2549.3	2.50	-	-	-	-	-	0.969	5.10	-	142.76	-	-	-	214.14	-
SUB-TOTAL =					0.0	15934.4	73.3	0.0	36.7	8.8	46.4			516.5	874.6	461.7	613.2	0.0
PART "A" - RURAL																		
STA 158+68.00 TO STA 165+36.45	1624.45	24.00	4331.9	2.50	-	-	-	-	-	1.646	8.66	-	242.58	-	-	-	363.88	-
STA 165+36.45 TO STA 174+86.30 (SE CORR.)	949.85	24.00	2532.9	2.0 L TO 4.1 R	-	-	-	-	-	0.963	5.07	-	-	219.86	-	-	212.77	-
STA 174+86.30 TO STA 177+93.15	306.85	24.00	818.3	2.50	-	-	-	-	-	0.311	1.64	-	45.82	-	-	-	68.73	-
STA 177+93.15 TO STA 189+39.82 (SE CORR.)	1146.67	24.00	3057.8	5.5 L TO 2.0 R	-	-	-	-	-	1.162	6.12	-	-	385.28	-	-	256.85	-
STA 189+39.82 TO STA 194+80.95	541.13	24.00	1443.0	2.50	-	-	-	-	-	0.548	2.89	-	80.81	-	-	-	121.21	-
STA 194+80.95 TO STA 199+50.00 (SE CORR.)	469.05	24.00	1250.8	2.0 L TO 4.1 R	-	-	-	-	-	0.475	2.50	-	-	108.57	-	-	105.07	-
STA 199+50.00 TO STA 208+45.64 (SE CORR.)	895.64	23.00	2288.9	2.0 L TO 4.1 R	-	-	-	-	-	0.870	4.58	-	-	198.67	-	-	192.26	-
STA 208+45.64 TO STA 208+50.00 (SE CORR.)	4.36	23.00	11.1	2.0 L TO 4.1 R	-	-	-	-	-	0.004	0.02	-	-	0.97	-	-	0.94	-
STA 208+50.00 TO STA 217+18.85	868.85	24.00	2316.9	2.50	-	-	-	-	-	0.880	4.63	-	129.75	-	-	-	194.62	-
STA 217+18.85 TO STA 217+68.85	50.00	22.00	122.2	2.50	-	-	-	-	-	0.046	0.24	-	6.84	-	-	-	10.27	-
STA 217+68.85 TO STA 220+42.25	273.40	22.00	668.3	2.50	-	-	-	-	-	0.439	1.52	-	37.43	-	-	-	56.14	68.05
STA 220+42.25 TO STA 220+92.25 (BUTT JOINT)	50.00	22.00	122.2	2.50 TO 1.50	-	-	-	126.7	21.1	0.231	0.28	-	-	-	-	-	11.64	8.46
STA 220+92.25 TO STA 225+11.58 - BRIDGE OMISSION																		
STA 225+11.58 TO STA 225+61.58 (BUTT JOINT)	50.00	22.00	122.2	1.50 TO 2.50	-	-	-	126.7	21.1	0.046	0.28	-	-	-	-	-	11.64	8.46
STA 225+61.58 TO STA 228+07.24	245.66	22.00	600.5	2.50	-	-	-	-	-	0.394	1.37	-	33.63	-	-	-	50.44	61.14
STA 228+07.24 TO STA 245+06.39	1699.15	22.00	4153.5	2.50	-	-	-	-	-	1.578	8.31	-	232.59	-	-	-	348.89	-
STA 245+06.39 TO STA 245+65.00 (SE CORR.)	58.61	22.00	143.3	2.0 L TO 3.3 R	-	-	-	-	-	0.054	0.29	-	-	9.23	-	-	12.03	-
STA 245+65.00 TO STA 245+92.42 (SE CORR.)	27.42	23.00	70.1	2.0 L TO 3.3 R	-	-	-	-	-	0.027	0.14	-	-	4.51	-	-	5.89	-
STA 245+92.42 TO STA 246+00.00 (SE CORR.)	7.58	23.00	19.4	2.0 L TO 3.3 R	-	-	-	-	-	0.007	0.04	-	-	1.25	-	-	1.63	-
STA 246+00.00 TO STA 254+92.42 (SE CORR.)	892.42	24.00	2379.8	2.0 L TO 3.3 R	-	-	-	-	-	0.904	4.76	-	-	153.26	-	-	199.90	-
STA 254+92.42 TO STA 261+50.99	658.57	24.00	1756.2	2.50	-	-	-	-	-	0.667	3.51	-	98.35	-	-	-	147.52	-
STA 261+50.99 TO STA 265+80.00 (SE CORR.)	429.01	24.00	1144.0	2.0 L TO 4.1 R	-	-	-	-	-	0.435	2.29	-	-	99.30	-	-	96.10	-
STA 265+80.00 TO STA 266+00.00 (RAMP) (SE CORR.)	20.00	24.00	53.3	2.0 L TO 4.1 R	48.9	-	-	-	-	0.020	0.11	-	-	4.11	-	-	4.48	-
STA 266+00.00 TO STA 267+61.84 (SE CORR.)	161.84	24.00	431.6	2.0 L TO 4.1 R	395.6	-	-	-	-	0.164	0.86	-	-	37.46	-	-	36.25	-

CONTINUED ON NEXT PAGE

REVISIONS	
NAME	DATE

ILLINOIS DEPARTMENT OF TRANSPORTATION

SCHEDULES

SCALE: VERT. HORIZ. DATE

DRAWN BY CHECKED BY